

Price List Index - April 1, 2024

Page	Series	Product Type	Page	Series	Product Type
38	BEKOTEC	Modular Screed System	42-44	KERDI-LINE	Shower System
1	DECO	Floors	44	KERDI-LINE STRAINER	Shower System
5	DECO-DE	Walls & Countertops	45	KERDI-LINE-VARIO	Shower System
5	DECO-SG	Walls & Countertops/Shower System	44	KERDI-LINE-FC	Shower System
6	DECO-SGC	Walls & Countertops/Shower System	44	KERDI-LINE-STYLE	Shower System
6	DESIGNBASE-SL	Walls & Countertops	40	KERDI-SEAL-MV	Membranes
7	DESIGNBASE-SL-E	Walls & Countertops	40	KERDI-SEAL-PS	Membranes
7	DESIGNLINE	Walls & Countertops	42	KERDI-SHOWER-CB	Shower System
28-29	DILEX-AHK	Movement Joint & Cove-Shaped	46	KERDI-SHOWER-KIT	Shower System
29-30	DILEX-AHKA	Movement Joint & Cove-Shaped	45	KERDI-SHOWER-LT/-LTS	Shower System
30	DILEX-AKWS	Movement Joint & Cove-Shaped	45	KERDI-SHOWER-R	Shower System
30	DILEX-AS	Movement Joint & Cove-Shaped	45	KERDI-SHOWER-T/-TS/-TT	Shower System
31	DILEX-BT	Movement Joint & Cove-Shaped	46	KERDI-TUBKIT	Shower System
31	DILEX-BTO	Movement Joint & Cove-Shaped	38	PRIMER-U	Universal Primer
31	DILEX-BTS	Movement Joint & Cove-Shaped	49	PROCUT-TSM	Accessories
31	DILEX-BWA	Movement Joint & Cove-Shaped	13-15	QUADEC	Walls & Countertops
31	DILEX-BWB	Movement Joint & Cove-Shaped	15	QUADEC-FS	Walls & Countertops
31	DILEX-BWS	Movement Joint & Cove-Shaped	15	QUADEC-K	Walls & Countertops
31	DILEX-EDP	Movement Joint & Cove-Shaped	15	REMA	Walls & Countertops
32	DILEX-EHK	Movement Joint & Cove-Shaped	1	RENO-RAMP	Floors
32	DILEX-EKE	Movement Joint & Cove-Shaped	1	RENO-RAMP-K	Floors
32	DILEX-EKSB	Movement Joint & Cove-Shaped	1	RENO-T	Floors
32	DILEX-EZ 6 + 9	Movement Joint & Cove-Shaped	1-2	RENO-TK	Floors
32	DILEX-F	Movement Joint & Cove-Shaped	2	RENO-U	Floors
33	DILEX-HK	Movement Joint & Cove-Shaped	2-3	RENO-V	Floors
33	DILEX-HKS	Movement Joint & Cove-Shaped	16-21	RONDEC	Walls & Countertops
33-34	DILEX-HKU	Movement Joint & Cove-Shaped	21-22	RONDEC-CT	Walls & Countertops
34	DILEX-HKW	Movement Joint & Cove-Shaped	22	RONDEC-DB	Walls & Countertops
34	DILEX-KSA	Movement Joint & Cove-Shaped	22-24	RONDEC-STEP	Walls & Countertops
34-35	DILEX-KSN	Movement Joint & Cove-Shaped	3-4	SCHIENE	Floors
35	DILEX-MOP	Movement Joint & Cove-Shaped	4-5	SCHIENE-RADIUS	Floors
35	DILEX-MP/-MPV	Movement Joint & Cove-Shaped	24-25	SCHIENE-STEP	Stairs, Walls & Countertops
35	DILEX-PHK	Movement Joint & Cove-Shaped	40	SCHLUTER-REFLEECE	Removable Fleece
38	DITRA-DITRA-XL	Membranes	38	SET / ALL-SET / FAST-SET	Thinset Mortars
38,49	DITRA/KERDI Trowels	Accessories	46-47	SHELF-E	Shower System
38	DITRA-DRAIN	Membranes	47	SHELF-N	Shower System
7	ECK-E	Walls & Countertops	47	SHELF-W	Shower System
8	ECK-K	Walls & Countertops	48	SHOWERPROFILE-R	Shower System
8	ECK-KHK	Walls & Countertops	48	SHOWERPROFILE-S (-SA/-SB)	Shower System
8	ECK-KI	Walls & Countertops	48	SHOWERPROFILE-WS	Shower System
8-9	FINEC	Walls & Countertops	48	SHOWERPROFILE-WSK	Shower System
9	FINEC-SQ	Walls & Countertops	49	SNIPS	Accessories
9	INDEC	Walls & Countertops	25	TREP-B	Stair-Nosing
9-13	JOLLY	Walls & Countertops	25	TREP-E	Stair-Nosing
13	JOLLY-P (PVC)	Walls & Countertops	25	TREP-EFK	Stair-Nosing
39	KERDI	Membranes	25	TREP-EK	Stair-Nosing
39	KERDI-BAND	Membranes	26	TREP-FL	Stair-Nosing
40	KERDI-DRAIN & KERDI-DRAIN H	Shower System	26	TREP-G	Stair-Nosing
41	KERDI-DRAIN DRAIN KITS	Shower System	26	TREP-GK	Stair-Nosing
41	KERDI-DRAIN FLANGES	Shower System	26-27	TREP-S	Stair-Nosing
41-42	KERDI-DRAIN GRATES	Shower System	27	TREP-SE	Stair-Nosing
42	KERDI-DRAIN STRAINER	Shower System	27	TREP-TAP	Stair-Nosing
42	KERDI-DRAIN TAMPER PROOF SCREWS	Shower System	27	TREP-V	Stair-Nosing
40	KERDI-DRAIN-A	Shower System	48-49	TROBA-LEVEL	Paver Support System
40	KERDI-DRAIN-F	Shower System	49	TROBA-PLUS	Exterior Drainage Membranes
39	KERDI-DS	Membranes	49	TROBA-ZFK	Paver Support System
39	KERDI-FIX	Membranes	35-36	VINPRO-RO	Profiles for Resilient Coverings
39	KERDI-FLEX	Membranes	36	VINPRO-S	Profiles for Resilient Coverings
39	KERDI-KERECK-F	Shower System	36-37	VINPRO-STEP	Profiles for Resilient Coverings
39	KERDI-KERS	Shower System	37	VINPRO-STEP-R	Profiles for Resilient Coverings
39	KERDI-KERS-B	Shower System	37	VINPRO-T	Profiles for Resilient Coverings
39	KERDI-KM	Membranes	37-38	VINPRO-U	Profiles for Resilient Coverings

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

FINISHING, EDGE-PROTECTION & TRANSITION PROFILES FOR FLOORS

DECO

Designed to provide decorative lines within tile coverings and edge protection at transitions from tile coverings to other same-height surface coverings such as wood or carpet. This profile features a 1/4" wide visible surface.

<i>Color:</i> Chrome-Plated Solid Brass (MC)									
11/32" x 8'	MC90D		230.35	EA	1/2" x 8'	MC125D		244.00	EA
7/16" x 8'	MC110D		238.55	EA					
<i>Color:</i> Satin Anodized Aluminum (AE)									
5/16" x 8'	AE80D		26.40	EA	1/2" x 8'	AE125D		30.75	EA
3/8" x 8'	AE100D		29.75	EA					
<i>Color:</i> Solid Brass (M)									
11/32" x 8'	M90D		105.90	EA	1/2" x 8'	M125D		119.35	EA
7/16" x 8'	M110D		113.90	EA					
<i>Color:</i> Stainless Steel 304 (E)									
5/16" x 8'	E80D		55.30	EA	5/8" x 8'	E160D		61.75	EA
11/32" x 8'	E90D		56.00	EA	23/32" x 8'	E185D		63.85	EA
3/8" x 8'	E100D		56.85	EA	13/16" x 8'	E210D		65.80	EA
7/16" x 8'	E110D		57.60	EA	1" x 8'	E250D		69.45	EA
1/2" x 8'	E125D		58.95	EA	1-3/16" x 8'	E300D		73.30	EA
17/32" x 8'	E140D		59.85	EA					

RENO-RAMP

Designed to protect tile edges and provide a smooth transition between tile coverings and floor coverings at lower elevations or finished concrete.

<i>Color:</i> Satin Anodized Aluminum (AE)									
1/4" x 8'	AERP60B50 (2" Slope)		59.20	EA	1/2" x 8'	AERP125B90 (3-1/2" Slope)		80.15	EA
3/8" x 8'	AERP100B65 (2-1/2" Slope)		59.65	EA	9/16" x 8'	AERP150B90 (3-1/2" Slope)	a	82.75	EA
1/2" x 8'	AERP125B65 (2-1/2" Slope)		62.25	EA	3/4" x 8'	AERP200B90 (3-1/2" Slope)	a	86.90	EA
<i>Note:</i> a) 9/16" and 3/4" are not ADA-Compliant.									

RENO-RAMP-K

Designed to protect tile edges and provide a smooth transition between tile coverings and floor coverings at lower elevations or finished concrete. Features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

<i>Color:</i> Satin Anodized Aluminum (AE)									
1/2" x 8'	AERPK125B65 (2-1/2" Slope)							72.65	EA

RENO-T

Designed to provide transitions between existing same-height hard surface floor coverings primarily in retrofit applications.

<i>Color:</i> Brushed Stainless Steel 304 (EB)									
17/32" x 8'	T9/14EB		44.55	EA	1" x 8'	T9/25EB		62.55	EA
<i>Color:</i> Satin Anodized Aluminum (AE)									
17/32" x 8'	T9/14AE		14.85	EA	1" x 8'	T9/25AE		24.00	EA
<i>Color:</i> Satin Copper Anodized Aluminum (AK)									
17/32" x 8'	T9/14AK		17.70	EA	1" x 8'	T9/25AK		28.85	EA
<i>Color:</i> Satin Brass Anodized Aluminum (AM)									
17/32" x 8'	T9/14AM		16.05	EA	1" x 8'	T9/25AM		24.40	EA
<i>Color:</i> Satin Nickel Anodized Aluminum (AT)									
17/32" x 8'	T9/14AT		17.35	EA	1" x 8'	T9/25AT		28.85	EA
<i>Color:</i> Solid Brass (M)									
17/32" x 8'	T9/14M		28.65	EA	1" x 8'	T9/25M		48.50	EA
<i>Color:</i> Stainless Steel 304 (E)									
17/32" x 8'	T9/14E		41.85	EA	1" x 8'	T9/25E		57.25	EA

RENO-TK

Designed to protect tile edges and provide a smooth transition from tile coverings to floor coverings at lower elevations typically carpet.

<i>Color:</i> Bright Chrome Anodized Aluminum (ACB)									
1/4" x 8'	ATK60ACB		23.95	EA	3/8" x 8'	ATK100ACB		27.30	EA
5/16" x 8'	ATK80ACB		25.65	EA	1/2" x 8'	ATK125ACB		35.55	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

RENO-TK - continued

<i>Color:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)					Brushed Nickel Anodized Aluminum (ATGB)				
5/16" x 8'			35.15	EA	1/2" x 8'			46.25	EA
3/8" x 8'			38.10	EA					
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
5/16" x 8'			80.80	EA	7/16" x 8'			90.95	EA
3/8" x 8'			88.35	EA	1/2" x 8'			94.30	EA
<i>Color:</i> Satin Anodized Aluminum (AE)									
1/4" x 8'			22.35	EA	3/8" x 8'			Stock 25.60	EA
5/16" x 8'			23.95	EA	1/2" x 8'			Stock 33.05	EA
<i>Color:</i> Satin Nickel Anodized Aluminum (AT)									
1/4" x 8'			25.60	EA	3/8" x 8'			33.00	EA
5/16" x 8'			27.30	EA	1/2" x 8'			37.20	EA
<i>Color:</i> Solid Brass (M)									
5/16" x 8'			51.70	EA	1/2" x 8'			75.95	EA
3/8" x 8'			56.05	EA					
<i>Color:</i> Stainless Steel 304 (E)									
5/16" x 8'			62.20	EA	7/16" x 8'			73.50	EA
3/8" x 8'			68.00	EA	1/2" x 8'			75.50	EA
<i>Note:</i> To complete part number replace hyphens with color code. Example ATK125--, for Satin Nickel Anodized Aluminum # is: ATK125AT.									

RENO-U

Designed to protect tile edges and provide a smooth transition between tile coverings and floor coverings at lower elevations or finished concrete.

<i>Color:</i> Bright Chrome Anodized Aluminum (ACB)									
5/16" x 8'			25.35	EA	1/2" x 8'			38.00	EA
3/8" x 8'			29.50	EA					
<i>Color:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)					Brushed Nickel Anodized Aluminum (ATGB)				
5/16" x 8'			41.00	EA	1/2" x 8'			54.30	EA
3/8" x 8'			45.00	EA					
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
5/16" x 8'			98.85	EA	9/16" x 8'		a	119.75	EA
3/8" x 8'			105.05	EA	11/16" x 8'		b	128.10	EA
7/16" x 8'			108.60	EA	3/4" x 8'		b	137.10	EA
1/2" x 8'			113.05	EA					
<i>Color:</i> Satin Anodized Aluminum (AE)									
1/8" x 8'			19.15	EA	1/2" x 8'			Stock 32.30	EA
5/16" x 8'		Stock	23.15	EA	9/16" x 8'		a	41.35	EA
3/8" x 8'		Stock	24.35	EA	11/16" x 8'		b	50.25	EA
<i>Color:</i> Satin Brass Anodized Aluminum (AM)					Satin Nickel Anodized Aluminum (AT)				
5/16" x 8'			24.90	EA	1/2" x 8'			33.75	EA
3/8" x 8'			26.20	EA					
<i>Color:</i> Solid Brass (M)									
5/16" x 8'			69.15	EA	1/2" x 8'			97.45	EA
3/8" x 8'			77.65	EA	9/16" x 8'		a	108.15	EA
<i>Color:</i> Stainless Steel 304 (E)									
5/16" x 8'			64.10	EA	9/16" x 8'		a	84.65	EA
3/8" x 8'			70.10	EA	11/16" x 8'		b	93.10	EA
7/16" x 8'			75.95	EA	3/4" x 8'		b	102.50	EA
1/2" x 8'			77.80	EA					
<i>Notes:</i> To complete part number replace hyphens with color code. Example AU80--, for Satin Brass Anodized Aluminum # is: AU80AM.									
a) When leading edge rests on top of lower surface covering, size 9/16" is not ADA-Compliant.					b) 11/16" and 3/4" are not ADA-Compliant.				

RENO-V

Designed to protect tile edges and is a variable transition profile for smoothly joining tile and floor coverings of different heights.

<i>Color:</i> Satin Anodized Aluminum (AE)									
5/16" x 8'			68.20	EA	9/16" x 8'			74.05	EA
3/8" x 8'			69.90	EA	11/16" x 8'			75.75	EA
1/2" x 8'			71.60	EA	3/4" x 8'			81.70	EA
5/16" x 8'			75.75	EA	9/16" x 8'			80.05	EA
3/8" x 8'			77.40	EA	11/16" x 8'			81.70	EA
1/2" x 8'			78.30	EA	3/4" x 8'			87.60	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
RENO-V - continued									
<i>Color:</i> Satin Anodized Aluminum (AE)									
5/16" x 8'			AEVT80B40 (1-9/16" Slope)	83.35 EA	9/16" x 8'			AEVT150B40 (1-9/16" Slope)	89.25 EA
3/8" x 8'			AEVT100B40 (1-9/16" Slope)	85.05 EA	11/16" x 8'			AEVT175B40 (1-9/16" Slope)	90.95 EA
1/2" x 8'			AEVT125B40 (1-9/16" Slope)	87.20 EA	3/4" x 8'			AEVT200B40 (1-9/16" Slope)	96.85 EA

SCHIENE

Schiene features an 87° angle to transfer point loads and protect tile edges in tile coverings. Typical applications include edge protection where tile is bordered by carpet, at expansion joints, or as a decorative edging for stairs. Schiene in aluminum and brass, in sizes 1/4" and higher, features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

<i>Color:</i> Aluminum (A)									
3/32" x 8'			A20	10.85 EA	17/32" x 8'			A140	16.40 EA
1/8" x 8'			A30	11.40 EA	9/16" x 8'			A150	17.10 EA
3/16" x 8'			A45	11.65 EA	5/8" x 8'			A160	17.65 EA
1/4" x 8'			A60	12.45 EA	11/16" x 8'			A175	18.70 EA
9/32" x 8'			A70	12.70 EA	3/4" x 8'			A200	19.50 EA
5/16" x 8'			A80	12.55 EA	13/16" x 8'			A210	20.25 EA
11/32" x 8'			A90	13.35 EA	7/8" x 8'			A225	20.75 EA
3/8" x 8'			A100	13.15 EA	1" x 8'			A250	21.80 EA
7/16" x 8'			A110	13.60 EA	1-1/16" x 8'			A275	22.60 EA
1/2" x 8'			A125	13.85 EA	1-3/16" x 8'			A300	24.15 EA
<i>Color:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)									
1/4" x 8'			A60ABGB	27.35 EA	5/16" x 10'			A80ABGB/300	35.90 EA
5/16" x 8'			A80ABGB	28.75 EA	3/8" x 10'			A100ABGB/300	37.05 EA
3/8" x 8'			A100ABGB	29.65 EA	1/2" x 10'			A125ABGB/300	40.05 EA
1/2" x 8'			A125ABGB	32.10 EA					
<i>Color:</i> Brushed Brass Anodized Aluminum (AMGB)									
1/4" x 8'			A60AMGB	24.65 EA	3/8" x 8'			A100AMGB	27.35 EA
5/16" x 8'			A80AMGB	25.50 EA	1/2" x 8'			A125AMGB	28.80 EA
<i>Color:</i> Brushed Chrome Anodized Aluminum (ACGB)									
1/4" x 8'			A60ACGB	23.15 EA	3/8" x 8'			A100ACGB	26.35 EA
5/16" x 8'			A80ACGB	23.80 EA	1/2" x 8'			A125ACGB	27.80 EA
<i>Color:</i> Brushed Copper Anodized Aluminum (AKGB)									
1/4" x 8'			A60AKGB	25.60 EA	3/8" x 8'			A100AKGB	27.00 EA
5/16" x 8'			A80AKGB	26.40 EA	1/2" x 8'			A125AKGB	27.60 EA
<i>Color:</i> Brushed Nickel Anodized Aluminum (ATGB)									
1/4" x 8'			A60ATGB	25.60 EA	3/8" x 8'			A100ATGB	26.50 EA
5/16" x 8'			A80ATGB	25.90 EA	1/2" x 8'			A125ATGB	27.60 EA
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
1/4" x 8'			E60EB	52.00 EA	7/16" x 8'			E110EB	58.85 EA
5/16" x 8'			E80EB	54.00 EA	1/2" x 8'			E125EB	58.90 EA
3/8" x 8'			E100EB	56.95 EA					
<i>Color:</i> Polished Brass Anodized Aluminum (AMG)									
1/4" x 8'			A60AMG	21.70 EA	3/8" x 8'			A100AMG	26.15 EA
5/16" x 8'			A80AMG	23.15 EA	1/2" x 8'			A125AMG	27.65 EA
<i>Color:</i> Polished Chrome Anodized Aluminum (ACG)									
1/4" x 8'			A60ACG	21.70 EA	5/16" x 10'			A80ACG/300	28.90 EA
5/16" x 8'			A80ACG	23.15 EA	3/8" x 10'			A100ACG/300	32.00 EA
3/8" x 8'			A100ACG	25.65 EA	1/2" x 10'			A125ACG/300	33.80 EA
1/2" x 8'			A125ACG	27.10 EA					
<i>Colors:</i> Polished Copper Anodized Aluminum (AKG)					Polished Nickel Anodized Aluminum (ATG)				
1/4" x 8'			A60---	28.55 EA	3/8" x 8'			A100---	29.75 EA
5/16" x 8'			A80---	29.00 EA	1/2" x 8'			A125---	30.00 EA
<i>Note:</i> To complete part number replace hyphens with color code. Example A60---, for Polished Copper Anodized Aluminum # is: A60AKG.									
<i>Color:</i> Satin Anodized Aluminum (AE)									
3/32" x 8'			AE20	16.60 EA	11/32" x 8'			AE90	20.00 EA
1/8" x 8'			AE30	17.35 EA	3/8" x 8'			AE100	19.60 EA
3/16" x 8'			AE45	17.80 EA	7/16" x 8'			AE110	20.85 EA
1/4" x 8'			AE60	18.55 EA	1/2" x 8'			AE125	21.00 EA
9/32" x 8'			AE70	18.95 EA	17/32" x 8'			AE140	23.40 EA
5/16" x 8'			AE80	18.45 EA	9/16" x 8'			AE150	23.65 EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

SCHIENE - continued

<i>Color:</i> Satin Anodized Aluminum (AE)									
5/8" x 8'	AE160		25.65	EA	1-1/16" x 8'	AE275		34.70	EA
11/16" x 8'	AE175		27.15	EA	1-3/16" x 8'	AE300		36.20	EA
3/4" x 8'	AE200		29.40	EA	5/16" x 10'	AE80/300		23.00	EA
13/16" x 8'	AE210		30.20	EA	3/8" x 10'	AE100/300		24.40	EA
7/8" x 8'	AE225		30.95	EA	1/2" x 10'	AE125/300		26.20	EA
1" x 8'	AE250		32.45	EA					
<i>Color:</i> Satin Brass Anodized Aluminum (AM)									
1/4" x 8'	A60AM		18.50	EA	3/8" x 8'	A100AM		21.45	EA
5/16" x 8'	A80AM		19.25	EA	1/2" x 8'	A125AM		22.90	EA
<i>Color:</i> Satin Copper Anodized Aluminum (AK)									
1/4" x 8'	A60AK		22.05	EA	3/8" x 8'	A100AK		23.40	EA
5/16" x 8'	A80AK		22.95	EA	1/2" x 8'	A125AK		24.20	EA
<i>Color:</i> Satin Nickel Anodized Aluminum (AT)									
1/4" x 8'	A60AT		22.05	EA	5/16" x 10'	A80AT/300		28.10	EA
5/16" x 8'	A80AT	Stock	22.55	EA	3/8" x 10'	A100AT/300		28.65	EA
3/8" x 8'	A100AT	Stock	22.95	EA	1/2" x 10'	A125AT/300		29.60	EA
1/2" x 8'	A125AT	Stock	23.75	EA					
<i>Color:</i> Solid Brass (M)									
1/8" x 8'	M30		34.40	EA	9/16" x 8'	M150		52.65	EA
3/16" x 8'	M45		38.50	EA	5/8" x 8'	M160		53.00	EA
1/4" x 8'	M60		40.15	EA	11/16" x 8'	M175		53.95	EA
5/16" x 8'	M80		44.20	EA	3/4" x 8'	M200		55.10	EA
11/32" x 8'	M90		44.70	EA	7/8" x 8'	M225		67.25	EA
3/8" x 8'	M100		45.25	EA	1" x 8'	M250		68.55	EA
7/16" x 8'	M110		46.40	EA	1-3/16" x 8'	M300		74.60	EA
1/2" x 8'	M125		46.90	EA					
<i>Color:</i> Stainless Steel 304 (E)									
3/32" x 8'	E20		32.70	EA	9/16" x 8'	E150		57.25	EA
1/8" x 8'	E30		36.00	EA	5/8" x 8'	E160		58.45	EA
3/16" x 8'	E45		42.55	EA	11/16" x 8'	E175		58.90	EA
1/4" x 8'	E60		43.40	EA	3/4" x 8'	E200		61.35	EA
9/32" x 8'	E70		44.20	EA	7/8" x 8'	E225		63.85	EA
5/16" x 8'	E80		43.70	EA	1" x 8'	E250		66.30	EA
11/32" x 8'	E90		46.45	EA	1-3/16" x 8'	E300		71.25	EA
3/8" x 8'	E100	Stock	46.10	EA	5/16" x 10'	E80/300		54.50	EA
7/16" x 8'	E110		46.80	EA	3/8" x 10'	E100/300		57.50	EA
1/2" x 8'	E125		47.70	EA	1/2" x 10'	E125/300		59.50	EA
17/32" x 8'	E140		51.15	EA					

SCHIENE - TRENDLINE Textured Color-Coated Aluminum

Colors:	Beige (TSB)	Dark Anthracite (TSDA)	Light Anthracite (TSLA)	Stone Grey (TSSG)
	Bronze (TSOB)	Greige (TSBG)	Pewter (TSG)	
	Cream (TSC)	Ivory (TSI)	Rustic Brown (TSR)	
1/4" x 8'	A60---		7/16" x 8'	A110---
5/16" x 8'	A80---	Stock a	1/2" x 8'	A125---
3/8" x 8'	A100---	Stock b		
<i>Colors:</i> Matte Black (MGS) Matte White (MBW)				
1/8" x 8'	A30---		3/8" x 8'	A100---
3/16" x 8'	A45---		7/16" x 8'	A110---
1/4" x 8'	A60---		1/2" x 8'	A125---
5/16" x 8'	A80---			

Notes: To complete part number replace hyphens with color code. Example A60--, Cream # is: A60TSC. a) Stocked in color Greige (TSBG) only.
 b) Stocked in colors Cream (TSC), Greige (TSBG), Ivory (TSI), Pewter (TSG) and Stone Grey (TSSG) only.
 c) Stocked in color Matte Black (MGS) only.

SCHIENE-RADIUS

Schiene-Radius is an extruded profile with special perforations for finishing and protecting the edges of curved tile coverings.

<i>Color:</i> Aluminum (A)									
1/4" x 8'	R/A60		19.10	EA	3/8" x 8'	R/A100		19.80	EA
5/16" x 8'	R/A80		19.20	EA	1/2" x 8'	R/A125		20.50	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
SCHIENE-RADIUS - continued									
<i>Color:</i> Satin Anodized Aluminum (AE)									
1/4" x 8' R/AE60			25.20	EA	3/8" x 8' R/AE100			26.25	EA
5/16" x 8' R/AE80			25.10	EA	1/2" x 8' R/AE125			27.65	EA
<i>Color:</i> Solid Brass (M)									
1/4" x 8' R/M60			46.75	EA	3/8" x 8' R/M100			51.85	EA
5/16" x 8' R/M80			50.85	EA	1/2" x 8' R/M125			53.55	EA
<i>Color:</i> Stainless Steel 304 (E)									
1/4" x 8' R/E60			50.05	EA	3/8" x 8' R/E100			52.75	EA
5/16" x 8' R/E80			50.35	EA	1/2" x 8' R/E125			54.35	EA

FINISHING & EDGE-PROTECTION PROFILES FOR WALLS & COUNTERTOPS

DECO-DE

A Stainless Steel finishing and edge-protection profile for 135° outside corners of tiled surfaces.

<i>Color:</i> Stainless Steel 304 (E)									
5/16" x 8' DE80ES			57.85	EA	7/16" x 8' DE110ES			61.90	EA
3/8" x 8' DE100ES			60.80	EA	1/2" x 8' DE125ES			63.60	EA
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
5/16" x 8' DE80EBS			63.85	EA	7/16" x 8' DE110EBS			68.80	EA
3/8" x 8' DE100EBS			67.20	EA	1/2" x 8' DE125EBS			71.15	EA

DECO-SG

Decorative profile for floors and walls featuring a 1/2" or 9/16" -wide channel that creates a support for glass partitions. The channel can also be used as a decorative shadow gap between tile courses or other wall coverings. DECO-SG features a trapezoid perforated anchoring leg that is secured in the bond coat beneath the tile.

<i>Color:</i> Bright Chrome Anodized Aluminum (ACB)									
<i>1/2" Wide Channel</i>					<i>9/16" Wide Channel</i>				
5/16" x 8' SG80ACB12			27.45	EA	5/16" x 8' SG80ACB15			28.75	EA
3/8" x 8' SG100ACB12			28.75	EA	3/8" x 8' SG100ACB15			30.10	EA
7/16" x 8' SG110ACB12			29.55	EA	7/16" x 8' SG110ACB15			31.00	EA
1/2" x 8' SG125ACB12			30.55	EA	1/2" x 8' SG125ACB15			32.00	EA
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
<i>1/2" Wide Channel</i>					<i>9/16" Wide Channel</i>				
5/16" x 8' SG80EB12			95.10	EA	5/16" x 8' SG80EB15			98.05	EA
3/8" x 8' SG100EB12			101.60	EA	3/8" x 8' SG100EB15			104.45	EA
7/16" x 8' SG110EB12			105.05	EA	7/16" x 8' SG110EB15			108.35	EA
1/2" x 8' SG125EB12			110.65	EA	1/2" x 8' SG125EB15			112.50	EA
<i>Color:</i> Satin Anodized Aluminum (AE)									
<i>1/2" Wide Channel</i>					<i>9/16" Wide Channel</i>				
5/16" x 8' SG80AE12			26.40	EA	5/16" x 8' SG80AE15			27.65	EA
3/8" x 8' SG100AE12			27.75	EA	3/8" x 8' SG100AE15			29.10	EA
7/16" x 8' SG110AE12			28.50	EA	7/16" x 8' SG110AE15			29.85	EA
1/2" x 8' SG125AE12			29.45	EA	1/2" x 8' SG125AE15			30.90	EA

DECO-SG - TRENDLINE Textured Color-Coated Aluminum

<i>Colors:</i> Bronze (TSOB) Greige (TSBG) Matte White (MBW)									
Cream (TSC) Ivory (TSI) Stone Grey (TSSG)									
Dark Anthracite (TSDA) Matte Black (MGS) Pewter (TSG)									
<i>1/2" Wide Channel</i>					<i>9/16" Wide Channel</i>				
5/16" x 8' SG80----12			51.15	EA	5/16" x 8' SG80----15			53.60	EA
3/8" x 8' SG100----12			52.55	EA	3/8" x 8' SG100----15			55.00	EA
7/16" x 8' SG110----12			53.25	EA	7/16" x 8' SG110----15			55.70	EA
1/2" x 8' SG125----12			53.80	EA	1/2" x 8' SG125----15			56.25	EA
<i>Note:</i> To complete part number replace hyphens with color code. Example SG80----12, Matte Black #: SG80MGS12.									

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

DECO-SGC

Decorative profile featuring a 1/2" or 9/16" -wide channel used as a vertical support for glass panels in recessed showers that border on untilted walls, creating a 90° angle between the glass partition and the untilted wall.

Color: Satin Anodized Aluminum (AE)

1/2" Wide Channel

9/16" Wide Channel

5/16" x 8'	SGC80AE12	28.50	EA	5/16" x 8'	SGC80AE15	29.90	EA
3/8" x 8'	SGC100AE12	29.95	EA	3/8" x 8'	SGC100AE15	31.45	EA
7/16" x 8'	SGC110AE12	30.80	EA	7/16" x 8'	SGC110AE15	32.30	EA
1/2" x 8'	SGC125AE12	31.80	EA	1/2" x 8'	SGC125AE15	33.45	EA

DESIGNBASE-SL

The Schluter DESIGNBASE-SL profile is an alternative to baseboard, which is available in anodized and color-coated aluminum. DESIGNBASE features a clean, polished look, and is simply attached to the wall with a suitable adhesive. An optional sealing lip accessory is available to protect the floor/wall transition from moisture penetration and to reduce the transmission of impact sound.

Color: Satin Anodized Aluminum (AE)

2-3/8" x 8'	DBSL60AE	34.25	EA	3-1/8" x 8'	DBSL80AE	41.90	EA
	90° Outside Corner				90° Outside Corner		
2-3/8"	ED/DBSL60AE	12.45	EA	3-1/8"	ED/DBSL80AE	12.50	EA
	90° Inside Corner				90° Inside Corner		
2-3/8"	ID/DBSL60AE	12.50	EA	3-1/8"	ID/DBSL80AE	12.50	EA
	End Cap (Left)				End Cap (Left)		
2-3/8"	EL/DBSL60AE	11.00	EA	3-1/8"	EL/DBSL80AE	11.00	EA
	End Cap (Right)				End Cap (Right)		
2-3/8"	ER/DBSL60AE	11.00	EA	3-1/8"	ER/DBSL80AE	11.00	EA
	Connector				Connector		
2-3/8"	V/DBSL60AE	10.95	EA	3-1/8"	V/DBSL80AE	10.95	EA

Color: Anodized Aluminum w/Brushed Stainless Steel appearance (AEEB)

2-3/8" x 8'	DBSL60AEEB	105.45	EA	3-1/8" x 8'	DBSL80AEEB	138.25	EA
	90° Outside Corner				90° Outside Corner		
2-3/8"	ED/DBSL60AEEB	12.45	EA	3-1/8"	ED/DBSL80AEEB	12.50	EA
	90° Inside Corner				90° Inside Corner		
2-3/8"	ID/DBSL60AEEB	12.50	EA	3-1/8"	ID/DBSL80AEEB	12.50	EA
	End Cap (Left)				End Cap (Left)		
2-3/8"	EL/DBSL60AEEB	10.95	EA	3-1/8"	EL/DBSL80AEEB	10.95	EA
	End Cap (Right)				End Cap (Right)		
2-3/8"	ER/DBSL60AEEB	10.95	EA	3-1/8"	ER/DBSL80AEEB	10.95	EA
	Connector				Connector		
2-3/8"	V/DBSL60AEEB	10.95	EA	3-1/8"	V/DBSL80AEEB	10.95	EA

Note: a) For reasons associated with production technology, these 90° Inside Corners are not Brushed.

Color: Matte White Color-Coated Aluminum (MBW)

2-3/8" x 8'	DBSL60MBW	58.70	EA	3-1/8" x 8'	DBSL80MBW	83.25	EA
	90° Outside Corner				90° Outside Corner		
2-3/8"	ED/DBSL60MBW	12.50	EA	3-1/8"	ED/DBSL80MBW	12.50	EA
	90° Inside Corner				90° Inside Corner		
2-3/8"	ID/DBSL60MBW	12.50	EA	3-1/8"	ID/DBSL80MBW	12.50	EA
	End Cap (Left)				End Cap (Left)		
2-3/8"	EL/DBSL60MBW	10.95	EA	3-1/8"	EL/DBSL80MBW	10.95	EA
	End Cap (Right)				End Cap (Right)		
2-3/8"	ER/DBSL60MBW	10.95	EA	3-1/8"	ER/DBSL80MBW	10.95	EA
	Connector				Connector		
2-3/8"	V/DBSL60MBW	10.95	EA	3-1/8"	V/DBSL80MBW	10.95	EA
8'	DBZSLL					12.50	EA
					Sealing Lip		

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

DESIGNBASE-SL-E

The Schluter DESIGNBASE-SL-E profile is made of brushed stainless steel and provides a modern alternative to traditional baseboards. The profile is available in 4-3/8" or 6-3/8" heights to meet code requirements for a commercial cove base. DESIGNBASE features a sleek look and has an optional sealing lip accessory to protect the floor/wall transition from moisture penetration and to reduce the transmission of impact sound. Matching corners, end caps and connectors are available to create a clean, finished design.

Color: Brushed Stainless Steel 304 (EB)

4-3/8" x 8"	DBSL110EB		143.60	EA	6-3/8" x 8"	DBSL160EB		201.30	EA
	<i>90° Outside Corner</i>					<i>90° Outside Corner</i>			
4-3/8"	E90/DBSL110EB		71.25	EA	6-3/8"	E90/DBSL160EB		73.65	EA
	<i>90° Inside Corner</i>					<i>90° Inside Corner</i>			
4-3/8"	I90/DBSL110EB		71.20	EA	6-3/8"	I90/DBSL160EB		73.65	EA
	<i>End Cap (Left)</i>					<i>End Cap (Left)</i>			
4-3/8"	EL/DBSL110EB		71.20	EA	6-3/8"	EL/DBSL160EB		73.65	EA
	<i>End Cap (Right)</i>					<i>End Cap (Right)</i>			
4-3/8"	ER/DBSL110EB		71.25	EA	6-3/8"	ER/DBSL160EB		73.65	EA
	<i>Connector</i>					<i>Connector</i>			
4-3/8"	V/DBSL110EB		38.85	EA	6-3/8"	V/DBSL160EB		40.10	EA
8'	DBZSLL	Sealing Lip						21.95	EA

DESIGNLINE

A border profile for creating decorative designs in tile fields on walls. DESIGNLINE in Stainless Steel can also be used to create decorative designs in floors. This profile can be combined with QUADDEC and RONDEC finishing & edge-protection profiles.

1/4" x 8"	DL625AMGB	Brushed Brass Anodized Aluminum (AMGB)						52.55	EA
1/4" x 8"	DL625ACGB	Brushed Chrome Anodized Aluminum (ACGB)						52.55	EA
1/4" x 8"	DL625AKGB	Brushed Copper Anodized Aluminum (AKGB)						54.20	EA
1/4" x 8"	DL625ATGB	Brushed Nickel Anodized Aluminum (ATGB)						54.20	EA
1/4" x 8"	DL625EB	Brushed Stainless Steel 304 (EB)						111.30	EA
1/4" x 8"	DL625MC	Chrome-Plated Solid Brass (MC)						120.40	EA
1/4" x 8"	DL625AMG	Polished Brass Anodized Aluminum (AMG)						45.90	EA
1/4" x 8"	DL625ACG	Polished Chrome Anodized Aluminum (ACG)						45.90	EA
1/4" x 8"	DL625AKG	Polished Copper Anodized Aluminum (AKG)						47.55	EA
1/4" x 8"	DL625ATG	Polished Nickel Anodized Aluminum (ATG)						47.55	EA
1/4" x 8"	DL625AE	Satin Anodized Aluminum (AE)						33.40	EA
1/4" x 8"	DL625AM	Satin Brass Anodized Aluminum (AM)						33.40	EA
1/4" x 8"	DL625AK	Satin Copper Anodized Aluminum (AK)						35.05	EA
1/4" x 8"	DL625AT	Satin Nickel Anodized Aluminum (AT)						35.05	EA
1/4" x 8"	DL625E	Stainless Steel 304 (E)						76.15	EA

ECK-E

An edging profile for outside corners of tiled walls that offers excellent edge protection in applications subject to high degrees of wear. Produces a radiused edge along the outside wall corner for a clean decorative finish. Installed simultaneously with the tile.

Color: Brushed Stainless Steel 304 (EB)

1/4" x 4' 11"	E37V2AEB60/150	90° Angle	96.00	EA	1/4" x 8'	E37V2AEB60/250	90° Angle	150.65	EA
5/16" x 4' 11"	E37V2AEB80/150	90° Angle	99.80	EA	5/16" x 8'	E37V2AEB80/250	90° Angle	156.65	EA
7/16" x 4' 11"	E37V2AEB110/150	90° Angle	104.00	EA	7/16" x 8'	E37V2AEB110/250	90° Angle	163.30	EA
1/4" x 6' 7"	E37V2AEB60/200	90° Angle	123.35	EA	1/4" x 10'	E37V2AEB60/300	90° Angle	186.15	EA
5/16" x 6' 7"	E37V2AEB80/200	90° Angle	128.25	EA	5/16" x 10'	E37V2AEB80/300	90° Angle	196.30	EA
7/16" x 6' 7"	E37V2AEB110/200	90° Angle	133.50	EA	7/16" x 10'	E37V2AEB110/300	90° Angle	203.20	EA
1/4" x 8'	E37EB60S	135° Angle	144.80	EA	1/4" x 10'	E37EB60S/300	135° Angle	173.60	EA
5/16" x 8'	E37EB80S	135° Angle	150.00	EA	5/16" x 10'	E37EB80S/300	135° Angle	179.95	EA
7/16" x 8'	E37EB110S	135° Angle	155.90	EA	7/16" x 10'	E37EB110S/300	135° Angle	187.05	EA

Color: Stainless Steel 304 (E)

1/4" x 4' 11"	E37V2A60/150	90° Angle	73.95	EA	1/4" x 8'	E37V2A60/250	90° Angle	116.05	EA
5/16" x 4' 11"	E37V2A80/150	90° Angle	76.90	EA	5/16" x 8'	E37V2A80/250	90° Angle	120.65	EA
7/16" x 4' 11"	E37V2A110/150	90° Angle	79.95	EA	7/16" x 8'	E37V2A110/250	90° Angle	125.80	EA
1/4" x 6' 7"	E37V2A60/200	90° Angle	95.00	EA	1/4" x 10'	E37V2A60/300	90° Angle	143.35	EA
5/16" x 6' 7"	E37V2A80/200	90° Angle	98.75	EA	5/16" x 10'	E37V2A80/300	90° Angle	151.20	EA
7/16" x 6' 7"	E37V2A110/200	90° Angle	102.85	EA	7/16" x 10'	E37V2A110/300	90° Angle	156.45	EA
1/4" x 8'	E37E60S	135° Angle	111.35	EA	1/4" x 10'	E37E60S/300	135° Angle	133.50	EA
5/16" x 8'	E37E80S	135° Angle	115.40	EA	5/16" x 10'	E37E80S/300	135° Angle	138.40	EA
7/16" x 8'	E37E110S	135° Angle	120.05	EA	7/16" x 10'	E37E110S/300	135° Angle	144.05	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

ECK-K

An edging profile for outside corners of tiled walls that offers excellent edge protection against mechanical stresses in commercial/industrial applications. Produces a radiused edge along the outside wall corner & is subsequently bonded to the outside corners of existing installations.

Color: Brushed Stainless Steel 304 (EB)

9/16" x 4' 11"	K15V2AEB/150	90° Angle	56.60	EA	1-9/32" x 8'	K32V2AEB/250	90° Angle	155.50	EA
1-9/32" x 4' 11"	K32V2AEB/150	90° Angle	93.25	EA	2" x 8'	K50V2AEB/250	90° Angle	200.00	EA
2" x 4' 11"	K50V2AEB/150	90° Angle	120.05	EA	9/16" x 10'	K15V2AEB/300	90° Angle	113.05	EA
1-9/32" x 6' 7"	K32V2AEB/200	90° Angle	124.40	EA	1-9/32" x 10'	K32V2AEB/300	90° Angle	188.60	EA
2" x 6' 7"	K50V2AEB/200	90° Angle	160.00	EA	2" x 10'	K50V2AEB/300	90° Angle	238.65	EA
9/16" x 8'	K15V2AEB/250	90° Angle	94.35	EA					

Color: Stainless Steel 304 (E)

9/16" x 4' 11"	K15V2A/150	90° Angle	43.55	EA	1-9/32" x 8'	K32V2A/250	90° Angle	119.60	EA
1-9/32" x 4' 11"	K32V2A/150	90° Angle	71.75	EA	2" x 8'	K50V2A/250	90° Angle	153.90	EA
2" x 4' 11"	K50V2A/150	90° Angle	92.35	EA	9/16" x 10'	K15V2A/300	90° Angle	87.00	EA
1-9/32" x 6' 7"	K32V2A/200	90° Angle	95.80	EA	1-9/32" x 10'	K32V2A/300	90° Angle	145.20	EA
2" x 6' 7"	K50V2A/200	90° Angle	123.15	EA	2" x 10'	K50V2A/300	90° Angle	183.65	EA
9/16" x 8'	K15V2A/250	90° Angle	72.50	EA					
1-9/32" x 4' 11"	K32ES/150	135° Angle	69.65	EA	1-9/32" x 10'	K32ES/300	135° Angle	139.20	EA
1-9/32" x 8'	K32ES	135° Angle	115.95	EA					

ECK-KHK

A stainless steel profile for inside wall corners that produces a radiused edge for a clean, decorative finish. ECK-KHK provides a 5/16" radius to prevent the accumulation of dirt and make cleaning simple. Thus, the profile is especially suited for commercial kitchens, bathrooms, food processing plants or any environment where a sanitary corner is desired. ECK-KI is subsequently bonded to the inside corners of existing tile or other wall coverings. As such, the profile can be installed as a repair so that existing, damaged corners don't have to be replaced.

Color: Brushed Stainless Steel 304 (EB)

9/16" x 4' 11"	KHK15EB/150		33.65	EA	9/16" x 8'	KHK15EB		56.05	EA
9/16" x 6' 7"	KHK15EB/200		44.85	EA	9/16" x 10'	KHK15EB/300		67.25	EA
	E/KHK15EB	Outside Corner, 90°						12.75	EA
	I/2KHK15EB	Inside Corner, 90° (2-way)						12.75	EA
	I/3KHK15EB	Inside Corner, 90° (3-way)						12.75	EA
	V/KHK15EB	Connector						8.65	EA

Color: Stainless Steel 304 (E)

9/16" x 4' 11"	KHK15E/150		29.95	EA	9/16" x 8'	KHK15E		49.95	EA
9/16" x 6' 7"	KHK15E/200		39.95	EA	9/16" x 10'	KHK15E/300		59.90	EA
	E/KHK15E	Outside Corner, 90°						12.75	EA
	I/2KHK15E	Inside Corner, 90° (2-way)						12.75	EA
	I/3KHK15E	Inside Corner, 90° (3-way)						12.75	EA
	V/KHK15E	Connector						8.65	EA

ECK-KI

A stainless steel profile for inside wall corners that produces a clean, decorative finish. ECK-KI is subsequently bonded to the inside corners of existing tile or other wall coverings. As such, the profile can be installed as a repair so that existing, damaged corners don't have to be replaced.

Color: Brushed Stainless Steel 304 (EB)

9/16" x 4' 11"	KI15EB/150		33.65	EA	9/16" x 8'	KI15EB		56.05	EA
9/16" x 6' 7"	KI15EB/200		44.85	EA	9/16" x 10'	KI15EB/300		67.30	EA

Color: Stainless Steel 304 (E)

9/16" x 4' 11"	KI15E/150		30.00	EA	9/16" x 8'	KI15E		49.95	EA
9/16" x 6' 7"	KI15E/200		39.95	EA	9/16" x 10'	KI15E/300		59.90	EA

FINEC

A finishing and edge protection profile for the external edges of tile coverings or mosaics. The finishing leg of the profile protects the covering edges from mechanical damage, and features a very slim, elegant reveal. FINEC is ideal for protecting mitered edges, while creating a discreet trim for a minimalist design.

Color: Satin Anodized Aluminum (AE)

3/32" x 8'	F25AE		20.50	EA	11/32" x 8'	F90AE		22.70	EA
3/16" x 8'	F45AE		20.80	EA	7/16" x 8'	F110AE		23.60	EA
9/32" x 8'	F70AE		21.65	EA	1/2" x 8'	F125AE		24.25	EA

Color: Stainless Steel 304 (E)

3/16" x 8'	F45E		39.95	EA	7/16" x 8'	F110E		46.20	EA
9/32" x 8'	F70E		41.95	EA	1/2" x 8'	F125E		47.05	EA
11/32" x 8'	F90E		44.70	EA					

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

FINEC - TRENDLINE Textured Color-Coated Aluminum

Colors:	Beige (TSB)	Dark Anthracite (TSDA)	Light Anthracite (TSLA)	Stone Grey (TSSG)
	Bronze (TSOB)	Greige (TSBG)	Pewter (TSG)	
	Cream (TSC)	Ivory (TSI)	Rustic Brown (TSR)	
3/16" x 8'	F45---	29.00 EA	7/16" x 8' F110---	31.15 EA
9/32" x 8'	F70---	29.60 EA	1/2" x 8' F125---	31.80 EA
11/32" x 8'	F90---	30.85 EA		

Colors:	Matte Black (MGS)	Matte White (MBW)		
3/32" x 8'	F25MBW	a	28.40 EA	11/32" x 8' F90---
3/16" x 8'	F45---		29.00 EA	7/16" x 8' F110---
9/32" x 8'	F70---		29.60 EA	1/2" x 8' F125---

Notes: a) Not available in color Matte Black (MGS).
To complete part number replace hyphens with color code. Example F45---, Cream # is: FT45TSC.

FINEC-SQ

FINEC-SQ is a finishing and edge-protection profile for outside corners of tile coverings. This minimalistic wall profile features a symmetrical 3/16" profile reveal that combines the slim look of Schluter-FINEC with the square shape of Schluter-QUADEC and a perforated anchoring leg that is secured in mortar bond coat beneath the tile. This profile is available in larger sizes to accommodate thicker tiles and is ideal for protecting mitered edges.

Color:	Satin Anodized Aluminum (AE)		
7/16" x 8'	FSQ110AE	26.90 EA	9/16" x 8' FSQ150AE
1/2" x 8'	FSQ125AE	27.20 EA	

Note: FINEC-SQ can be combined with QUADEC corner pieces.

FINEC-SQ - TRENDLINE Textured Color-Coated Aluminum

Colors:	Beige (TSB)	Greige (TSBG)	Matte White (MBW)
	Bronze (TSOB)	Ivory (TSI)	Pewter (TSG)
	Cream (TSC)	Light Anthracite (TSLA)	Stone Grey (TSSG)
	Dark Anthracite (TSDA)	Matte Black (MGS)	Rustic Brown (TSR)
7/16" x 8'	FSQ110----	36.10 EA	9/16" x 8' FSQ150----
1/2" x 8'	FSQ125----	36.20 EA	

Notes: FINEC-SQ can be combined with QUADEC corner pieces.
To complete part number replace hyphens with color code. Example FSQ110---, Cream # is: FTSG110TSC.

INDEC

An anodized aluminum profile for outside corners of tiled surfaces and tiled edges. The reveal of the profile forms a square recessed groove for modern decorative design and interesting contrasts.

Color:	Polished Chrome Anodized Aluminum (ACG)		
5/16" x 8'	IN80ACG	57.45 EA	7/16" x 8' IN110ACG
3/8" x 8'	IN100ACG	59.00 EA	1/2" x 8' IN125ACG
<i>Outside Corner, 90° (Cast Zinc with ACG appearance)</i>			
5/16"	ED/IN80ACG	8.90 EA	7/16" ED/IN110ACG
3/8"	ED/IN100ACG	8.90 EA	1/2" ED/IN125ACG

Color:	Satin Anodized Aluminum (AE)		
5/16" x 8'	IN80AE	32.75 EA	7/16" x 8' IN110AE
3/8" x 8'	IN100AE	33.85 EA	1/2" x 8' IN125AE
<i>Outside Corner, 90° (Cast Zinc with AE appearance)</i>			
5/16"	ED/IN80AE	8.90 EA	7/16" ED/IN110AE
3/8"	ED/IN100AE	8.90 EA	1/2" ED/IN125AE

JOLLY

Schluter-JOLLY is a decorative profile featuring a 90° angle designed to finish and protect external corners and other tile edges in wall applications. Its 90° angle creates a clean, flush look on wall corner installations, and the joint spacers on both sides of the profile ensure consistent grout joints and perfect symmetry. Matching corners are available, which feature innovative plug-in connections that result in clean, visually appealing corner applications.

Color:	Bright Black Anodized Aluminum (AGSG)		
1/4" x 8'	J60AGSG	22.15 EA	7/16" x 8' J110AGSG
5/16" x 8'	J80AGSG	22.60 EA	1/2" x 8' J125AGSG
3/8" x 8'	J100AGSG	24.25 EA	
<i>Outside Corner, 90°</i>			
1/4"	EV/J60AGSG	12.80 EA	7/16" EV/J110AGSG
5/16"	EV/J80AGSG	12.80 EA	1/2" EV/J125AGSG
3/8"	EV/J100AGSG	12.80 EA	
V/JPP4	Connector (Package of 4 Each)		3.25 PKG

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
JOLLY - continued									
<i>Color:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)									
1/4" x 8'			27.40	EA	5/16" x 10'			36.05	EA
5/16" x 8'			28.85	EA	3/8" x 10'			37.20	EA
3/8" x 8'			29.70	EA	1/2" x 10'			40.25	EA
7/16" x 8'			30.60	EA					
1/2" x 8'			32.20	EA					
<i>Outside Corner, 90°</i>									
1/4"			12.80	EA	7/16"			12.80	EA
5/16"			12.80	EA	1/2"			12.80	EA
3/8"			12.80	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG
<i>Color:</i> Brushed Brass Anodized Aluminum (AMGB)									
1/4" x 8'			24.70	EA	7/16" x 8'			28.00	EA
5/16" x 8'			25.55	EA	1/2" x 8'			28.90	EA
3/8" x 8'			27.40	EA					
<i>Outside Corner, 90°</i>									
1/4"			12.80	EA	7/16"			12.80	EA
5/16"			12.80	EA	1/2"			12.80	EA
3/8"			12.80	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG
<i>Color:</i> Brushed Chrome Anodized Aluminum (ACGB)									
1/4" x 8'			23.20	EA	7/16" x 8'			26.90	EA
5/16" x 8'			23.85	EA	1/2" x 8'			27.90	EA
3/8" x 8'			26.40	EA					
<i>Outside Corner, 90°</i>									
1/4"			12.80	EA	7/16"			12.80	EA
5/16"			12.80	EA	1/2"			12.80	EA
3/8"			12.80	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG
<i>Color:</i> Brushed Copper Anodized Aluminum (AKGB)									
1/4" x 8'			25.70	EA	7/16" x 8'			27.30	EA
5/16" x 8'			26.50	EA	1/2" x 8'			27.70	EA
3/8" x 8'			27.05	EA					
<i>Outside Corner, 90°</i>									
1/4"			12.80	EA	7/16"			12.80	EA
5/16"			12.80	EA	1/2"			12.80	EA
3/8"			12.80	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG
<i>Color:</i> Brushed Graphite Anodized Aluminum (AGRB)									
1/4" x 8'			27.40	EA	7/16" x 8'			30.90	EA
5/16" x 8'			28.85	EA	1/2" x 8'			32.20	EA
3/8" x 8'			30.30	EA					
<i>Outside Corner, 90°</i>									
1/4"			12.80	EA	7/16"			12.80	EA
5/16"			12.80	EA	1/2"			12.80	EA
3/8"			12.80	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG
<i>Color:</i> Brushed Nickel Anodized Aluminum (ATGB)									
1/4" x 8'			25.70	EA	7/16" x 8'			26.80	EA
5/16" x 8'			26.00	EA	1/2" x 8'			27.70	EA
3/8" x 8'			26.55	EA					
<i>Outside Corner, 90°</i>									
1/4"			12.80	EA	7/16"			12.80	EA
5/16"			12.80	EA	1/2"			12.80	EA
3/8"			12.80	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
1/4" x 8'			52.00	EA	7/16" x 8'			58.80	EA
5/16" x 8'			53.95	EA	1/2" x 8'			58.90	EA
3/8" x 8'			56.90	EA					

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
JOLLY - continued									
<i>Color:</i> Brushed Stainless Steel 304 (EB)									
<i>Outside Corner, 90°</i>									
1/4"			25.60	EA	7/16"			25.60	EA
5/16"			25.60	EA	1/2"			25.60	EA
3/8"			25.60	EA					
V/JPP4		Connector	(Package of 4 Each)					3.25	PKG
<i>Color:</i> Chrome-Plated Solid Brass (MC)									
1/4" x 8'			102.70	EA	7/16" x 8'			108.80	EA
5/16" x 8'			106.35	EA	1/2" x 8'			109.55	EA
3/8" x 8'			107.70	EA					
<i>Outside Corner, 90°</i>									
1/4"			24.50	EA	7/16"			24.50	EA
5/16"			24.50	EA	1/2"			24.50	EA
3/8"			24.50	EA					
V/JPP4		Connector	(Package of 4 Each)					3.25	PKG
<i>Color:</i> Polished Brass Anodized Aluminum (AMG)									
1/4" x 8'			21.75	EA	7/16" x 8'			26.75	EA
5/16" x 8'			23.25	EA	1/2" x 8'			27.75	EA
3/8" x 8'			26.20	EA					
<i>Outside Corner, 90°</i>									
1/4"			12.80	EA	7/16"			12.80	EA
5/16"			12.80	EA	1/2"			12.80	EA
3/8"			12.80	EA					
V/JPP4		Connector	(Package of 4 Each)					3.25	PKG
<i>Color:</i> Polished Chrome Anodized Aluminum (ACG)									
1/4" x 8'			21.75	EA	5/16" x 10'			29.05	EA
5/16" x 8'			23.25	EA	3/8" x 10'			32.15	EA
3/8" x 8'			25.75	EA	1/2" x 10'			34.00	EA
7/16" x 8'			25.95	EA					
1/2" x 8'			27.20	EA					
<i>Outside Corner, 90°</i>									
1/4"			12.80	EA	7/16"			12.80	EA
5/16"			12.80	EA	1/2"			12.80	EA
3/8"			12.80	EA					
V/JPP4		Connector	(Package of 4 Each)					3.25	PKG
<i>Colors:</i> Polished Copper Anodized Aluminum (AKG)					<i>Polished Nickel Anodized Aluminum (ATG)</i>				
1/4" x 8'			28.60	EA	7/16" x 8'			29.95	EA
5/16" x 8'			29.05	EA	1/2" x 8'			30.10	EA
3/8" x 8'			29.80	EA					
1/4"			12.80	EA	7/16"			12.80	EA
5/16"			12.80	EA	1/2"			12.80	EA
3/8"			12.80	EA					
V/JPP4		Connector	(Package of 4 Each)					3.25	PKG
<i>Note:</i> To complete part number replace hyphens with color code. Example J60---, for Polished Copper Anodized Aluminum # is: J60AKG.									
<i>Color:</i> Satin Anodized Aluminum (AE)									
1/4" x 8'			18.65	EA	5/16" x 10'			23.15	EA
5/16" x 8'			18.50	EA	3/8" x 10'			24.55	EA
3/8" x 8'			19.65	EA	1/2" x 10'			26.35	EA
7/16" x 8'			20.95	EA					
1/2" x 8'			21.10	EA					
<i>Outside Corner, 90°</i>									
1/4"			9.80	EA	7/16"			9.80	EA
5/16"			9.80	EA	1/2"			9.80	EA
3/8"			9.80	EA					
V/JPP4		Connector	(Package of 4 Each)					3.25	PKG
<i>Color:</i> Satin Brass Anodized Aluminum (AM)									
1/4" x 8'			18.60	EA	7/16" x 8'			21.95	EA
5/16" x 8'			19.30	EA	1/2" x 8'			23.00	EA
3/8" x 8'			21.55	EA					

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

JOLLY - continued

Color: Satin Brass Anodized Aluminum (AM)

Outside Corner, 90°

1/4" EV/J60AM			12.80	EA	7/16" EV/J110AM			12.80	EA
5/16" EV/J80AM			12.80	EA	1/2" EV/J125AM			12.80	EA
3/8" EV/J100AM			12.80	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG

Color: Satin Copper Anodized Aluminum (AK)

1/4" x 8' J60AK			22.10	EA	7/16" x 8' J110AK			23.75	EA
5/16" x 8' J80AK			23.05	EA	1/2" x 8' J125AK			24.30	EA
3/8" x 8' J100AK			23.50	EA					

Outside Corner, 90°

1/4" EV/J60AK			12.80	EA	7/16" EV/J110AK			12.80	EA
5/16" EV/J80AK			12.80	EA	1/2" EV/J125AK			12.80	EA
3/8" EV/J100AK			12.80	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG

Color: Satin Nickel Anodized Aluminum (AT)

1/4" x 8' J60AT			22.10	EA	5/16" x 10' J80AT/300			28.25	EA
5/16" x 8' J80AT			22.60	EA	3/8" x 10' J100AT/300			28.80	EA
3/8" x 8' J100AT			23.05	EA	1/2" x 10' J125AT/300			29.75	EA
7/16" x 8' J110AT			23.25	EA					
1/2" x 8' J125AT			23.85	EA					

Outside Corner, 90°

1/4" EV/J60AT			12.80	EA	7/16" EV/J110AT			12.80	EA
5/16" EV/J80AT			12.80	EA	1/2" EV/J125AT			12.80	EA
3/8" EV/J100AT			12.80	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG

JOLLY - Color-Coated Aluminum (AC)

Colors:	Black (GS) Black Brown (SB) Bright White (BW)	Classic Grey (PG) Grey (G) Metallic Grey (GM)	Sand Pebble (SP) White (W)						
1/4" x 8' J60--			22.15	EA	7/16" x 8' J110--			24.65	EA
5/16" x 8' J80--		Stock a	22.60	EA	1/2" x 8' J125--		Stock c	25.05	EA
3/8" x 8' J100--		Stock b	24.25	EA					
Outside Corner, 90°									
1/4" EV/J60--			11.85	EA	7/16" EV/J110--			11.85	EA
5/16" EV/J80--			11.85	EA	1/2" EV/J125--			11.85	EA
3/8" EV/J100--			11.85	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG

Notes: a) Stocked in color Bright White (BW) and White (W) only. b) Stocked in colors Bright White (BW), Classic Grey (PG), Sand Pebble (SP) and White (W) only.
c) Stocked in color Bright White (BW) only.
To complete part number replace hyphens with color code. Example J60--, for Black # is: J60GS.

JOLLY - TRENDLINE Textured Color-Coated Aluminum

Colors:	Beige (TSB) Bronze (TSOB) Cream (TSC)	Dark Anthracite (TSDA) Greige (TSBG) Ivory (TSI)	Light Anthracite (TSLA) Pewter (TSG) Rustic Brown (TSR)	Stone Grey (TSSG)					
1/4" x 8' J60---			39.00	EA	1/4" x 10' J60---/300			46.80	EA
5/16" x 8' J80---			39.90	EA	5/16" x 10' J80---/300			47.90	EA
3/8" x 8' J100---			40.70	EA	3/8" x 10' J100---/300			48.80	EA
7/16" x 8' J110---			41.10	EA	7/16" x 10' J110---/300			49.30	EA
1/2" x 8' J125---			41.95	EA	1/2" x 10' J125---/300			50.35	EA
Outside Corner, 90°									
3/8" EV/J60---			18.40	EA	7/16" EV/J110---			18.40	EA
5/16" EV/J80---			18.40	EA	1/2" EV/J125---			18.40	EA
3/8" EV/J100---			18.40	EA					
V/JPP4		Connector		(Package of 4 Each)				3.25	PKG

Colors:	Matte Black (MGS)	Matte White (MBW)							
1/4" x 8' J60---			31.25	EA	1/4" x 10' J60---/300			37.50	EA
5/16" x 8' J80---			31.95	EA	5/16" x 10' J80---/300			38.35	EA
3/8" x 8' J100---			32.55	EA	3/8" x 10' J100---/300			39.10	EA
7/16" x 8' J110---			32.90	EA	7/16" x 10' J110---/300			39.50	EA
1/2" x 8' J125---			33.60	EA	1/2" x 10' J125---/300			40.30	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

JOLLY - TRENDLINE Textured Color-Coated Aluminum - *continued*

Colors: Matte Black (MGS) Matte White (MBW)

Outside Corner, 90°

3/8" EV/J60---			16.60	EA	7/16" EV/J110---			16.60	EA
5/16" EV/J80---			16.60	EA	1/2" EV/J125---			16.60	EA
3/8" EV/J100---			16.60	EA					
V/JPP4		Connector (Package of 4 Each)						3.25	PKG

Note: To complete part number replace hyphens with color code. Example J60--, for Beige # is: J60TSB.

JOLLY-P - PVC (P)

Schluter-JOLLY-P is a PVC profile featuring an 87° angle designed to finish and protect external corners and other tile edges in wall applications. The vertical wall section of the profile provides a decorative finish and protects adjacent tiles. JOLLY-P in sizes 1/4" and higher features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

Colors: Bahama (BH) Classic Grey (PG) Light Grey (HG)
Black (GS) Grey (G) Sand Pebble (SP)
Bright White (BW) Light Beige (HB) White (W)

3/16" x 8' -45			7.20	EA	3/8" x 8' -100	Stock b		7.85	EA
1/4" x 8' -60			7.35	EA	7/16" x 8' -110			8.05	EA
5/16" x 8' -80	Stock a		7.65	EA	1/2" x 8' -125			8.25	EA

Color: Bright White (BW)

5/16" x 10' BW80/300			9.55	EA	1/2" x 10' BW125/300			10.25	EA
3/8" x 10' BW100/300			9.75	EA					

Notes: a) Stocked in color Bright White (BW) only. b) Stocked in colors Bright White (BW) and Sand Pebble (SP) only.
To complete part number replace hyphens with color code. Example --45, for Black # is: GS45.

QUADEC

For tiled edges and outside corners of tiled surfaces. The reveal of the profile forms a square outer corner along the surface edge. Can also be used as an accent within tile fields on both floors and walls. Can be combined with the QUADEC-FS feature strip profile and/or the DESIGNLINE border profile for further design options. QUADEC in Stainless Steel can also be used as a stair nosing or floor transition profile.

Colors: Brushed Antique Bronze Anodized Aluminum (ABGB) Brushed Nickel Anodized Aluminum (ATGB)

1/4" x 8' Q60ABGB	a		30.95	EA	3/8" x 8' Q100---			35.20	EA
5/16" x 8' Q80---			31.65	EA	1/2" x 8' Q125---			38.05	EA

Inside /Outside Corner/End Cap:

1/4" EV/Q60ABGB	a		18.90	EA	3/8" EV/Q100---			18.90	EA
5/16" EV/Q80---			18.90	EA	1/2" EV/Q125---			18.90	EA

Notes: To complete part number replace hyphens with color code. Example Q80--, Brushed Antique Bronze Anodized Aluminum (ABGB) # is: Q80ABGB.
a) Not available in color Brushed Nickel Anodized Aluminum (ATGB).

Color: Brushed Stainless Steel 304 (EB)

1/4" x 8' Q60EB			89.40	EA	7/16" x 8' Q110EB			106.90	EA
9/32" x 8' Q70EB			92.70	EA	1/2" x 8' Q125EB			110.05	EA
5/16" x 8' Q80EB			96.15	EA	17/32" x 8' Q140EB			112.85	EA
11/32" x 8' Q90EB			99.60	EA	9/16" x 8' Q150EB			114.45	EA
3/8" x 8' Q100EB			103.30	EA					

Inside /Outside Corner/End Cap:

1/4" EV/Q60EB			56.30	EA	7/16" EV/Q110EB			63.00	EA
9/32" EV/Q70EB			56.95	EA	1/2" EV/Q125EB			63.60	EA
5/16" EV/Q80EB			57.50	EA	17/32" EV/Q140EB			64.45	EA
11/32" EV/Q90EB			59.50	EA	9/16" EV/Q150EB			66.20	EA
3/8" EV/Q100EB			62.10	EA					

Color: Polished Chrome Anodized Aluminum (ACG)

3/16" x 8' Q45ACG			27.65	EA	5/16" x 10' Q80ACG/300			40.50	EA
1/4" x 8' Q60ACG			28.85	EA	3/8" x 10' Q100ACG/300			44.65	EA
5/16" x 8' Q80ACG			32.50	EA	1/2" x 10' Q125ACG/300			52.35	EA
3/8" x 8' Q100ACG			35.90	EA					
1/2" x 8' Q125ACG			42.05	EA					

Inside /Outside Corner/End Cap:

3/16" EV/Q45ACG			12.35	EA	3/8" EV/Q100ACG			12.35	EA
1/4" EV/Q60ACG			12.35	EA	1/2" EV/Q125ACG			12.35	EA
5/16" EV/Q80ACG			12.35	EA					

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

QUADEC - continued

Color: Satin Anodized Aluminum (AE)

3/16" x 8"	Q45AE		22.00	EA	1/2" x 8"	Q125AE		28.90	EA
1/4" x 8"	Q60AE		22.95	EA	9/16" x 8"	Q150AE		32.60	EA
5/16" x 8"	Q80AE		23.95	EA	3/4" x 8"	Q200AE		35.75	EA
3/8" x 8"	Q100AE	Stock	25.90	EA					

Inside /Outside Corner/End Cap:

3/16"	EV/Q45AE		10.40	EA	1/2"	EV/Q125AE		10.40	EA
1/4"	EV/Q60AE		10.40	EA	9/16"	EV/Q150AE		11.80	EA
5/16"	EV/Q80AE		10.40	EA	3/4"	EV/Q200AE		11.80	EA
3/8"	EV/Q100AE		10.40	EA					

Color: Satin Nickel Anodized Aluminum (AT)

3/16" x 8"	Q45AT		23.20	EA	3/8" x 8"	Q100AT	Stock	27.55	EA
1/4" x 8"	Q60AT		24.20	EA	1/2" x 8"	Q125AT		30.70	EA
5/16" x 8"	Q80AT		25.80	EA					

Inside /Outside Corner/End Cap:

3/16"	EV/Q45AT		10.25	EA	3/8"	EV/Q100AT	Stock	10.25	EA
1/4"	EV/Q60AT		10.25	EA	1/2"	EV/Q125AT		10.25	EA
5/16"	EV/Q80AT		10.25	EA					

Color: Stainless Steel 304 (E)

3/16" x 8"	Q45E		53.00	EA	3/8" x 8"	Q100E		68.25	EA
1/4" x 8"	Q60E		60.85	EA	7/16" x 8"	Q110E		70.65	EA
9/32" x 8"	Q70E		63.05	EA	1/2" x 8"	Q125E		72.70	EA
5/16" x 8"	Q80E		63.50	EA	17/32" x 8"	Q140E		77.90	EA
11/32" x 8"	Q90E		67.75	EA	9/16" x 8"	Q150E		81.00	EA

Inside /Outside Corner/End Cap:

3/16"	EV/Q45E		42.55	EA	3/8"	EV/Q100E		51.80	EA
1/4"	EV/Q60E		46.65	EA	7/16"	EV/Q110E		52.60	EA
9/32"	EV/Q70E		47.30	EA	1/2"	EV/Q125E		53.15	EA
5/16"	EV/Q80E		47.95	EA	17/32"	EV/Q140E		55.30	EA
11/32"	EV/Q90E		49.65	EA	9/16"	EV/Q150E		59.25	EA

QUADEC - Color-Coated Aluminum (AC)

Colors: Black (GS) Classic Grey (PG) Traffic Grey (VG)
 Black Brown (SB) Quartz Grey (QG) White (W)
 Bright White (BW) Sand Pebble (SP)

3/16" x 8"	Q45--		23.75	EA	3/8" x 8"	Q100--		28.55	EA
1/4" x 8"	Q60--		25.50	EA	7/16" x 8"	Q110--		29.40	EA
5/16" x 8"	Q80--		27.00	EA	1/2" x 8"	Q125--		31.25	EA

Outside Corner, 90°:

3/16"	ED/Q45--		5.70	EA	3/8"	ED/Q100--		5.70	EA
1/4"	ED/Q60--		5.70	EA	7/16"	ED/Q110--		5.70	EA
5/16"	ED/Q80--		5.70	EA	1/2"	ED/Q125--		5.70	EA

QUADEC - TRENDLINE Textured Color-Coated Aluminum

Colors: Beige (TSB) Dark Anthracite (TSDA) Light Anthracite (TSLA) Stone Grey (TSSG)
 Bronze (TSOB) Greige (TSBG) Pewter (TSG)
 Cream (TSC) Ivory (TSI) Rustic Brown (TSR)

3/16" x 8"	Q45---		49.10	EA					
1/4" x 8"	Q60---		50.10	EA	1/4" x 10'	Q60---/300		62.60	EA
5/16" x 8"	Q80---		51.10	EA	5/16" x 10'	Q80---/300		63.90	EA
3/8" x 8"	Q100---	Stock a	52.55	EA	3/8" x 10'	Q100---/300		65.60	EA
7/16" x 8"	Q110---		53.25	EA	7/16" x 10'	Q110---/300		66.55	EA
1/2" x 8"	Q125---		53.80	EA	1/2" x 10'	Q125---/300		67.20	EA

Inside /Outside Corner/End Cap:

3/16"	EV/Q45---		19.65	EA	3/8"	EV/Q100---		19.65	EA
1/4"	EV/Q60---		19.65	EA	7/16"	EV/Q110---		19.65	EA
5/16"	EV/Q80---		19.65	EA	1/2"	EV/Q125---		19.65	EA

Colors: Matte Black (MGS) Matte White (MBW)

3/16" x 8"	Q45---		38.90	EA					
1/4" x 8"	Q60---		39.70	EA	1/4" x 10'	Q60---/300		49.65	EA
5/16" x 8"	Q80---		40.55	EA	5/16" x 10'	Q80---/300		50.70	EA
3/8" x 8"	Q100---		41.85	EA	3/8" x 10'	Q100---/300		52.30	EA
7/16" x 8"	Q110---		42.35	EA	7/16" x 10'	Q110---/300		52.90	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

QUADEC - TRENDLINE Textured Color-Coated Aluminum - continued

Colors:	Matte Black (MGS)	Matte White (MBW)							
1/2" x 8'	Q125---		42.75	EA	1/2" x 10'	Q125---/300		53.45	EA
<i>Inside /Outside Corner/End Cap:</i>									
3/16"	EV/Q45---		19.65	EA	3/8"	EV/Q100---		19.65	EA
1/4"	EV/Q60---		19.65	EA	7/16"	EV/Q110---		19.65	EA
5/16"	EV/Q80---		19.65	EA	1/2"	EV/Q125---		19.65	EA
1/4"	V/Q60	Aluminum Connector				(For use with all Aluminum Quadec)		3.25	EA
5/16"	V/RO80	Aluminum Connector				(For use with all Aluminum Quadec)		3.25	EA
3/8"	V/RO100	Aluminum Connector				(For use with all Aluminum Quadec)		3.25	EA
7/16"	V/RO110	Aluminum Connector				(For use with all Aluminum Quadec)		3.25	EA
1/2"	V/RO125	Aluminum Connector				(For use with all Aluminum Quadec)		3.25	EA
1/4"	V/RO60E	Stainless Steel Connector				(For use with all Stainless Steel Quadec)		7.70	EA
5/16"	V/RO80E	Stainless Steel Connector				(For use with all Stainless Steel Quadec)		7.70	EA
3/8"	V/RO100E	Stainless Steel Connector				(For use with all Stainless Steel Quadec)		7.70	EA
7/16"	V/RO110E	Stainless Steel Connector				(For use with all Stainless Steel Quadec)		7.70	EA
1/2"	V/RO125E	Stainless Steel Connector				(For use with all Stainless Steel Quadec)		7.70	EA

Notes: a) Stocked in colors Pewter (TSG) and Stone Grey (TSSG) only.
To complete part number replace hyphens with color code. Example Q45---, Dark Anthracite # is: Q45TSDA.

QUADEC - PVC (P)

Colors:	Bahama (BH)	Classic Grey (PG)	Light Grey (HG)						
	Black (GS)	Grey (G)	Sand Pebble (SP)						
	Bright White (BW)	Light Beige (HB)	White (W)						
1/4" x 8'	PQ60--	9.35	EA	7/16" x 8'	PQ110--		11.85	EA	
5/16" x 8'	PQ80--	9.85	EA	1/2" x 8'	PQ125--		13.15	EA	
3/8" x 8'	PQ100--	10.55	EA						
<i>Outside Corner, 90°:</i>									
1/4"	E/PQ60--	3.50	EA	7/16"	E/PQ110--		3.50	EA	
5/16"	E/PQ80--	3.50	EA	1/2"	E/PQ125--		3.50	EA	
3/8"	E/PQ100--	3.50	EA						

Note: To complete part number replace hyphens with color code. Example PQ60--, Bright White # is: PQ60BW.

QUADEC-FS

A double-rail feature strip profile that features a recessed section to which tile is bonded. Can be combined with QUADEC profile.

Color:	Brushed Antique Bronze Anodized Aluminum (ABGB)								
5/16" x 8'	QF8/50ABGB	67.10	EA	5/16"	EV/QF8/50ABGB		39.95	EA	
<i>Inside /Outside Corner/End Cap:</i>									
5/16" x 8'	QF8/50ACG	62.25	EA	5/16"	EV/QF8/50ACG		36.85	EA	
<i>Inside /Outside Corner/End Cap:</i>									
5/16" x 8'	QF8/50AE	46.85	EA	5/16"	EV/QF8/50AE		31.10	EA	
<i>Inside /Outside Corner/End Cap:</i>									
5/16" x 8'	QF8/50AT	49.60	EA	5/16"	EV/QF8/50AT		31.10	EA	

QUADEC-K

A variant of the QUADEC profile without an anchoring leg. It features an open cavity that is filled with thin-set mortar to secure the profile in the assembly. Alternatively, the profile may be installed with an adhesive such as KERDI-FIX. QUADEC-K is installed in wall applications (e.g., wainscotings & bases) with coverings up to 1/2" thick. This profile is particularly suited for finishing edges in retrofit applications such as thin porcelain panel installation over existing wall tiles.

Color:	Brushed Antique Bronze Anodized Aluminum (ABGB)								
1/2" x 8'	Q125ABGBK	34.25	EA	1/2"	EV/Q125ABGB		18.90	EA	
<i>Inside /Outside Corner/End Cap:</i>									
1/2" x 8'	Q125ACGK	31.30	EA	1/2"	EV/Q125ACG		12.35	EA	
<i>Inside /Outside Corner/End Cap:</i>									
1/2" x 8'	Q125AEK	26.50	EA	1/2"	EV/Q125AE		10.40	EA	
<i>Inside /Outside Corner/End Cap:</i>									
1/2" x 8'	Q125ATK	29.00	EA	1/2"	EV/Q125AT		10.25	EA	
1/2"	V/RO125	Aluminum Connector			(For use with all Aluminum Rondec)		3.25	EA	

REMA

A system for creating concealed access panels in tiled walls without impairing the visual appearance of the tile covering.

REMA	Access Panel Kit	(Set includes 4 Magnets & 4 Mounting Plates)	13.60	SET
------	------------------	--	-------	-----

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

RONDEC

A finishing and edge-protection profile for tiled edges and outside corners of tiled surfaces. Can also be combined with the DESIGNLINE profile.

Color: Bright Black Anodized Aluminum (AGSG)

1/4" x 8'	RO60AGSG		29.75	EA	3/8" x 8'	RO100AGSG		37.20	EA
5/16" x 8'	RO80AGSG		31.40	EA	1/2" x 8'	RO125AGSG		42.15	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"	EV/RO60AGSG		12.05	EA	1/4"	IV/RO60AGSG		12.05	EA
5/16"	EV/RO80AGSG		12.05	EA	5/16"	IV/RO80AGSG		12.05	EA
3/8"	EV/RO100AGSG		12.05	EA	3/8"	IV/RO100AGSG		12.05	EA
1/2"	EV/RO125AGSG		12.05	EA	1/2"	IV/RO125AGSG		12.05	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16"	E2L/RO80AGSG		20.90	EA	5/16"	I2L/RO80AGSG		20.90	EA
3/8"	E2L/RO100AGSG		20.90	EA	3/8"	I2L/RO100AGSG		20.90	EA
1/2"	E2L/RO125AGSG		20.90	EA	1/2"	I2L/RO125AGSG		20.90	EA

Colors: Brushed Antique Bronze Anodized Aluminum (ABGB)

Brushed Copper Anodized Aluminum (AKGB)

1/4" x 8'	RO60----		30.80	EA	3/8" x 8'	RO100----	Stock a	38.10	EA
5/16" x 8'	RO80----		34.05	EA	1/2" x 8'	RO125----		43.35	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"	EV/RO60----		18.00	EA	1/4"	IV/RO60----		18.00	EA
5/16"	EV/RO80----		18.00	EA	5/16"	IV/RO80----		18.00	EA
3/8"	EV/RO100----		18.00	EA	3/8"	IV/RO100----		18.00	EA
1/2"	EV/RO125----		18.00	EA	1/2"	IV/RO125----		18.00	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16"	E2L/RO80----		25.00	EA	5/16"	I2L/RO80----		25.00	EA
3/8"	E2L/RO100----		25.00	EA	3/8"	I2L/RO100----		25.00	EA
1/2"	E2L/RO125----		25.00	EA	1/2"	I2L/RO125----		25.00	EA

Note: a) Stocked in color Brushed Antique Bronze Anodized Aluminum (ABGB) only.

Color: Brushed Black Anodized Aluminum (AGSB)

1/4" x 8'	RO60AGSB		30.75	EA	3/8" x 8'	RO100AGSB		38.10	EA
5/16" x 8'	RO80AGSB		34.05	EA	1/2" x 8'	RO125AGSB		42.10	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"	EV/RO60AGSB		18.15	EA	1/4"	IV/RO60AGSB		18.15	EA
5/16"	EV/RO80AGSB		18.15	EA	5/16"	IV/RO80AGSB		18.15	EA
3/8"	EV/RO100AGSB		18.15	EA	3/8"	IV/RO100AGSB		18.20	EA
1/2"	EV/RO125AGSB		18.20	EA	1/2"	IV/RO125AGSB		18.20	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16"	E2L/RO80AGSB		25.00	EA	5/16"	I2L/RO80AGSB		25.00	EA
3/8"	E2L/RO100AGSB		25.00	EA	3/8"	I2L/RO100AGSB		25.00	EA
1/2"	E2L/RO125AGSB		25.00	EA	1/2"	I2L/RO125AGSB		25.00	EA

Color: Brushed Brass Anodized Aluminum (AMGB)

1/4" x 8'	RO60AMGB		29.15	EA	3/8" x 8'	RO100AMGB		36.50	EA
5/16" x 8'	RO80AMGB		32.40	EA	1/2" x 8'	RO125AMGB		41.35	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"	EV/RO60AMGB		18.35	EA	1/4"	IV/RO60AMGB		18.35	EA
5/16"	EV/RO80AMGB		18.35	EA	5/16"	IV/RO80AMGB		18.35	EA
3/8"	EV/RO100AMGB		18.35	EA	3/8"	IV/RO100AMGB		18.35	EA
1/2"	EV/RO125AMGB		18.35	EA	1/2"	IV/RO125AMGB		18.35	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16"	E2L/RO80AMGB		25.50	EA	5/16"	I2L/RO80AMGB		25.50	EA
3/8"	E2L/RO100AMGB		25.50	EA	3/8"	I2L/RO100AMGB		25.50	EA
1/2"	E2L/RO125AMGB		25.50	EA	1/2"	I2L/RO125AMGB		25.50	EA

Color: Brushed Chrome Anodized Aluminum (ACGB)

1/4" x 8'	RO60ACGB		27.55	EA	3/8" x 8'	RO100ACGB		34.85	EA
5/16" x 8'	RO80ACGB		30.80	EA	1/2" x 8'	RO125ACGB		40.55	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"	EV/RO60ACGB		18.00	EA	1/4"	IV/RO60ACGB		18.00	EA
5/16"	EV/RO80ACGB		18.00	EA	5/16"	IV/RO80ACGB		18.00	EA
3/8"	EV/RO100ACGB		18.00	EA	3/8"	IV/RO100ACGB		18.00	EA
1/2"	EV/RO125ACGB		18.00	EA	1/2"	IV/RO125ACGB		18.00	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

RONDEC - continued

<i>Color:</i> Brushed Chrome Anodized Aluminum (ACGB)					<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16"	E2L/RO80ACGB		24.55	EA	5/16"	I2L/RO80ACGB		24.55	EA	5/16"	I2L/RO100ACGB		24.55	EA
3/8"	E2L/RO100ACGB		24.55	EA	3/8"	I2L/RO100ACGB		24.55	EA	3/8"	I2L/RO125ACGB		24.55	EA
1/2"	E2L/RO125ACGB		24.55	EA	1/2"	I2L/RO125ACGB		24.55	EA					
<i>Color:</i> Brushed Nickel Anodized Aluminum (ATGB)					<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4" x 8"	RO60ATGB		30.75	EA	3/8" x 8"	RO100ATGB	Stock	37.35	EA	1/4"	IV/RO60ATGB		17.85	EA
5/16" x 8"	RO80ATGB		34.05	EA	1/2" x 8"	RO125ATGB		43.30	EA	5/16"	IV/RO80ATGB		17.85	EA
1/4"	EV/RO60ATGB		17.85	EA	3/8"	IV/RO100ATGB	Stock	17.85	EA	1/2"	IV/RO125ATGB		17.85	EA
5/16"	EV/RO80ATGB		17.85	EA	1/2"	IV/RO125ATGB		17.85	EA					
3/8"	EV/RO100ATGB	Stock	17.85	EA	<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
1/2"	EV/RO125ATGB		17.85	EA	5/16"	E2L/RO80ATGB		25.50	EA	5/16"	I2L/RO80ATGB		25.50	EA
					3/8"	E2L/RO100ATGB		25.50	EA	3/8"	I2L/RO100ATGB		25.50	EA
					1/2"	E2L/RO125ATGB		25.50	EA	1/2"	I2L/RO125ATGB		25.50	EA
<i>Color:</i> Brushed Stainless Steel 304 (EB)					<i>Outside Corner, 90°</i>					<i>End Cap</i>				
1/4" x 8"	RO60EB		88.15	EA	3/8" x 8"	RO100EB		96.10	EA	5/16"	EK/RO80EB		5.85	EA
9/32" x 8"	RO70EB		89.85	EA	7/16" x 8"	RO110EB		98.00	EA	3/8"	EK/RO100EB		5.90	EA
5/16" x 8"	RO80EB		92.00	EA	1/2" x 8"	RO125EB		100.30	EA					
11/32" x 8"	RO90EB		93.85	EA	9/16" x 8"	RO150EB		110.35	EA					
1/4"	EV/RO60EB		49.45	EA	3/8"	EV/RO100EB		57.05	EA					
9/32"	EV/RO70EB		49.45	EA	7/16"	EV/RO110EB		57.05	EA					
5/16"	EV/RO80EB		49.45	EA	1/2"	EV/RO125EB		57.05	EA					
11/32"	EV/RO90EB		49.45	EA	9/16"	EV/RO150EB		60.45	EA					
<i>Sink Corner 3/8" Radius</i>					1/2"	I2S/RO125EB/V2A		65.75	EA					
5/16"	I2S/RO80EB/V2A		65.70	EA										
3/8"	I2S/RO100EB/V2A		65.75	EA										
<i>Color:</i> Chrome-Plated Solid Brass (MC)					<i>Color:</i> Graphite Anodized Aluminum (AGR)					<i>Color:</i> Polished Brass Anodized Aluminum (AMG)				
1/4" x 8"	RO60MC		151.00	EA	3/8" x 8"	RO100AGR		27.30	EA	1/4" x 8"	RO60AMG		27.55	EA
5/16" x 8"	RO80MC		159.70	EA	1/2" x 8"	RO125AGR		28.95	EA	5/16" x 8"	RO80AMG		30.80	EA
<i>Note:</i> For Outside and Inside Corner use color: Polished Chrome Anodized Aluminum (ACG).					<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"	EV/RO60AGR		9.85	EA	1/4"	IV/RO60AGR		9.85	EA	1/4"	EV/RO60AMG		11.45	EA
5/16"	EV/RO80AGR		9.85	EA	5/16"	IV/RO80AGR		9.85	EA	5/16"	EV/RO80AMG		11.45	EA
3/8"	EV/RO100AGR		9.85	EA	3/8"	IV/RO100AGR		9.85	EA	3/8"	EV/RO100AMG		11.45	EA
1/2"	EV/RO125AGR		9.85	EA	1/2"	IV/RO125AGR		9.85	EA	1/2"	EV/RO125AMG		11.45	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>									
5/16"	E2L/RO80AGR		20.50	EA	5/16"	I2L/RO80AGR		20.50	EA					
3/8"	E2L/RO100AGR		20.50	EA	3/8"	I2L/RO100AGR		20.50	EA					
1/2"	E2L/RO125AGR		20.50	EA	1/2"	I2L/RO125AGR		20.50	EA					

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

RONDEC - continued

Color: Polished Brass Anodized Aluminum (AMG)

2-Leg Outside Corner, 90°

5/16"	E2L/RO80AMG		20.10	EA
3/8"	E2L/RO100AMG		20.10	EA
1/2"	E2L/RO125AMG		20.10	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80AMG		20.10	EA
3/8"	I2L/RO100AMG		20.10	EA
1/2"	I2L/RO125AMG		20.10	EA

Color: Polished Chrome Anodized Aluminum (ACG)

1/4" x 8"	RO60ACG		26.75	EA
5/16" x 8"	RO80ACG		30.00	EA
3/8" x 8"	RO100ACG		33.25	EA
1/2" x 8"	RO125ACG		38.90	EA

5/16" x 10'	RO80ACG/300		37.45	EA
3/8" x 10'	RO100ACG/300		41.50	EA
1/2" x 10'	RO125ACG/300		48.55	EA

Outside Corner, 90°

1/4"	EV/RO60ACG		11.45	EA
5/16"	EV/RO80ACG		11.45	EA
3/8"	EV/RO100ACG		11.45	EA
1/2"	EV/RO125ACG		11.45	EA

Inside Corner, 90°

1/4"	IV/RO60ACG		11.45	EA
5/16"	IV/RO80ACG		11.45	EA
3/8"	IV/RO100ACG		11.45	EA
1/2"	IV/RO125ACG		11.45	EA

2-Leg Outside Corner, 90°

5/16"	E2L/RO80ACG		19.95	EA
3/8"	E2L/RO100ACG		19.95	EA
1/2"	E2L/RO125ACG		19.95	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80ACG		19.90	EA
3/8"	I2L/RO100ACG		19.90	EA
1/2"	I2L/RO125ACG		19.90	EA

Color: Polished Copper Anodized Aluminum (AKG)

1/4" x 8"	RO60AKG		29.20	EA
5/16" x 8"	RO80AKG		30.80	EA

3/8" x 8"	RO100AKG		36.50	EA
1/2" x 8"	RO125AKG		41.35	EA

Outside Corner, 90°

1/4"	EV/RO60AKG		11.45	EA
5/16"	EV/RO80AKG		11.45	EA
3/8"	EV/RO100AKG		11.45	EA
1/2"	EV/RO125AKG		11.45	EA

Inside Corner, 90°

1/4"	IV/RO60AKG		11.45	EA
5/16"	IV/RO80AKG		11.45	EA
3/8"	IV/RO100AKG		11.45	EA
1/2"	IV/RO125AKG		11.45	EA

2-Leg Outside Corner, 90°

5/16"	E2L/RO80AKG		20.50	EA
3/8"	E2L/RO100AKG		20.50	EA
1/2"	E2L/RO125AKG		20.50	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80AKG		20.50	EA
3/8"	I2L/RO100AKG		20.50	EA
1/2"	I2L/RO125AKG		20.50	EA

Color: Polished Nickel Anodized Aluminum (ATG)

1/4" x 8"	RO60ATG		29.20	EA
5/16" x 8"	RO80ATG		30.80	EA

3/8" x 8"	RO100ATG		36.45	EA
1/2" x 8"	RO125ATG		41.30	EA

Outside Corner, 90°

1/4"	EV/RO60ATG		11.45	EA
5/16"	EV/RO80ATG		11.45	EA
3/8"	EV/RO100ATG		11.45	EA
1/2"	EV/RO125ATG		11.45	EA

Inside Corner, 90°

1/4"	IV/RO60ATG		11.45	EA
5/16"	IV/RO80ATG		11.45	EA
3/8"	IV/RO100ATG		11.45	EA
1/2"	IV/RO125ATG		11.45	EA

2-Leg Outside Corner, 90°

5/16"	E2L/RO80ATG		20.70	EA
3/8"	E2L/RO100ATG		20.70	EA
1/2"	E2L/RO125ATG		20.70	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80ATG		20.70	EA
3/8"	I2L/RO100ATG		20.70	EA
1/2"	I2L/RO125ATG		20.70	EA

Color: Satin Anodized Aluminum (AE)

1/4" x 8"	RO60AE		21.90	EA
5/16" x 8"	RO80AE	Stock	22.85	EA
3/8" x 8"	RO100AE	Stock	24.70	EA
1/2" x 8"	RO125AE	Stock	27.60	EA

5/16" x 10'	RO80AE/300		28.50	EA
3/8" x 10'	RO100AE/300		30.80	EA
1/2" x 10'	RO125AE/300		34.40	EA

Outside Corner, 90°

1/4"	EV/RO60AE		9.65	EA
5/16"	EV/RO80AE	Stock	9.65	EA
3/8"	EV/RO100AE	Stock	9.65	EA
1/2"	EV/RO125AE	Stock	9.65	EA

Inside Corner, 90°

1/4"	IV/RO60AE		9.65	EA
5/16"	IV/RO80AE	Stock	9.65	EA
3/8"	IV/RO100AE	Stock	9.65	EA
1/2"	IV/RO125AE	Stock	9.70	EA

2-Leg Outside Corner, 90°

5/16"	E2L/RO80AE		20.70	EA
3/8"	E2L/RO100AE		20.70	EA
1/2"	E2L/RO125AE		20.70	EA

2-Leg Inside Corner, 90°

5/16"	I2L/RO80AE		20.70	EA
3/8"	I2L/RO100AE		20.70	EA
1/2"	I2L/RO125AE		20.70	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
RONDEC - continued									
<i>Color: Satin Brass Anodized Aluminum (AM)</i>									
1/4" x 8' RO60AM			23.50	EA	3/8" x 8' RO100AM			30.00	EA
5/16" x 8' RO80AM			26.80	EA	1/2" x 8' RO125AM			34.85	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4" EV/RO60AM			9.75	EA	1/4" IV/RO60AM			9.75	EA
5/16" EV/RO80AM			9.75	EA	5/16" IV/RO80AM			9.75	EA
3/8" EV/RO100AM			9.75	EA	3/8" IV/RO100AM			9.75	EA
1/2" EV/RO125AM			9.75	EA	1/2" IV/RO125AM			9.75	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16" E2L/RO80AM			20.10	EA	5/16" I2L/RO80AM			20.10	EA
3/8" E2L/RO100AM			20.10	EA	3/8" I2L/RO100AM			20.10	EA
1/2" E2L/RO125AM			20.10	EA	1/2" I2L/RO125AM			20.10	EA
<hr/>									
<i>Color: Satin Copper Anodized Aluminum (AK)</i>									
1/4" x 8' RO60AK			23.50	EA	3/8" x 8' RO100AK			26.75	EA
5/16" x 8' RO80AK			25.15	EA	1/2" x 8' RO125AK			28.40	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4" EV/RO60AK			9.65	EA	1/4" IV/RO60AK			9.65	EA
5/16" EV/RO80AK			9.65	EA	5/16" IV/RO80AK			9.65	EA
3/8" EV/RO100AK			9.65	EA	3/8" IV/RO100AK			9.65	EA
1/2" EV/RO125AK			9.65	EA	1/2" IV/RO125AK			9.70	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16" E2L/RO80AK			20.10	EA	5/16" I2L/RO80AK			20.10	EA
3/8" E2L/RO100AK			20.10	EA	3/8" I2L/RO100AK			20.10	EA
1/2" E2L/RO125AK			20.10	EA	1/2" I2L/RO125AK			20.10	EA
<hr/>									
<i>Color: Satin Nickel Anodized Aluminum (AT)</i>									
1/4" x 8' RO60AT			22.45	EA	5/16" x 10' RO80AT/300			29.85	EA
5/16" x 8' RO80AT			23.95	EA	3/8" x 10' RO100AT/300			31.25	EA
3/8" x 8' RO100AT		Stock	25.05	EA	1/2" x 10' RO125AT/300			35.45	EA
1/2" x 8' RO125AT			28.40	EA					
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4" EV/RO60AT			9.75	EA	1/4" IV/RO60AT			9.75	EA
5/16" EV/RO80AT			9.75	EA	5/16" IV/RO80AT			9.75	EA
<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
3/8" EV/RO100AT		Stock	9.75	EA	3/8" IV/RO100AT		Stock	9.75	EA
1/2" EV/RO125AT			9.75	EA	1/2" IV/RO125AT			9.75	EA
<i>2-Leg Outside Corner, 90°</i>					<i>2-Leg Inside Corner, 90°</i>				
5/16" E2L/RO80AT			20.45	EA	5/16" I2L/RO80AT			20.40	EA
3/8" E2L/RO100AT			20.45	EA	3/8" I2L/RO100AT			20.40	EA
1/2" E2L/RO125AT			20.45	EA	1/2" I2L/RO125AT			20.40	EA
<hr/>									
<i>Color: Stainless Steel 304 (E)</i>									
3/16" x 8' RO45E			55.25	EA	3/8" x 8' RO100E			64.50	EA
1/4" x 8' RO60E			57.50	EA	7/16" x 8' RO110E			66.65	EA
9/32" x 8' RO70E			59.65	EA	1/2" x 8' RO125E			68.75	EA
5/16" x 8' RO80E			60.05	EA	9/16" x 8' RO150E			77.90	EA
11/32" x 8' RO90E			64.15	EA					
<i>Outside Corner, 90°</i>									
3/16" EV/RO45E			40.75	EA	3/8" EV/RO100E			47.05	EA
1/4" EV/RO60E			40.75	EA	7/16" EV/RO110E			48.65	EA
9/32" EV/RO70E			43.80	EA	1/2" EV/RO125E			48.65	EA
5/16" EV/RO80E			43.80	EA	9/16" EV/RO150E			49.80	EA
11/32" EV/RO90E			47.05	EA					
<i>Sink Corner 3/8" Radius</i>					<i>Sink Corner 1-1/2" Radius</i>				
5/16" I2S/RO80E/V2A			65.70	EA	5/16" ISK/RO80E/38			34.25	EA
3/8" I2S/RO100E/V2A			65.75	EA	3/8" ISK/RO100E/38			34.25	EA
1/2" I2S/RO125E/V2A			65.75	EA	1/2" ISK/RO125E/38			34.25	EA
<i>Aluminum w/ Stainless Steel appearance - Outside Corner, 90°</i>									
1/4" ED/RO60E			9.65	EA	3/8" ED/RO100E			9.65	EA
5/16" ED/RO80E			9.65	EA	1/2" ED/RO125E			9.65	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

RONDEC - continued

Color: Stainless Steel 304 (E)

Aluminum w/ Stainless Steel appearance - Inside Corner, 90°

1/4" ID/RO60E			9.65	EA	3/8" ID/RO100E			9.65	EA
5/16" ID/RO80E			9.65	EA	1/2" ID/RO125E			9.70	EA
1/4" V/RO60	Aluminum Connector				(For use with all Aluminum Rondec)			3.25	EA
5/16" V/RO80	Aluminum Connector				(For use with all Aluminum Rondec)			3.25	EA
3/8" V/RO100	Aluminum Connector				(For use with all Aluminum Rondec)			3.25	EA
1/2" V/RO125	Aluminum Connector				(For use with all Aluminum Rondec)			3.25	EA
1/4" V/RO60E	Stainless Steel Connector				(For use with all Stainless Steel Rondec)			7.70	EA
5/16" V/RO80E	Stainless Steel Connector				(For use with all Stainless Steel Rondec)			7.70	EA
3/8" V/RO100E	Stainless Steel Connector				(For use with all Stainless Steel Rondec)			7.70	EA
7/16" V/RO110E	Stainless Steel Connector				(For use with all Stainless Steel Rondec)			7.70	EA
1/2" V/RO125E	Stainless Steel Connector				(For use with all Stainless Steel Rondec)			7.70	EA

Note: To complete part number replace hyphens with color code. Example RO60---, for Polished Copper Anodized Aluminum # is: RO60AKG.

RONDEC - Color-Coated Aluminum (AC)

Colors: Bahama (BH) Bright White (BW) Light Beige (HB) Sand Pebble (SP)
 Black (GS) Classic Grey (PG) Light Grey (HG) White (W)
 Black Brown (SB) Grey (G) Metallic Grey (GM)

1/4" x 8' RO60--		25.75	EA	3/8" x 8' RO100--	Stock a	31.65	EA
5/16" x 8' RO80--	Stock a	28.85	EA	1/2" x 8' RO125--		39.55	EA
<i>Outside Corner, 90°</i>				<i>Inside Corner, 90°</i>			
1/4" ED/RO60--		5.80	EA	1/4" ID/RO60--		5.80	EA
5/16" ED/RO80--		5.80	EA	5/16" ID/RO80--		5.80	EA
3/8" ED/RO100--		5.80	EA	3/8" ID/RO100--		5.80	EA
1/2" ED/RO125--		5.80	EA	1/2" ID/RO125--		5.80	EA

Notes: a) Stocked in color Bright White (BW) only.

To complete part number replace hyphens with color code. Example RO60--, for Grey # is: RO60G.

RONDEC - TRENDLINE Textured Color-Coated Aluminum

Colors: Beige (TSB) Dark Anthracite (TSDA) Light Anthracite (TSLA) Stone Grey (TSSG)
 Bronze (TSOB) Greige (TSBG) Pewter (TSG)
 Cream (TSC) Ivory (TSI) Rustic Brown (TSR)

1/4" x 8' RO60---		50.55	EA	1/4" x 10' RO60---/300		63.20	EA
5/16" x 8' RO80---		51.60	EA	5/16" x 10' RO80---/300		64.50	EA
3/8" x 8' RO100---	Stock a	53.30	EA	3/8" x 10' RO100---/300		66.65	EA
7/16" x 8' RO110---		53.90	EA	7/16" x 10' RO110---/300		67.35	EA
1/2" x 8' RO125---		54.45	EA	1/2" x 10' RO125---/300		68.05	EA
<i>Outside Corner, 90°</i>				<i>Inside Corner, 90°</i>			
1/4" EV/RO60---		18.05	EA	1/4" IV/RO60---		18.05	EA
5/16" EV/RO80---		18.05	EA	5/16" IV/RO80---		18.05	EA
3/8" EV/RO100---	Stock b	18.05	EA	3/8" IV/RO100---	Stock b	18.05	EA
7/16" EV/RO110---		18.05	EA	7/16" IV/RO110---		18.05	EA
1/2" EV/RO125---		18.05	EA	1/2" IV/RO125---		18.05	EA

Colors: Matte Black (MGS) Matte White (MBW)

1/4" x 8' RO60---		40.50	EA	1/4" x 10' RO60---/300		50.60	EA
5/16" x 8' RO80---		41.30	EA	5/16" x 10' RO80---/300		51.65	EA
3/8" x 8' RO100---		42.65	EA	3/8" x 10' RO100---/300		53.30	EA
7/16" x 8' RO110---		43.15	EA	7/16" x 10' RO110---/300		53.90	EA
1/2" x 8' RO125---		43.60	EA	1/2" x 10' RO125---/300		54.45	EA
<i>Outside Corner, 90°</i>				<i>Inside Corner, 90°</i>			
1/4" ED/RO60---		14.00	EA	1/4" ID/RO60---		14.00	EA
5/16" ED/RO80---		14.00	EA	5/16" ID/RO80---		14.00	EA
3/8" ED/RO100---		14.00	EA	3/8" ID/RO100---		14.00	EA
7/16" ED/RO110---		14.00	EA	7/16" ID/RO110---		14.00	EA
1/2" ED/RO125---		14.00	EA	1/2" ID/RO125---		14.00	EA

1/4" V/RO60	Aluminum Connector			(For use with all Aluminum Rondec)		3.25	EA
5/16" V/RO80	Aluminum Connector			(For use with all Aluminum Rondec)		3.25	EA
3/8" V/RO100	Aluminum Connector			(For use with all Aluminum Rondec)		3.25	EA
7/16" V/RO110	Aluminum Connector			(For use with all Aluminum Rondec)		3.25	EA
1/2" V/RO125	Aluminum Connector			(For use with all Aluminum Rondec)		3.25	EA

Notes: a) Stocked in colors Beige (TSB), Bronze (TSOB), Cream (TSC), Greige (TSBG), Ivory (TSI) and Stone Grey (TSSG) only.

b) Stocked in colors Cream (TSC), Greige (TSBG), Ivory (TSI) and Stone Grey (TSSG) only.

To complete part number replace hyphens with color code. Example RO60---, Grey # is: RO60G.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

RONDEC - PVC (P)

Colors:	Bahama (BH)	Classic Grey (PG)	Light Grey (HG)							
	Black (GS)	Grey (G)	Sand Pebble (SP)							
	Bright White (BW)	Light Beige (HB)	White (W)							
1/4" x 8'	PRO60--			8.95	EA	7/16" x 8'	PRO110--		11.30	EA
5/16" x 8'	PRO80--	Stock a		9.45	EA	1/2" x 8'	PRO125--		12.60	EA
3/8" x 8'	PRO100--	Stock a		10.05	EA					
	<i>Outside Corner, 90°</i>					<i>Inside Corner, 90°</i>				
1/4"	E/PRO60--			3.55	EA	1/4"	I/PRO60--		3.55	EA
5/16"	E/PRO80--			3.55	EA	5/16"	I/PRO80--		3.55	EA
3/8"	E/PRO100--			3.55	EA	3/8"	I/PRO100--		3.55	EA
7/16"	E/PRO110--			3.55	EA	7/16"	I/PRO110--		3.55	EA
1/2"	E/PRO125--			3.55	EA	1/2"	I/PRO125--		3.55	EA

Notes: a) Stocked in colors Bright White (BW) and Sand Pebble (SP) only.
To complete part number replace hyphens with color code. Example PRO60--, for Light Beige # is: PRO60HB.

RONDEC-CT

A double-rail edging profile for countertops. The top and bottom edges of the profile are symmetrically rounded and match the RONDEC profile.

Colors:	Brushed Brass Anodized Aluminum (AMGB)					Brushed Chrome Anodized Aluminum (ACGB)				
5/16" x 8'	RC80---39			70.80	EA	1/2" x 8'	RC125---39		73.75	EA
3/8" x 8'	RC100---39			71.25	EA					
	<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80---39			37.55	EA	5/16"	E135RC80---39		37.55	EA
3/8"	E90RC100---39			37.55	EA	3/8"	E135RC100---39		37.55	EA
1/2"	E90RC125---39			37.55	EA	1/2"	E135RC125---39		37.55	EA
	<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80---39			37.55	EA	5/16"	I135RC80---39		37.55	EA
3/8"	I90RC100---39			37.55	EA	3/8"	I135RC100---39		37.55	EA
1/2"	I90RC125---39			37.55	EA	1/2"	I135RC125---39		37.55	EA
Color:	Brushed Copper Anodized Aluminum (AKGB)					Brushed Nickel Anodized Aluminum (ATGB)				
5/16" x 8'	RC80---39			74.15	EA	1/2" x 8'	RC125---39		76.15	EA
3/8" x 8'	RC100---39			75.65	EA					
	<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80---39			37.55	EA	5/16"	E135RC80---39		37.55	EA
3/8"	E90RC100---39			37.55	EA	3/8"	E135RC100---39		37.55	EA
1/2"	E90RC125---39			37.55	EA	1/2"	E135RC125---39		37.55	EA
	<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80---39			37.55	EA	5/16"	I135RC80---39		37.55	EA
3/8"	I90RC100---39			37.55	EA	3/8"	I135RC100---39		37.55	EA
1/2"	I90RC125---39			37.55	EA	1/2"	I135RC125---39		37.55	EA
Color:	Satin Anodized Aluminum (AE)									
5/16" x 8'	RC80AE39			62.35	EA	1/2" x 8'	RC125AE39		66.35	EA
3/8" x 8'	RC100AE39			63.40	EA					
	<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80AE39			32.60	EA	5/16"	E135RC80AE39		32.60	EA
3/8"	E90RC100AE39			32.60	EA	3/8"	E135RC100AE39		32.60	EA
1/2"	E90RC125AE39			32.60	EA	1/2"	E135RC125AE39		32.60	EA
	<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80AE39			32.60	EA	5/16"	I135RC80AE39		32.60	EA
3/8"	I90RC100AE39			32.60	EA	3/8"	I135RC100AE39		32.60	EA
1/2"	I90RC125AE39			32.60	EA	1/2"	I135RC125AE39		32.60	EA
Color:	Satin Brass Anodized Aluminum (AM)									
5/16" x 8'	RC80AM39			64.35	EA	1/2" x 8'	RC125AM39		68.80	EA
3/8" x 8'	RC100AM39			65.90	EA					
	<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80AM39			32.60	EA	5/16"	E135RC80AM39		32.60	EA
3/8"	E90RC100AM39			32.60	EA	3/8"	E135RC100AM39		32.60	EA
1/2"	E90RC125AM39			32.60	EA	1/2"	E135RC125AM39		32.60	EA
	<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80AM39			32.60	EA	5/16"	I135RC80AM39		32.60	EA
3/8"	I90RC100AM39			32.60	EA	3/8"	I135RC100AM39		32.60	EA
1/2"	I90RC125AM39			32.60	EA	1/2"	I135RC125AM39		32.60	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

RONDEC-CT - continued

Colors: Satin Copper Anodized Aluminum (AK)					Satin Nickel Anodized Aluminum (AT)				
5/16" x 8'	RC80--39		68.25	EA	1/2" x 8'	RC125--39		72.70	EA
3/8" x 8'	RC100--39		69.80	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RC80--39		32.60	EA	5/16"	E135RC80--39		32.60	EA
3/8"	E90RC100--39		32.60	EA	3/8"	E135RC100--39		32.60	EA
1/2"	E90RC125--39		32.60	EA	1/2"	E135RC125--39		32.60	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RC80--39		32.60	EA	5/16"	I135RC80--39		32.60	EA
3/8"	I90RC100--39		32.60	EA	3/8"	I135RC100--39		32.60	EA
1/2"	I90RC125--39		32.60	EA	1/2"	I135RC125--39		32.60	EA

Note: To complete part number replace hyphens with color code. Example RC80---39, for Brushed Brass Anodized Aluminum # is: RC80AMGB39.

RONDEC-CT - TRENDLINE Textured Color-Coated Aluminum

Colors: Beige (TSB)					Pewter (TSG)					Bronze (TSOB)				
5/16" x 8'	RC80--39		92.50	EA	1/2" x 8'	RC125--39		99.90	EA					
3/8" x 8'	RC100--39		97.50	EA										
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>									
5/16"	E90RC80--39		39.40	EA	5/16"	E135RC80--39		39.40	EA					
3/8"	E90RC100--39		39.40	EA	3/8"	E135RC100--39		39.40	EA					
1/2"	E90RC125--39		39.40	EA	1/2"	E135RC125--39		39.40	EA					
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>									
5/16"	I90RC80--39		39.40	EA	5/16"	I135RC80--39		39.40	EA					
3/8"	I90RC100--39		39.40	EA	3/8"	I135RC100--39		39.40	EA					
1/2"	I90RC125--39		39.40	EA	1/2"	I135RC125--39		39.40	EA					

Note: To complete part number replace hyphens with color code. Example RC80---39, for Beige # is: RC80TSB39.

RONDEC-DB

A decorative profile for walls, wainscotings and tile bases and can also be used as a finishing profile within wall surfaces.

Color: Satin Anodized Aluminum (AE)

17/32" x 8'	DB14AE		39.45	EA	17/32" x 10'	DB14AE/300		49.30	EA
<i>Outside Corner, 90°</i>									
17/32"	EV/DB14AE		15.40	EA					
17/32" x 8'	DB14AM	Satin Brass Anodized Aluminum (AM)						39.45	EA
17/32" x 8'	DB14AK	Satin Copper Anodized Aluminum (AK)						41.70	EA

RONDEC-STEP

A finishing and edging profile for countertops and stairs. The vertical leg of the profile hides the exposed edge of the sub-assembly.

Colors: Brushed Brass Anodized Aluminum (AMGB) Brushed Copper Anodized Aluminum (AKGB)
 Brushed Chrome Anodized Aluminum (ACGB)

1-1/2" Vertical Leg Length

5/16" x 8'	RS80---39		73.65	EA	1/2" x 8'	RS125---39		77.05	EA
3/8" x 8'	RS100---39		74.50	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RS80---39		29.55	EA	5/16"	E135RS80---39		29.55	EA
3/8"	E90RS100---39		29.55	EA	3/8"	E135RS100---39		29.55	EA
1/2"	E90RS125---39		29.55	EA	1/2"	E135RS125---39		29.55	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RS80---39		29.55	EA	5/16"	I135RS80---39		29.55	EA
3/8"	I90RS100---39		29.55	EA	3/8"	I135RS100---39		29.55	EA
1/2"	I90RS125---39		29.55	EA	1/2"	I135RS125---39		29.55	EA

2-1/4" Vertical Leg Length

5/16" x 8'	RS80---57		75.05	EA	1/2" x 8'	RS125---57		78.45	EA
3/8" x 8'	RS100---57		75.95	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RS80---57		29.55	EA	5/16"	E135RS80---57		29.55	EA
3/8"	E90RS100---57		29.55	EA	3/8"	E135RS100---57		29.55	EA
1/2"	E90RS125---57		29.55	EA	1/2"	E135RS125---57		29.55	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

RONDEC-STEP - continued

<i>Colors:</i> Brushed Brass Anodized Aluminum (AMGB)					Brushed Copper Anodized Aluminum (AKGB)				
Brushed Chrome Anodized Aluminum (ACGB)									
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RS80----	57	29.55	EA	5/16"	I135RS80----	57	29.55	EA
3/8"	I90RS100----	57	29.55	EA	3/8"	I135RS100----	57	29.55	EA
1/2"	I90RS125----	57	29.55	EA	1/2"	I135RS125----	57	29.55	EA
<i>Colors:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)					Brushed Nickel Anodized Aluminum (ATGB)				
<i>1-1/2" Vertical Leg Length</i>									
5/16" x 8'	RS80----	39	73.65	EA	1/2" x 8'	RS125----	39	77.05	EA
3/8" x 8'	RS100----	39	74.50	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RS80----	39	29.55	EA	5/16"	E135RS80----	39	29.55	EA
3/8"	E90RS100----	39	29.55	EA	3/8"	E135RS100----	39	29.55	EA
1/2"	E90RS125----	39	29.55	EA	1/2"	E135RS125----	39	29.55	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RS80----	39	29.55	EA	5/16"	I135RS80----	39	29.55	EA
3/8"	I90RS100----	39	29.55	EA	3/8"	I135RS100----	39	29.55	EA
1/2"	I90RS125----	39	29.55	EA	1/2"	I135RS125----	39	29.55	EA
<i>Color:</i> Satin Anodized Aluminum (AE)									
<i>1-1/2" Vertical Leg Length</i>									
5/16" x 8'	RS80AE39		56.30	EA	1/2" x 8'	RS125AE39		59.20	EA
3/8" x 8'	RS100AE39		57.25	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RS80AE39		26.15	EA	5/16"	E135RS80AE39		26.15	EA
3/8"	E90RS100AE39		26.20	EA	3/8"	E135RS100AE39		26.15	EA
1/2"	E90RS125AE39		26.20	EA	1/2"	E135RS125AE39		26.20	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RS80AE39		26.15	EA	5/16"	I135RS80AE39		26.15	EA
3/8"	I90RS100AE39		26.15	EA	3/8"	I135RS100AE39		26.15	EA
1/2"	I90RS125AE39		26.20	EA	1/2"	I135RS125AE39		26.15	EA
<i>2-1/4" Vertical Leg Length</i>									
5/16" x 8'	RS80AE57		57.80	EA	1/2" x 8'	RS125AE57		61.50	EA
3/8" x 8'	RS100AE57		58.75	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RS80AE57		26.20	EA	5/16"	E135RS80AE57		26.20	EA
3/8"	E90RS100AE57		26.20	EA	3/8"	E135RS100AE57		26.20	EA
1/2"	E90RS125AE57		26.20	EA	1/2"	E135RS125AE57		26.20	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RS80AE57		26.20	EA	5/16"	I135RS80AE57		26.20	EA
3/8"	I90RS100AE57		26.20	EA	3/8"	I135RS100AE57		26.20	EA
1/2"	I90RS125AE57		26.20	EA	1/2"	I135RS125AE57		26.20	EA
<i>Colors:</i> Satin Copper Anodized Aluminum (AK)					Satin Nickel Anodized Aluminum (AT)				
<i>1-1/2" Vertical Leg Length</i>									
5/16" x 8'	RS80--39		56.30	EA	1/2" x 8'	RS125--39		59.20	EA
3/8" x 8'	RS100--39		57.25	EA					
<i>Outside Corner, 90°</i>					<i>Outside Corner, 135°</i>				
5/16"	E90RS80--39		26.15	EA	5/16"	E135RS80--39		26.15	EA
3/8"	E90RS100--39		26.20	EA	3/8"	E135RS100--39		26.15	EA
1/2"	E90RS125--39		26.20	EA	1/2"	E135RS125--39		26.20	EA
<i>Inside Corner, 90°</i>					<i>Inside Corner, 135°</i>				
5/16"	I90RS80--39		26.15	EA	5/16"	I135RS80--39		26.15	EA
3/8"	I90RS100--39		26.15	EA	3/8"	I135RS100--39		26.15	EA
1/2"	I90RS125--39		26.20	EA	1/2"	I135RS125--39		26.15	EA
<i>2-1/4" Vertical Leg Length</i>									
5/16" x 8'	RS80--57		57.80	EA	1/2" x 8'	RS125--57		61.50	EA
3/8" x 8'	RS100--57		58.75	EA					

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

RONDEC-STEP - continued

Colors: Satin Copper Anodized Aluminum (AK)

Outside Corner, 90°

5/16"	E90RS80--57	26.20	EA
3/8"	E90RS100--57	26.20	EA
1/2"	E90RS125--57	26.20	EA

Inside Corner, 90°

5/16"	I90RS80--57	26.20	EA
3/8"	I90RS100--57	26.20	EA
1/2"	I90RS125--57	26.20	EA

Satin Nickel Anodized Aluminum (AT)

Outside Corner, 135°

5/16"	E135RS80--57	26.20	EA
3/8"	E135RS100--57	26.20	EA
1/2"	E135RS125--57	26.20	EA

Inside Corner, 135°

5/16"	I135RS80--57	26.20	EA
3/8"	I135RS100--57	26.20	EA
1/2"	I135RS125--57	26.20	EA

Color: Satin Brass Anodized Aluminum (AM)

2-1/4" Vertical Leg Length

5/16" x 8'	RS80AM57	57.80	EA
3/8" x 8'	RS100AM57	58.75	EA

Outside Corner, 90°

5/16"	E90RS80AM57	26.20	EA
3/8"	E90RS100AM57	26.20	EA
1/2"	E90RS125AM57	26.20	EA

Inside Corner, 90°

5/16"	I90RS80AM57	26.20	EA
3/8"	I90RS100AM57	26.20	EA
1/2"	I90RS125AM57	26.20	EA

1/2" x 8'	RS125AM57	61.50	EA
-----------	-----------	-------	----

Outside Corner, 135°

5/16"	E135RS80AM57	26.20	EA
3/8"	E135RS100AM57	26.20	EA
1/2"	E135RS125AM57	26.20	EA

Inside Corner, 135°

5/16"	I135RS80AM57	26.20	EA
3/8"	I135RS100AM57	26.20	EA
1/2"	I135RS125AM57	26.20	EA

Note: To complete part number replace hyphens with color code. Example RS80----35, for Brushed Brass Anodized Aluminum # is: RS80AMGB35.

SCHIENE-STEP - see section: STAIR-NOSING PROFILES

STAIR-NOSING PROFILES

RONDEC-STEP - see section: FINISHING & EDGE-PROTECTION PROFILES FOR WALLS & COUNTERTOPS

SCHIENE-STEP

A finishing and edging profile for ceramic tile and natural stone installations on countertops, stairs and tile over tile applications on walls. The top of the profile features a vertical wall section that finishes and protects the tile from damage, while the vertical leg covers the edge of the sub-assembly, top of the riser or existing wall tile edge.

Available in anodized aluminum and brushed stainless steel versions which have different shapes and intended uses. The stainless steel version is available in three vertical leg lengths: 1-1/2" for countertops, 1-3/16" for stairs and 7/16" for tile over tile applications. The anodized aluminum version is intended for residential stair applications (stairs not exposed to heavy traffic). It is available in two vertical leg lengths, 1-3/16" and 1-1/2". The ribbed vertical leg covers the sub-assembly or top of the riser. The integrated joint spacer establishes a defined joint cavity between the tile and the profile.

Color: Brushed Stainless Steel 304 (EB)

1-1/2" Vertical Leg Length

1/4" x 8'	SS60EB39	170.35	EA
11/32" x 8'	SS90EB39	177.45	EA

Outside Corner, 90° & End Cap

1/4"	E90/SS60EB39	22.50	EA
11/32"	E90/SS90EB39	22.50	EA
7/16"	E90/SS110EB39	22.50	EA
1/2"	E90/SS125EB39	22.50	EA

Inside Corner, 90°

1/4"	I90/SS60EB39	22.50	EA
11/32"	I90/SS90EB39	22.50	EA
7/16"	I90/SS110EB39	22.50	EA
1/2"	I90/SS125EB39	22.50	EA

Connector

1/4"	V/SS60EB39	19.10	EA
11/32"	V/SS90EB39	19.10	EA

1-3/16" Vertical Leg Length

11/32" x 8'	SS90EB30	134.20	EA
7/16" x 8'	SS110EB30	135.95	EA

Outside Corner, 90° & End Cap

11/32"	E90/SS90EB30	22.50	EA
7/16"	E90/SS110EB30	22.50	EA
1/2"	E90/SS125EB30	22.50	EA

7/16" Vertical Leg Length

1/4" x 8'	SS60EB11	129.00	EA
-----------	----------	--------	----

7/16" x 8'	SS110EB39	180.65	EA
1/2" x 8'	SS125EB39	183.50	EA

Outside Corner, 135°

1/4"	E135/SS60EB39	22.50	EA
11/32"	E135/SS90EB39	22.50	EA
7/16"	E135/SS110EB39	22.50	EA
1/2"	E135/SS125EB39	22.50	EA

Inside Corner, 135°

1/4"	I135/SS60EB39	22.50	EA
11/32"	I135/SS90EB39	22.50	EA
7/16"	I135/SS110EB39	22.50	EA
1/2"	I135/SS125EB39	22.50	EA

7/16"	V/SS110EB39	19.10	EA
1/2"	V/SS125EB39	19.10	EA

1/2" x 8'	SS125EB30	137.65	EA
-----------	-----------	--------	----

Connector

11/32"	V/SS90EB30	19.10	EA
7/16"	V/SS110EB30	19.10	EA
1/2"	V/SS125EB30	19.10	EA

1/2" x 8'	SS125EB11	130.80	EA
-----------	-----------	--------	----

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

SCHIENE-STEP - continued

<i>Color:</i> Brushed Stainless Steel 304 (EB)									
<i>Connector</i>									
1/4"	V/SS60EB11		19.10	EA	1/2"	V/SS125EB11		19.10	EA
<i>Color:</i> Satin Anodized Aluminum (AE)									
<i>1-3/16" Vertical Leg Length</i>									
5/16" x 8"	SS80AE30		46.90	EA	1/2" x 8"	SS125AE30		48.50	EA
3/8" x 8"	SS100AE30		47.65	EA	9/16" x 8"	SS150AE30		49.25	EA
<i>1-1/2" Vertical Leg Length</i>									
5/16" x 8"	SS80AE39		51.00	EA	1/2" x 8"	SS125AE39		52.55	EA
3/8" x 8"	SS100AE39		51.80	EA	9/16" x 8"	SS150AE39		53.40	EA
<i>Color:</i> Satin Nickel Anodized Aluminum (AT)									
<i>1-3/16" Vertical Leg Length</i>									
5/16" x 8"	SS80AT30		51.70	EA	1/2" x 8"	SS125AT30		53.10	EA
3/8" x 8"	SS100AT30		52.25	EA	9/16" x 8"	SS150AT30		53.85	EA
<i>1-1/2" Vertical Leg Length</i>									
5/16" x 8"	SS80AT39		55.60	EA	1/2" x 8"	SS125AT39		57.20	EA
3/8" x 8"	SS100AT39		56.45	EA	9/16" x 8"	SS150AT39		58.00	EA

TREP-B

Designed to protect tiled stair edges and provide an easily visible, slip-resistant wear surface.

Colors: Black (GS) Grey (G) Light Beige (HB) Nut Brown (NB) Yellow (CG)

Aluminum Support with Thermoplastic Rubber Insert & 2-1/16" Wide Wear Surface

5/16" x 8"	-8B		90.80	EA	5/16" x 4' 11"	-8B/150		56.75	EA
3/8" x 8"	-10B		96.35	EA	3/8" x 4' 11"	-10B/150		60.20	EA
1/2" x 8"	-12B		100.55	EA	1/2" x 4' 11"	-12B/150		62.85	EA
9/16" x 8"	-15B		106.15	EA	9/16" x 4' 11"	-15B/150		66.30	EA
1" x 8"	-25B		108.50	EA	1" x 4' 11"	-25B/150		67.85	EA
E52/-		End Cap						2.55	EA
<i>Aluminum Support Section Only</i>									
5/16" x 8"	TAB8		56.40	EA	5/16" x 4' 11"	TAB8/150		28.25	EA
3/8" x 8"	TAB10		61.90	EA	3/8" x 4' 11"	TAB10/150		31.00	EA
1/2" x 8"	TAB12		66.15	EA	1/2" x 4' 11"	TAB12/150		33.15	EA
9/16" x 8"	TAB15		71.70	EA	9/16" x 4' 11"	TAB15/150		35.90	EA
1" x 8"	TAB25		74.10	EA	1" x 4' 11"	TAB25/150		37.10	EA
8'	PEA52/-							35.50	EA
9' 10"	PEA52/-/300							44.35	EA
50'	PEA52/-/50							221.40	EA

Note: To complete part number replace hyphens with color code. Example -8B, for Grey # is: G8B.

TREP-E

A stair-nosing profile with a slip-resistant surface and has an anchoring leg which is embedded in the tile bond coat.

Color: Stainless Steel 304 (E)

1-3/16" Wide Wear Surface

3/32" x 8"	TE20		58.60	EA	7/16" x 8"	TE110		64.25	EA
3/16" x 8"	TE50		60.60	EA	5/8" x 8"	TE160		67.35	EA
5/16" x 8"	TE80		62.45	EA	1" x 8"	TE250		72.35	EA
3/32" x 4' 11"	TE20/150		36.70	EA	7/16" x 4' 11"	TE110/150		40.15	EA
3/16" x 4' 11"	TE50/150		37.90	EA	5/8" x 4' 11"	TE160/150		42.15	EA
5/16" x 4' 11"	TE80/150		39.05	EA	1" x 4' 11"	TE250/150		45.75	EA
E/TE		End Cap						3.75	EA

TREP-EFK

A retrofit stainless steel stair profile which is bonded to existing steps. The stair profile features an easily visible, slip-resistant wear surface for durable and safe stairs.

The profile is suitable for interior and exterior use in areas subjected to heavy foot traffic, such as offices or public buildings.

Color: Stainless Steel 316L (E)

8' TEF56K/V4A 2-7/32" Wide Wear Surface

83.35 EA

TREP-EK

A stair-nosing profile with a slip-resistant surface and is bonded to existing installations.

Color: Stainless Steel 304 (E)

8' TEK 1-19/64" Wide Wear Surface
4' 11" TEK/150 1-19/64" Wide Wear Surface

64.15 EA
38.50 EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

TREP-FL

A decorative stair-nosing profile with a protruding rounded edge that can be integrated into stairs covered with tile or stone.

Color: Brushed Stainless Steel 304 (EB)

11/32" x 8'	FL90EB		95.30	EA	11/32" x 4' 11"	FL90EB/150		57.20	EA
7/16" x 8'	FL110EB		99.45	EA	7/16" x 4' 11"	FL110EB/150		59.65	EA
1/2" x 8'	FL125EB		103.85	EA	1/2" x 4' 11"	FL125EB/150		62.35	EA
	E/FLFB	End Cap						5.70	EA

Color: Stainless Steel 304 (E)

11/32" x 8'	FL90E		79.45	EA	11/32" x 4' 11"	FL90E/150		47.65	EA
7/16" x 8'	FL110E		82.95	EA	7/16" x 4' 11"	FL110E/150		49.80	EA
1/2" x 8'	FL125E		86.60	EA	1/2" x 4' 11"	FL125E/150		52.00	EA
	E/FLFB	End Cap						5.70	EA

Color: Satin Anodized Aluminum (AE)

11/32" x 8'	FL90AE		36.35	EA	11/32" x 4' 11"	FL90AE/150		25.75	EA
7/16" x 8'	FL110AE		37.10	EA	7/16" x 4' 11"	FL110AE/150		26.25	EA
1/2" x 8'	FL125AE		37.80	EA	1/2" x 4' 11"	FL125AE/150		28.15	EA
	E/FLAE	End Cap						2.30	EA

TREP-G

Protects tiled stair edges & has an easily visible, slip-resistant wear surface. Suitable for interior & exterior use in areas subjected to heavy foot-traffic.

Colors: Black (GS) Transparent (T)

Brushed Stainless Steel Support with 1-3/16" Wide Non-Slip Tread

11/32" x 8'	GSEB90--		164.50	EA	11/32" x 4' 11"	GSEB90--/150		104.20	EA
7/16" x 8'	GSEB110--		166.30	EA	7/16" x 4' 11"	GSEB110--/150		105.35	EA
33/64" x 8'	GSEB130--		168.00	EA	33/64" x 4' 11"	GSEB130--/150	a	106.40	EA
9/16" x 8'	GSEB150--		170.90	EA	9/16" x 4' 11"	GSEB150--/150	a	108.05	EA
60'	GSKB183--	Replacement Non-Slip Tread Only						181.05	EA
	E/GSEB	End Cap						5.65	EA

Colors: Black (GS) Transparent (T)

Brushed Stainless Steel Support with 2-5/32" Wide Non-Slip Tread

11/32" x 8'	GBEB90--		211.05	EA	11/32" x 4' 11"	GBEB90--/150		132.95	EA
7/16" x 8'	GBEB110--		212.55	EA	7/16" x 4' 11"	GBEB110--/150		133.90	EA
33/64" x 8'	GBEB130--		214.35	EA	33/64" x 4' 11"	GBEB130--/150	a	135.00	EA
9/16" x 8'	GBEB150--		216.10	EA	9/16" x 4' 11"	GBEB150--/150	a	136.10	EA
60'	GBKB183--	Replacement Non-Slip Tread Only						326.25	EA
	E/GBEB	End Cap						5.65	EA

Notes: a) Special Order Only, call Customer Service Department for availability.

To complete part number replace hyphens with color code. Example GSEB90--, for Transparent # is: GSEB90T.

TREP-GK

Designed to protect tiled stair edges & provide an easily visible, slip-resistant wear surface. Suitable for interior & exterior use in areas subjected to heavy foot-traffic. The surface features a self-adhesive non-slip tread with an embedded mineral grain coating. TREP-GK is subsequently bonded to existing installations. As such, can be installed as a repair so that existing damaged stair treads do not have to be replaced.

Colors: Black (GS) Transparent (T)

8'	GSEBK--	Brushed Stainless Steel Support with 1-3/16" Wide Non-Slip Tread						139.05	EA
4' 11"	GSEBK--/150	Brushed Stainless Steel Support with 1-3/16" Wide Non-Slip Tread						88.15	EA
60'	GSKB183--	Replacement Non-Slip Tread Only						181.05	EA
8'	GBEBK--	Brushed Stainless Steel Support with 2-5/32" Wide Non-Slip Tread						185.40	EA
4' 11"	GBEBK--/150	Brushed Stainless Steel Support with 2-5/32" Wide Non-Slip Tread						116.75	EA
60'	GBKB183--	Replacement Non-Slip Tread Only						326.25	EA

Note: To complete part number replace hyphens with color code. Example GSEBK--, for Black # is: GSEBKGS.

TREP-S

Designed to protect tiled stair edges and provide an easily visible, slip-resistant wear surface.

Colors: Black (GS) Grey (G) Light Beige (HB) Nut Brown (NB) Yellow (CG)

Aluminum Support with Thermoplastic Rubber Insert & 1-1/32" Wide Wear Surface

5/16" x 8'	-8S		62.55	EA	5/16" x 4' 11"	-8S/150		39.90	EA
3/8" x 8'	-10S		64.95	EA	3/8" x 4' 11"	-10S/150		40.60	EA
1/2" x 8'	-12S		69.00	EA	1/2" x 4' 11"	-12S/150		43.10	EA
	E26/--	End Cap						2.10	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

TREP-S - continued

Colors: Black (GS) Grey (G) Light Beige (HB) Nut Brown (NB) Yellow (CG)

Aluminum Support Section Only

5/16" x 8'	TAS8		41.30	EA	5/16" x 4' 11"	TAS8/150		20.70	EA
3/8" x 8'	TAS10		43.65	EA	3/8" x 4' 11"	TAS10/150		21.90	EA
1/2" x 8'	TAS12		47.70	EA	1/2" x 4' 11"	TAS12/150		23.95	EA
8'	PEA26/--							21.95	EA
9' 10"	PEA26/--/300							27.40	EA
50'	PEA26/--/50							136.85	EA

Note: To complete part number replace hyphens with color code. Example --10S, for Black # is: GS10S.

TREP-SE

Designed to protect tiled stair edges and provide an easily visible, slip-resistant wear surface.

Colors: Black (GS) Grey (G) Light Beige (HB) Nut Brown (NB) Yellow (CG)

Stainless Steel Support with Thermoplastic Rubber Insert & 1-1/32" Wide Wear Surface

5/16" x 8'	--8SE		93.45	EA	5/16" x 4' 11"	--8SE/150		58.45	EA
3/8" x 8'	--10SE		96.35	EA	3/8" x 4' 11"	--10SE/150		60.25	EA
1/2" x 8'	--12SE		100.30	EA	1/2" x 4' 11"	--12SE/150		61.95	EA
E26/--		End Cap						2.10	EA

Stainless Steel Support Section Only

5/16" x 8'	TES8		71.35	EA	5/16" x 4' 11"	TES8/150		48.45	EA
3/8" x 8'	TES10		74.20	EA	3/8" x 4' 11"	TES10/150		49.10	EA
1/2" x 8'	TES12		78.20	EA	1/2" x 4' 11"	TES12/150		50.25	EA
8'	PE26/--							21.95	EA
9' 10"	PE26/--/300							27.40	EA

Note: To complete part number replace hyphens with color code. Example --12SE/150, for Light Beige # is: HB12SE/150.

TREP-TAP

An Anodized Aluminum cover profile that integrates with the TREP-B and TREP-S stair-nosing profiles to conceal the top of the riser.

Color: Satin Anodized Aluminum (AE)

2" Wide with a Smooth Surface Finish

8'	TAP50AE		40.85	EA	4' 11"	TAP50AE/150		25.75	EA
3' 3"	TAP50AE/100		18.95	EA					

2-13/32" Wide with Horizontal Grooves

8'	TAPR61AE		42.15	EA	4' 11"	TAPR61AE/150		25.75	EA
----	----------	--	-------	----	--------	--------------	--	-------	----

TREP-V

An Anodized Aluminum profile with a PVC tread designed to protect tiled stair edges. The specially textured slip resistant tread makes TREP-V well suited for use in areas with heavy foot traffic, such as offices or public buildings. The replaceable PVC tread is available in a variety of colors including high visibility options. TREP-V is available with either a narrow (TREP-V 42) or wide (TREP-V 60) tread. End caps are also available.

Colors: Black (GS) Light Beige (HB) Nut Brown (NB) Stone Grey (SG)
Grout Grey (FG) Light Grey (HG) Sand Pebble (SP)

Anodized Aluminum Support with Slip-resistant PVC Insert & 1-21/32" Wide Tread

11/32" x 3' 3"	TVL42--90/100		31.10	EA	11/32" x 6' 7"	TVL42--90/200		62.95	EA
7/16" x 3' 3"	TVL42--110/100		33.00	EA	7/16" x 6' 7"	TVL42--110/200		66.80	EA
1/2" x 3' 3"	TVL42--125/100		34.45	EA	1/2" x 6' 7"	TVL42--125/200		69.65	EA
11/32" x 4' 11"	TVL42--90/150		47.05	EA	11/32" x 10'	TVL42--90/300		94.25	EA
7/16" x 4' 11"	TVL42--110/150		49.95	EA	7/16" x 10'	TVL42--110/300		99.95	EA
1/2" x 4' 11"	TVL42--125/150		52.10	EA	1/2" x 10'	TVL42--125/300		104.25	EA
1-21/32" x 6' 7"	TVL42--/200							25.10	EA
1-21/32" x 10'	TVL42--/300							37.40	EA
E/TV42--		End Cap (1 left & 1 right)						4.80	SET

Anodized Aluminum Support with Slip-resistant PVC Insert & 2-3/8" Wide Tread

11/32" x 3' 3"	TVL60--90/100		43.20	EA	11/32" x 6' 7"	TVL60--90/200		87.40	EA
7/16" x 3' 3"	TVL60--110/100		45.75	EA	7/16" x 6' 7"	TVL60--110/200		92.60	EA
1/2" x 3' 3"	TVL60--125/100		47.75	EA	1/2" x 6' 7"	TVL60--125/200		96.60	EA
11/32" x 4' 11"	TVL60--90/150		65.35	EA	11/32" x 10'	TVL60--90/300		130.65	EA
7/16" x 4' 11"	TVL60--110/150		69.25	EA	7/16" x 10'	TVL60--110/300		138.50	EA
1/2" x 4' 11"	TVL60--125/150		72.25	EA	1/2" x 10'	TVL60--125/300		144.55	EA
2-3/8" x 6' 7"	TVL60--/200							34.80	EA
2-3/8" x 10'	TVL60--/300							51.85	EA
E/TV60--		End Cap (1 left & 1 right)						5.65	SET

Note: To complete part number replace hyphens with color code. Example TVL42--90/100, for Black # is: TVL42GS90/100.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

MOVEMENT JOINT & COVE-SHAPED PROFILES

DILEX-AHK

An anodized aluminum, cove-shaped profile with a 3/8" radius for inside wall corners, countertop/backsplash and floor/wall transitions.

Color: Brushed Brass Anodized Aluminum (AMGB)

5/16" x 8'	AHK1S80AMGB		59.95	EA		1/2" x 8'	AHK1S125AMGB		63.25	EA
3/8" x 8'	AHK1S100AMGB		61.50	EA						
	E90/AHK1S/AMGB	Outside Corner, 90°							37.55	EA
	E135/AHK1S/AMGB	Outside Corner, 135°							37.55	EA
	I90/AHK1S/AMGB	Inside Corner, 90°							37.55	EA
	I135/AHK1S/AMGB	Inside Corner, 135°							37.55	EA
	V/AHK	Connector							5.55	EA
	E/AHK1S/AMGB	End Cap							24.50	EA

Color: Brushed Chrome Anodized Aluminum (ACGB)

5/16" x 8'	AHK1S80ACGB		57.70	EA		1/2" x 8'	AHK1S125ACGB		61.05	EA
3/8" x 8'	AHK1S100ACGB		59.30	EA						
	E90/AHK1S/ACGB	Outside Corner, 90°							37.55	EA
	E135/AHK1S/ACGB	Outside Corner, 135°							37.55	EA
	I90/AHK1S/ACGB	Inside Corner, 90°							37.55	EA
	I135/AHK1S/ACGB	Inside Corner, 135°							37.55	EA

Color: Brushed Chrome Anodized Aluminum (ACGB)

V/AHK	Connector								5.55	EA
E/AHK1S/ACGB	End Cap								24.50	EA

Colors: Brushed Copper Anodized Aluminum (AKGB) Brushed Nickel Anodized Aluminum (ATGB)
Brushed Graphite Anodized Aluminum (AGRB)

5/16" x 8'	AHK1S80---		62.00	EA		1/2" x 8'	AHK1S125---		65.40	EA
3/8" x 8'	AHK1S100---		63.65	EA		9/16" x 8'	AHK1S150AGRB	a	67.40	EA
	E90/AHK1S/---	Outside Corner, 90°							37.55	EA
	E135/AHK1S/---	Outside Corner, 135°							37.55	EA
	I90/AHK1S/---	Inside Corner, 90°							37.55	EA
	I135/AHK1S/---	Inside Corner, 135°							37.55	EA
	V/AHK	Connector							5.55	EA
	E/AHK1S/---	End Cap							24.50	EA

Note: a) Only available in color Brushed Graphite Anodized Aluminum (AGRB).

Color: Polished Brass Anodized Aluminum (AMG)

5/16" x 8'	AHK1S80AMG		66.35	EA		1/2" x 8'	AHK1S125AMG		69.20	EA
3/8" x 8'	AHK1S100AMG		67.70	EA						
	E90/AHK1S/AMG	Outside Corner, 90°							37.55	EA
	E135/AHK1S/AMG	Outside Corner, 135°							37.55	EA
	I90/AHK1S/AMG	Inside Corner, 90°							37.55	EA
	I135/AHK1S/AMG	Inside Corner, 135°							37.55	EA
	V/AHK	Connector							5.55	EA
	E/AHK1S/AMG	End Cap							24.50	EA

Color: Polished Chrome Anodized Aluminum (ACG)

5/16" x 8'	AHK1S80ACG		64.45	EA		1/2" x 8'	AHK1S125ACG		67.30	EA
3/8" x 8'	AHK1S100ACG		65.80	EA						
	E90Q/AHK1S/ACG	Outside Corner, 90° (Integrates with QUADEC)						a	36.85	EA
	E90/AHK1S/ACG	Outside Corner, 90°							37.55	EA
	E135/AHK1S/ACG	Outside Corner, 135°							37.55	EA
	I90/AHK1S/ACG	Inside Corner, 90°							37.55	EA
	I135/AHK1S/ACG	Inside Corner, 135°							37.55	EA
	V/AHK	Connector							5.55	EA
	E/AHK1S/ACG	End Cap							24.50	EA

Note: a) Features a square shape to align with the QUADEC profile when QUADEC is used on the vertical surface of the outside corner.

Colors: Polished Copper Anodized Aluminum (AKG) Polished Nickel Anodized Aluminum (ATG)

5/16" x 8'	AHK1S80---		68.10	EA		1/2" x 8'	AHK1S125---		70.95	EA
3/8" x 8'	AHK1S100---		69.50	EA						
	E90/AHK1S/---	Outside Corner, 90°							37.55	EA
	E135/AHK1S/---	Outside Corner, 135°							37.55	EA
	I90/AHK1S/---	Inside Corner, 90°							37.55	EA
	I135/AHK1S/---	Inside Corner, 135°							37.55	EA
	V/AHK	Connector							5.55	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

DILEX-AHK - continued

Colors:	Polished Copper Anodized Aluminum (AKG)	Polished Nickel Anodized Aluminum (ATG)
E/AHK1S/--	End Cap	24.50 EA
Color: Satin Anodized Aluminum (AE)		
5/16" x 8'	AHK1S80AE 37.30 EA	1/2" x 8' AHK1S125AE 40.60 EA
3/8" x 8'	AHK1S100AE 38.80 EA	
E90Q/AHK1S/AE	Outside Corner, 90° (Integrates with QUADEC)	a 31.60 EA
E90/AHK1S/AE	Outside Corner, 90°	32.60 EA
E135/AHK1S/AE	Outside Corner, 135°	32.60 EA
I90/AHK1S/AE	Inside Corner, 90°	32.60 EA
I135/AHK1S/AE	Inside Corner, 135°	32.60 EA
V/AHK	Connector	5.55 EA
E/AHK1S/AE	End Cap	19.55 EA

Note: a) Features a square shape to align with the QUADEC profile when QUADEC is used on the vertical surface of the outside corner.

Colors:	Satin Brass Anodized Aluminum (AM)	Satin Nickel Anodized Aluminum (AT)
Satin Copper Anodized Aluminum (AK)		
5/16" x 8'	AHK1S80-- 43.10 EA	1/2" x 8' AHK1S125-- 46.45 EA
3/8" x 8'	AHK1S100-- 44.70 EA	9/16" x 8' AHK1S150AT a 48.25 EA
E90Q/AHK1S/AT	Outside Corner, 90° (Integrates with QUADEC)	a,b 31.60 EA
E90/AHK1S/--	Outside Corner, 90°	32.60 EA
E135/AHK1S/--	Outside Corner, 135°	32.60 EA
I90/AHK1S/--	Inside Corner, 90°	32.60 EA
I135/AHK1S/--	Inside Corner, 135°	32.60 EA
V/AHK	Connector	5.55 EA
E/AHK1S/--	End Cap	19.55 EA

Note: To complete part number replace hyphens with color code. Example AHK1S125--, for Polished Nickel Anodized Aluminum # is: AHK1S125ATG.

a) Only available in color Satin Nickel Anodized Aluminum (AT).

b) Features a square shape to align with the QUADEC profile when QUADEC is used on the vertical surface of the outside corner.

DILEX-AHK - TRENDLINE Textured Color-Coated Aluminum

Colors:	Beige (TSB)	Dark Anthracite (TSDA)	Light Anthracite (TSLA)	Stone Grey (TSSG)
	Bronze (TSOB)	Greige (TSBG)	Pewter (TSG)	
	Cream (TSC)	Ivory (TSI)	Rustic Brown (TSR)	
5/16" x 8'	AHK1S80---	65.05 EA	1/2" x 8' AHK1S125---	67.40 EA
3/8" x 8'	AHK1S100---	66.00 EA	9/16" x 8' AHK1S150---	68.75 EA
E90Q/AHK1S/---	Outside Corner, 90° (Integrates with QUADEC)			a 36.55 EA
E90/AHK1S/---	Outside Corner, 90°			39.40 EA
E135/AHK1S/---	Outside Corner, 135°			39.40 EA
I90/AHK1S/---	Inside Corner, 90°			39.40 EA
I135/AHK1S/---	Inside Corner, 135°			39.40 EA
V/AHK	Connector			5.55 EA
E/AHK1S/---	End Cap			26.05 EA

Notes: To complete part number replace hyphens with color code. Example AHK1S125--, Pewter # is: AHK1S125TSG.

a) Features a square shape to align with the QUADEC profile when QUADEC is used on the vertical surface of the outside corner.

DILEX-AHKA

An anodized aluminum, cove-shaped profile for transitions between walls to be tiled & previously finished floors. The profile features a single trapezoid-perforated anchoring leg that is secured in the mortar bond coat & a dovetailed channel, which can be bonded to floor surfaces using KERDI-FIX, epoxy resin, mortar, etc. A 3/8" radius cove section forms the visible surface & prevents the accumulation of dirt, making cleaning simple. Prevents surface water penetration & silicone, thin-set meets maintenance & hygienic requirements of commercial kitchens, bathrooms, food processing plants, or any tiled environment where a sanitary cove base is desired.

Color:	Brushed Chrome Anodized Aluminum (ACGB)	
5/16" x 8'	AHKA80ACGB 57.60 EA	1/2" x 8' AHKA125ACGB 61.00 EA
3/8" x 8'	AHKA100ACGB 59.20 EA	9/16" x 8' AHKA150ACGB 62.80 EA
E90/AHKA/ACGB	Outside Corner, 90°	37.55 EA
E135/AHKA/ACGB	Outside Corner, 135°	37.55 EA
I90/AHKA/ACGB	Inside Corner, 90°	37.55 EA
I135/AHKA/ACGB	Inside Corner, 135°	37.55 EA
EL/AHKA/ACGB	End Cap - Left	24.50 EA
ER/AHKA/ACGB	End Cap - Right	24.50 EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

DILEX-AHKA - continued

Color: Brushed Nickel Anodized Aluminum (ATGB)

5/16" x 8'	AHKA80ATGB		61.95	EA	1/2" x 8'	AHKA125ATGB		65.30	EA
3/8" x 8'	AHKA100ATGB		63.55	EA	9/16" x 8'	AHKA150ATGB		67.30	EA
	E90/AHKA/ATGB	Outside Corner, 90°						37.55	EA
	E135/AHKA/ATGB	Outside Corner, 135°						37.55	EA
	I90/AHKA/ATGB	Inside Corner, 90°						37.55	EA
	I135/AHKA/ATGB	Inside Corner, 135°						37.55	EA
	EL/AHKA/ATGB	End Cap - Left						24.50	EA
	ER/AHKA/ATGB	End Cap - Right						24.50	EA

Color: Satin Anodized Aluminum (AE)

5/16" x 8'	AHKA80AE		37.20	EA	1/2" x 8'	AHKA125AE		40.50	EA
3/8" x 8'	AHKA100AE		38.70	EA	9/16" x 8'	AHKA150AE		41.70	EA
	E90/AHKA/AE	Outside Corner, 90°						32.60	EA
	E135/AHKA/AE	Outside Corner, 135°						32.60	EA
	I90/AHKA/AE	Inside Corner, 90°						32.60	EA
	I135/AHKA/AE	Inside Corner, 135°						32.60	EA
	EL/AHKA/AE	End Cap - Left						19.55	EA
	ER/AHKA/AE	End Cap - Right						19.55	EA

Color: Satin Nickel Anodized Aluminum (AT)

5/16" x 8'	AHKA80AT		43.00	EA	1/2" x 8'	AHKA125AT		46.40	EA
3/8" x 8'	AHKA100AT		44.60	EA	9/16" x 8'	AHKA150AT		48.15	EA
	E90/AHKA/AT	Outside Corner, 90°						32.60	EA
	E135/AHKA/AT	Outside Corner, 135°						32.60	EA
	I90/AHKA/AT	Inside Corner, 90°						32.60	EA
	I135/AHKA/AT	Inside Corner, 135°						32.60	EA
	EL/AHKA/AT	End Cap - Left						19.55	EA
	ER/AHKA/AT	End Cap - Right						19.55	EA

DILEX-AHKA - TRENDLINE Textured Color-Coated Aluminum

Colors: Beige (TSB) Dark Anthracite (TSDA) Light Anthracite (TSLA) Stone Grey (TSSG)
 Bronze (TSOB) Greige (TSBG) Pewter (TSG)
 Cream (TSC) Ivory (TSI) Rustic Brown (TSR)

5/16" x 8'	AHKA80---		65.05	EA	1/2" x 8'	AHKA125---		67.40	EA
3/8" x 8'	AHKA100---		66.00	EA	9/16" x 8'	AHKA150---		68.75	EA
	E90/AHKA/---	Outside Corner, 90°						39.35	EA
	E135/AHKA/---	Outside Corner, 135°						39.35	EA
	I90/AHKA/---	Inside Corner, 90°						39.35	EA
	I135/AHKA/---	Inside Corner, 135°						39.35	EA
	EL/AHKA/---	End Cap - Left						25.40	EA
	ER/AHKA/---	End Cap - Right						25.40	EA

Note: To complete part number replace hyphens with color code. Example AHKA80--, Light Anthracite # is: AHKA80TSLA.

DILEX-AKWS

A surface joint profile with aluminum anchoring legs that protect tile edges. Has a 1/4" wide soft PVC movement zone.

Colors: Black (GS) Classic Grey (PG) Grey (G) Light Beige (HB) Sand Pebble (SP)

5/16" x 8'	AKWS80--		41.35	EA	1/2" x 8'	AKWS125--		47.90	EA
11/32" x 8'	AKWS90--		43.75	EA	17/32" x 8'	AKWS140--		51.90	EA
3/8" x 8'	AKWS100--		44.60	EA	5/8" x 8'	AKWS160--		55.10	EA
7/16" x 8'	AKWS110--		45.40	EA	13/16" x 8'	AKWS210--		60.00	EA

Note: To complete part number replace hyphens with color code. Example AKWS80--, for Black # is: AKWS80GS.

DILEX-AS

A perimeter joint profile with a rigid PVC anchoring leg and a flexible joining leg with self-adhesive tape to bond the profile to fixed building elements.

Suitable for tiles 1/4" to 1/2" thick.

Color: Bright White (BW)

3/8" x 8'	AS20BW							38.00	EA
	EKR/AS20BW	Outside End Cap (Right)						4.55	EA
	EKL/AS20BW	Outside End Cap (Left)						4.55	EA
	I/AS20BW	Inside Corner						4.55	EA
	EKI/AS20BW	2 Inside Corners, 1 Right & 1 Left End Cap						16.40	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

DILEX-BT

An expansion joint profile made of anodized aluminum that bridges expansion joints and accommodates movement via the 1-3/16" wide telescopic center section which also forms the visible surface. Protects tile edges and is suitable for tile surfaces exposed to foot traffic and vehicular traffic.

Color: Satin Anodized Aluminum (AE)

5/16" x 8'	AEBT80	188.45	EA	9/16" x 8'	AEBT150	198.30	EA
3/8" x 8'	AEBT100	191.60	EA	11/16" x 8'	AEBT175	202.30	EA
1/2" x 8'	AEBT125	195.20	EA	3/4" x 8'	AEBT200	212.55	EA

DILEX-BTO

Expansion joint profile that bridges expansion joints at floor/wall transitions & accommodates movement via the 1-3/16" wide telescopic center section.

Color: Satin Anodized Aluminum (AE)

5/16" x 8'	AEBT80/O125	194.35	EA	9/16" x 8'	AEBT150/O125	199.35	EA
3/8" x 8'	AEBT100/O125	195.85	EA	11/16" x 8'	AEBT175/O125	201.45	EA
1/2" x 8'	AEBT125/O125	197.70	EA	3/4" x 8'	AEBT200/O125	206.40	EA

DILEX-BTS

An expansion joint profile made of anodized aluminum that bridges expansion joints and accommodates movement via the 1-3/16" wide telescopic center section. Installed in completed tile coverings & is suitable for tile surfaces exposed to foot & vehicular traffic.

Color: Satin Anodized Aluminum (AE)

3/8" x 8'	AEBTS100	195.25	EA
-----------	----------	--------	----

DILEX-BWA

A perimeter joint profile with a rigid PVC anchoring leg and a 7/32" wide soft CPE movement zone that isolates the tile covering from fixed building elements and forms the visible surface. Features a dovetailed channel made of rigid PVC that can be bonded to the fixed building elements.

Colors:	Classic Grey (PG)	Bright White (BW)	Grout Grey (FG)	Stone Grey (SG)
	Grey (G)	Cream (C)	Light Beige (HB)	
	Black (GS)	Dark Anthracite (DA)	Sand Pebble (SP)	
3/16" x 8'	BWA45--	a 24.30	EA	3/8" x 8' BWA100--
1/4" x 8'	BWA60--	25.90	EA	1/2" x 8' BWA125--
5/16" x 8'	BWA80--	Stock b 27.55	EA	Stock b 28.35
				EA 29.15

Notes: a) Not available in color Sand Pebble (SP) b) Stocked in color Bright White (BW) only.
To complete part number replace hyphens with color code. Example BWA45--, for Bright White # is: BWA45BW.

DILEX-BWB

Profile with rigid PVC anchoring legs & a 3/8" wide soft CPE movement zone. Suitable for residential to medium-duty commercial applications.

Colors:	Classic Grey (PG)	Bright White (BW)	Grout Grey (FG)	Stone Grey (SG)
	Grey (G)	Cream (C)	Light Beige (HB)	
	Black (GS)	Dark Anthracite (DA)	Sand Pebble (SP)	
1/4" x 8'	BWB60--	a 24.50	EA	1/2" x 8' BWB125--
5/16" x 8'	BWB80--	25.15	EA	9/16" x 8' BWB150G
3/8" x 8'	BWB100--	26.30	EA	3/4" x 8' BWB200G
				b 30.50
				b 32.65

Notes: a) Not available in color Sand Pebble (SP). b) Available in color Grey (G) only.
To complete part number replace hyphens with color code. Example BWB60--, for Light Beige # is: BWB60HB.

DILEX-BWS

Profile with rigid PVC anchoring legs & a 3/16" wide soft CPE movement zone. Suitable for residential to medium-duty commercial applications.

Colors:	Classic Grey (PG)	Bright White (BW)	Grout Grey (FG)	Stone Grey (SG)
	Grey (G)	Cream (C)	Light Beige (HB)	
	Black (GS)	Dark Anthracite (DA)	Sand Pebble (SP)	
3/16" x 8'	BWS45--	22.65	EA	3/8" x 8' BWS100--
1/4" x 8'	BWS60--	22.65	EA	7/16" x 8' BWS110--
5/16" x 8'	BWS80--	22.65	EA	1/2" x 8' BWS125--
11/32" x 8'	BWS90--	23.85	EA	

Note: To complete part number replace hyphens with color code. Example BWS60--, for Grey # is: BWS60G.

DILEX-EDP

A surface joint profile that protects tile edges and separates individual fields in the tile covering. Accommodates horizontal movement via the 15/32" wide tongue-and-groove connection. Suited for tile surfaces subject to heavy use, including areas exposed to continuous vehicular traffic.

Color: Stainless Steel 304 (E)

5/16" x 8'	EDP80	128.00	EA	5/8" x 8'	EDP160	139.85	EA
11/32" x 8'	EDP90	129.80	EA	23/32" x 8'	EDP185	143.20	EA
3/8" x 8'	EDP100	131.20	EA	13/16" x 8'	EDP210	146.40	EA
7/16" x 8'	EDP110	132.35	EA	1" x 8'	EDP250	152.45	EA
1/2" x 8'	EDP125	134.75	EA	1-3/16" x 8'	EDP300	159.30	EA
17/32" x 8'	EDP140	136.55	EA				

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

DILEX-EHK

Cove-shaped profile with a 23/32" radius for inside wall corners, countertop/backsplash and floor/wall transitions.

Color: Brushed Stainless Steel 304 (EB)

9/32"x9/32"x8'	EBHKU7/O7		123.80	EA	7/16"x7/16"x8'	EBHKU11/O11		131.50	EA
11/32"x11/32"x8'	EBHKU9/O9		127.45	EA					
	A/EBHK2R18	Outside Corner, 90°						14.55	EA
	E135/EBHK2R18	Outside Corner, 135°						14.55	EA
	I/EBHK2R18	Inside Corner, 90° (2 Way)						14.55	EA
	I/EBHK3R18	Inside Corner, 90° (3 Way)						14.55	EA
	I135/EBHK2R18	Inside Corner, 135°						14.55	EA
	V/EBHK	Connector						14.55	EA
	E/HKW/G	End Cap					a	5.85	EA

Color: Stainless Steel 304 (E)

9/32"x9/32"x8'	EHKU7/O7		95.30	EA	7/16"x7/16"x8'	EHKU11/O11		101.15	EA
11/32"x11/32"x8'	EHKU9/O9		98.05	EA					
	A/EHK2R18	Outside Corner, 90°						11.20	EA
	E135/EHK2R18	Outside Corner, 135°						11.20	EA
	I/EHK2R18	Inside Corner, 90° (2 Way)						11.20	EA
	I/EHK3R18	Inside Corner, 90° (3 Way)						11.20	EA
	I135/EHK2R18	Inside Corner, 135°						11.20	EA
	V/EHK	Connector						11.20	EA
	E/HKW/G	End Cap					a	5.85	EA

Color: Stainless Steel 316 L (EV4A)

9/32"x9/32"x8'	EHKU7/O7/V4A		104.75	EA	7/16"x7/16"x8'	EHKU11/O11/V4A		111.25	EA
11/32"x11/32"x8'	EHKU9/O9/V4A		107.85	EA	5/8"x5/8"x8'	EHKU16/O16/V4A		113.60	EA

Note: a) Grey PVC only.

DILEX-EKE

A corner movement joint profile with a 3/16" wide soft CPE movement zone that separates individual tile fields at floor/wall transitions and inside wall corners. Prevents surface water penetration and sound bridges making it ideal for floor/wall transitions in sound-rated floors.

Colors: Black (GS) Classic Grey (PG) Light Beige (HB)
Bright White (BW) Grey (G) Sand Pebble (SP)

5/16"x9/32"x8'	EKEU8/O7--	23.20	EA	33/64"x1/2"x8'	EKEU13/O12--	24.55	EA
11/32"x5/16"x8'	EKEU9/O8--	23.85	EA	9/16"x17/32"x8'	EKEU15/O14--	25.35	EA
7/16"x3/8"x8'	EKEU11/O10--	24.00	EA				

Note: To complete part number replace hyphens with color code. Example EKEU8/O7--, for Bright White # is: EKEU8/O7BW.

DILEX-EKSB

A surface joint profile for thinner floor coverings & a 1/4" wide movement zone. Suitable for residential to medium-duty commercial applications.

Colors: Black (GS) Classic Grey (PG) Grey (G) Light Beige (HB)

3/32" x 8'	EKSB25--	102.65	EA	1/4" x 8'	EKSB60--	112.85	EA
3/16" x 8'	EKSB45--	108.55	EA				

Note: To complete part number replace hyphens with color code. Example EKSB25--, for Grey # is: EKSB25G.

DILEX-EZ 6 + 9

This profile combines decorative design with stress-relieving function for tile and stone set in a thin bed of adhesive.

Colors: Brass Inlay/Grey (M/G) Chrome Inlay/Yellow (C/CG)

1/4" x 8'	EZ--6	20.70	EA	11/32" x 8'	EZ--9	24.60	EA
-----------	-------	-------	----	-------------	-------	-------	----

Note: To complete part number replace hyphens with color code. Example EZ--6, for Brass Inlay/Grey # is: EZM/G6.

DILEX-F

A surface joint profile with rigid, recycled PVC anchoring legs and a narrow replaceable silicone inlay that ties together tile fields to form a seamless visible surface. The carrier profile (DILEX-FCS) has a protective cover that is removed after tile installation and replaced with the selected color of silicone insert (DILEX-FIS). The trapezoid-perforated anchoring legs transfer movement to the profile movement zone. The special silicone inlay is equipped with anti-stretch properties and a low-friction coating that repels dust. The inlay is approximately 1/8" wide when installed and available in 10 colors to match the grout. The DILEX-F system is suitable for residential to medium-duty commercial applications subject to light mechanical loads (e.g., offices and stores).

Colors: Black (GS) Cream (C) Grout Grey (FG) Stone Grey (SG)
Bright White (BW) Dark Anthracite (DA) Light Beige (HB)
Classic Grey (PG) Grey (G) Sand Pebble (SP)

Carrier Profile with Protective Cover

11/32" x 8'	FCS90	15.55	EA	7/16" x 8'	FCS110	15.55	EA
3/8" x 8'	FCS100	15.55	EA	1/2" x 8'	FCS125	15.55	EA
100'	FIS300--					a	301.95

Notes: a) An installation tool is included with each roll of silicone inlay to facilitate cleaning of the joint and insertion of the inlay. To complete part number replace hyphens with color code. Example FIS300--, for Light Beige # is: FIS300HB.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

DILEX-HK

A cove-shaped profile with an 11/16" radius and a soft CPE movement zone. Prevents sound bridges making it ideal for sound-rated floors.

Colors: Bright White (BW) Grey (G) Light Beige (HB)

1/2"x11/32"x8'	HKU12/O9--									44.50	EA
	A/HK1--		Outside Corner, 90°							5.85	EA
	I/HK2R18/--		Inside Corner, 90° (2 Way)							5.85	EA
	I/HK3R18/--		Inside Corner, 90° (3 Way)							5.85	EA
	V/HK		Connector							2.50	EA
	EL/HK/G		End Cap (Left)				a			5.85	EA
	ER/HK/G		End Cap (Right)				a			5.85	EA

Notes: a) Only available in color Grey (G).

To complete part number replace hyphens with color code. Example HKU12/O9--, for Light Beige # is: HKU12/O9HB.

DILEX-HKS

A Stainless Steel cove-shaped profile with a 23/32" radius for inside wall corners and floor/wall transitions in applications.

Colors: Black (GS) Classic Grey (PG) Grey (G) Light Beige (HB)

5/16"x9/32"x8'	HKSV2AU8/O7--		167.75	EA	23/32"x9/32"x8'	HKSV2AU18/O7--				175.20	EA	
3/8"x9/32"x8'	HKSV2AU10/O7--		169.40	EA	13/16"x9/32"x8'	HKSV2AU21/O7--				176.80	EA	
15/32"x9/32"x8'	HKSV2AU12/O7--		170.20	EA	1"x9/32"x8'	HKSV2AU25/O7--				180.10	EA	
17/32"x9/32"x8'	HKSV2AU14/O7--		172.65	EA	1-3/16"x9/32"x8'	HKSV2AU30/O7--				182.60	EA	
5/8"x9/32"x8'	HKSV2AU16/O7--		174.35	EA								
<i>90° Outside Corner with Pre-Cut Profile Sections</i>												
	E90V2AU8/O7--		a	66.10	EA		E90V2AU14/O7--			a	66.10	EA
	E90V2AU10/O7--		a	66.10	EA		E90V2AU16/O7--			a	66.10	EA
	E90V2AU12/O7--		a	66.10	EA							
5/16"x11/32"x8'	HKSV2AU8/O9--		167.75	EA	23/32"x11/32"x8'	HKSV2AU18/O9--				175.20	EA	
3/8"x11/32"x8'	HKSV2AU10/O9--		169.40	EA	13/16"x11/32"x8'	HKSV2AU21/O9--				176.80	EA	
15/32"x11/32"x8'	HKSV2AU12/O9--		170.20	EA	1"x11/32"x8'	HKSV2AU25/O9--				180.10	EA	
17/32"x11/32"x8'	HKSV2AU14/O9--		172.65	EA	1-3/16"x11/32"x8'	HKSV2AU30/O9--				182.60	EA	
5/8"x11/32"x8'	HKSV2AU16/O9--		174.40	EA								
<i>90° Outside Corner with Pre-Cut Profile Sections</i>												
	E90V2AU8/O9--		a	66.10	EA		E90V2AU14/O9--			a	66.10	EA
	E90V2AU10/O9--		a	66.10	EA		E90V2AU16/O9--			a	66.10	EA
	E90V2AU12/O9--		a	66.10	EA							
5/16"x7/16"x8'	HKSV2AU8/O11--		167.75	EA	23/32"x7/16"x8'	HKSV2AU18/O11--				175.20	EA	
3/8"x7/16"x8'	HKSV2AU10/O11--		169.45	EA	13/16"x7/16"x8'	HKSV2AU21/O11--				176.85	EA	
15/32"x7/16"x8'	HKSV2AU12/O11--		170.25	EA	1"x7/16"x8'	HKSV2AU25/O11--				180.15	EA	
17/32"x7/16"x8'	HKSV2AU14/O11--		172.70	EA	1-3/16"x7/16"x8'	HKSV2AU30/O11--				182.60	EA	
5/8"x7/16"x8'	HKSV2AU16/O11--		174.35	EA								
<i>90° Outside Corner with Pre-Cut Profile Sections</i>												
	E90V2AU8/O11--		a	66.10	EA		E90V2AU14/O11--			a	66.10	EA
	E90V2AU10/O11--		a	66.10	EA		E90V2AU16/O11--			a	66.10	EA
	E90V2AU12/O11--		a	66.10	EA							
	A/EHK2R18				Outside Corner, 90°					11.20	EA	
	I/EHK2R18				Inside Corner, 90° (2 Way)					11.20	EA	
	I/EHK3R18				Inside Corner, 90° (3 Way)					11.20	EA	
	V/EHK				Connector					11.20	EA	
	E/HKW/G				End Cap					5.85	EA	

Notes: a) Special Order Only, call Customer Service Department for availability.

b) Grey PVC only.

To complete part number replace hyphens with color code. Example HKSV2AU8/O7--, for Black # is: HKSV2AU8/O7GS.

DILEX-HKU

A Stainless Steel cove-shaped profile for inside wall corners and floor/wall (including countertop/backsplash) transitions. May be used with floor coverings other than ceramic and stone tile, provided that the floor coverings are fastened or adhered (i.e., no floating floors). The profile features a single anchoring leg that turns inward, which allows it to be used with different thicknesses of tile. DILEX-HKU is available with either a 3/8" or 1-7/16" radius cove section. The cove section forms the visible surface and prevents the accumulation of dirt, making cleaning simple. It prevents surface water penetration and meets the maintenance and hygienic requirements of commercial kitchens, bathrooms and food-processing plants or any tiled environment where a sanitary cove base is desired.

3/8" Radius Cove Section

Color: Stainless Steel 304 (E)

8' HKUR10E

66.95 EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

DILEX-HKU - continued

<i>Color:</i> Brushed Stainless Steel 304 (EB)									
8'			HKUR10EB					73.30	EA
<i>Color:</i> Stainless Steel 316 L (V4A)									
8'			HKUR10E/V4A					100.20	EA
<i>Colors:</i> Stainless Steel 304 (E)		Brushed Stainless Steel 304 (EB)							
			EQ/HKUR10--		Outside Corner, 90°			7.65	EA
			E135/HKUR10--		Outside Corner, 135°			7.30	EA
			I/HKU3R10--		Inside Corner, 90°			7.65	EA
			I135/HKUR10--		Inside Corner, 135°			7.30	EA
			V/HKUR10--		Connector			6.95	EA
			EK/HKUR10--		End Cap			6.35	EA
<i>1-7/16" Radius Cove Section</i>									
<i>Color:</i> Stainless Steel 304 (E)									
8'			HKUR36E					109.75	EA
			E/HKUR36E		Outside Corner, 90°			13.30	EA
			I/HKU3R3610E		Inside Corner, 90°			13.30	EA
			V/HKUR36E		Connector			13.30	EA
			VI/HKUR36		Internal Connector, EPS Foam			3.80	EA
			EK/HKUR36E		End Cap (Grey PVC only)			10.00	EA
<i>Notes:</i> To complete part number replace hyphens with color code. Example EQ/HKUR10--, for Stainless Steel 304 (E) # is: EQ/HKUR10E. a) Only available in color Brushed Stainless Steel 304 (EB) only.									

DILEX-HKW

A PVC cove-shaped profile with an 11/16" radius for inside wall corners and floor/wall transitions.

<i>Colors:</i> Bright White (BW)		Classic Grey (PG)		Grey (G)		Light Beige (HB)					
9/32"x9/32"x8'			HKWU7/O7--		30.95	EA	7/16"x7/16"x8'		HKWU11/O11--	30.95	EA
11/32"x11/32"x8'			HKWU9/O9--		30.95	EA					
			A/HKW/--				Outside Corner, 90°			5.85	EA
			I/HKW2R18/--				Inside Corner, 90° (2 Way)			5.85	EA
			I/HKW3R18/--				Inside Corner, 90° (3 Way)			5.85	EA
			E/HKW/G				End Cap		a	5.85	EA
<i>Notes:</i> a) Grey PVC only. To complete part number replace hyphens with color code. Example HKWU7/O7---, for Bright White # is: HKWU7/O7BW.											

DILEX-KSA

A perimeter joint profile with a Stainless Steel or Aluminum anchoring leg and a 3/8" wide soft thermoplastic rubber movement zone.

<i>Colors:</i> Black (GS)		Classic Grey (PG)		Grey (G)		Light Beige (HB)					
<i>Aluminum (A) Anchoring Leg</i>											
5/16" x 8'			AKSA80--		45.40	EA	1/2" x 8'		AKSA125--	48.25	EA
3/8" x 8'			AKSA100--		46.65	EA	17/32" x 8'		AKSA140--	50.40	EA
7/16" x 8'			AKSA110--		47.85	EA					
<i>Stainless Steel 304 (E) Anchoring Leg</i>											
5/16" x 8'			EKSA80--		81.75	EA	5/8" x 8'		EKSA160--	107.35	EA
3/8" x 8'			EKSA100--		99.55	EA	23/32" x 8'		EKSA185--	109.75	EA
7/16" x 8'			EKSA110--		102.05	EA	13/16" x 8'		EKSA210--	112.70	EA
1/2" x 8'			EKSA125--		102.60	EA	1" x 8'		EKSA250--	118.15	EA
17/32" x 8'			EKSA140--		104.35	EA	1-3/16" x 8'		EKSA300--	123.55	EA
3/8" Wide			KSAE/--				Replacement Thermoplastic Rubber Insert Only			20.05	EA
<i>Note:</i> To complete part number replace hyphens with color code. Example AKSA80--, for Grey # is: AKSA80G.											

DILEX-KSN

A surface joint profile with a 7/16" wide movement zone. The Stainless Steel can be used for surfaces exposed to heavy-duty commercial traffic.

<i>Colors:</i> Classic Grey (PG)		Cream (C)		Light Beige (HB)									
Grey (G)		Dark Anthracite (DA)		Sand Pebble (SP)									
Black (GS)		Grout Grey (FG)		Stone Grey (SG)									
<i>Aluminum (A) Anchoring Leg:</i>													
5/16" x 8'			AKSN80--		a	55.95	EA	17/32" x 8'		AKSN140--	a	62.45	EA
3/8" x 8'			AKSN100--			58.40	EA	5/8" x 8'		AKSN160--	a	64.85	EA
7/16" x 8'			AKSN110--			61.05	EA	13/16" x 8'		AKSN210--	a	71.35	EA
1/2" x 8'			AKSN125--			60.85	EA						

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

DILEX-KSN - continued

Colors: Classic Grey (PG) Cream (C) Light Beige (HB)
 Grey (G) Dark Anthracite (DA) Sand Pebble (SP)
 Black (GS) Grout Grey (FG) Stone Grey (SG)

Stainless Steel 304 (E) Anchoring Leg:

5/16" x 8'	EKSN80--		117.25	EA	5/8" x 8'	EKSN160--		151.00	EA
3/8" x 8'	EKSN100--	a	140.10	EA	23/32" x 8'	EKSN185--	a	154.35	EA
7/16" x 8'	EKSN110--		143.55	EA	13/16" x 8'	EKSN210--	a	158.55	EA
1/2" x 8'	EKSN125--		144.30	EA	1" x 8'	EKSN250--	a	166.20	EA
17/32" x 8'	EKSN140--		146.80	EA	1-3/16" x 8'	EKSN300--	a	173.70	EA
7/16" Wide	KSE/--							18.75	EA

Notes: a) Not available in colors Cream (C), Dark Anthracite (DA), Grout Grey (FG) and Stone Grey (SG).

To complete part number replace hyphens with color code. Example EKSN80--, for Classic Grey # is: EKSN80PG.

DILEX-MOP - Mortar Bed Movement Joint

A screed joint profile with a 5/16" wide movement zone. Designed to provide movement joints in tile installations that are set in a mortar bed.

Color: Grey (G)

1-3/8" x 8'	MOP35G		21.75	EA	2-5/8" x 8'	MOP65G		32.25	EA
2" x 8'	MOP50G		27.75	EA					

DILEX-MP/MPV

A screed joint profile with a 5/16" wide movement zone. Adjusts to the thickness of the mortar bed & tile surface using the DILEX-MPV extensions.

Colors: Black (GS) Brick Red (ZR) Grey (G) Light Beige (HB)

1-3/8" x 8'	MP35--							25.50	EA
9/16" x 8'	MPV15	Extension Profile						17.25	EA
1" x 8'	MPV25	Extension Profile						18.55	EA

Note: To complete part number replace hyphens with color code. Example MP35--, for Brick Red # is: MP35ZR.

DILEX-PHK

A PVC, cove-shaped profile for inside wall corners, countertop/backsplash transitions & floor/wall transitions in applications where limited movement is expected.

DILEX-PHK provides a 3/8" radius to prevent the accumulation of dirt & makes cleaning simple. Also prevents surface water penetration & meets the maintenance and hygienic requirements of commercial kitchens, bathrooms, food processing plants, or any tiled environment where a sanitary cove base is desired.

Colors: Bahama (BH) Classic Grey (PG) Light Beige (HB) White (W)
 Bright White (BW) Grey (G) Sand Pebble (SP)

5/16" x 8'	PHK1S80--		27.45	EA	1/2" x 8'	PHK1S125--		29.35	EA
3/8" x 8'	PHK1S100--		28.90	EA					
	E90/PHK1S/--	Outside Corner, 90°						3.90	EA
	E135/PHK1S/--	Outside Corner, 135°						3.90	EA
	I90/PHK1S/--	Inside Corner, 90°						3.90	EA
	I135/PHK1S/--	Inside Corner, 135°						3.90	EA
	E/PHK1S/--	End Cap						3.90	EA
	V/PHK	Connector						2.20	EA

FINISHING, EDGE-PROTECTION & TRANSITION PROFILES FOR RESILIENT FLOOR AND WALL COVERINGS

VINPRO-RO

A finishing and edging profile for resilient covering (e.g., LVT) installations on stairs and outside corners of resilient surfaces. The reveal of the profile forms a symmetrically rounded corner along the surface edge.

Color: Brushed Antique Bronze Anodized Aluminum (ABGB)

1/8" x 8'	VPRO30ABGB		31.85	EA	19/64" x 8'	VPROL75ABGB		43.15	EA
5/32" x 8'	VPRO40ABGB		32.20	EA	5/16" x 8'	VPROL80ABGB		43.60	EA
3/16" x 8'	VPRO50ABGB		32.75	EA	21/64" x 8'	VPROL85ABGB		44.05	EA
7/32" x 8'	VPROL55ABGB		41.50	EA	11/32" x 8'	VPROL90ABGB		44.45	EA
1/4" x 8'	VPROL60ABGB		41.90	EA	3/8" x 8'	VPROL100ABGB		44.90	EA
17/64" x 8'	VPROL65ABGB		42.30	EA	7/16" x 8'	VPROL110ABGB		45.35	EA
9/32" x 8'	VPROL70ABGB		42.75	EA	1/2" x 8'	VPROL125ABGB		45.85	EA

Color: Brushed Chrome Anodized Aluminum (ACGB)

1/8" x 8'	VPRO30ACGB		28.60	EA	19/64" x 8'	VPROL75ACGB		41.15	EA
5/32" x 8'	VPRO40ACGB		28.95	EA	5/16" x 8'	VPROL80ACGB		41.60	EA
3/16" x 8'	VPRO50ACGB		29.50	EA	21/64" x 8'	VPROL85ACGB		42.00	EA
7/32" x 8'	VPROL55ACGB		39.55	EA	11/32" x 8'	VPROL90ACGB		42.40	EA
1/4" x 8'	VPROL60ACGB		39.95	EA	3/8" x 8'	VPROL100ACGB		42.85	EA
17/64" x 8'	VPROL65ACGB		40.35	EA	7/16" x 8'	VPROL110ACGB		43.25	EA
9/32" x 8'	VPROL70ACGB		40.75	EA	1/2" x 8'	VPROL125ACGB		43.70	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
VINPRO-RO - continued									
<i>Color:</i> Brushed Nickel Anodized Aluminum (ATGB)									
1/8" x 8"			30.45	EA	19/64" x 8"			42.75	EA
5/32" x 8"			30.80	EA	5/16" x 8"			43.20	EA
3/16" x 8"			31.35	EA	21/64" x 8"			43.65	EA
7/32" x 8"			41.10	EA	11/32" x 8"			44.05	EA
1/4" x 8"			41.55	EA	3/8" x 8"			44.50	EA
17/64" x 8"			41.95	EA	7/16" x 8"			45.00	EA
9/32" x 8"			42.40	EA	1/2" x 8"			45.45	EA

VINPRO-S

Designed to provide edging for resilient coverings (e.g., LVT). Typical applications include edge protection where the resilient covering is bordered by carpet, floor coverings of similar heights, or as a finishing edge to wall skirting applications.

<i>Color:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)									
1/8" x 8"			22.05	EA	19/64" x 8"			29.10	EA
5/32" x 8"			22.40	EA	5/16" x 8"			29.40	EA
3/16" x 8"			22.55	EA	21/64" x 8"			29.75	EA
7/32" x 8"			28.00	EA	11/32" x 8"			30.00	EA
1/4" x 8"			28.25	EA	3/8" x 8"			30.30	EA
17/64" x 8"			28.55	EA	7/16" x 8"			30.60	EA
9/32" x 8"			28.85	EA	1/2" x 8"			30.95	EA
<i>Color:</i> Brushed Chrome Anodized Aluminum (ACGB)									
1/8" x 8"			19.75	EA	19/64" x 8"			26.85	EA
5/32" x 8"			20.00	EA	5/16" x 8"			27.10	EA
3/16" x 8"			20.20	EA	21/64" x 8"			27.40	EA
7/32" x 8"			25.80	EA	11/32" x 8"			27.65	EA
1/4" x 8"			26.05	EA	3/8" x 8"			27.95	EA
17/64" x 8"			26.30	EA	7/16" x 8"			28.20	EA
9/32" x 8"			26.60	EA	1/2" x 8"			28.50	EA
<i>Color:</i> Brushed Nickel Anodized Aluminum (ATGB)									
1/8" x 8"			21.10	EA	19/64" x 8"			28.15	EA
5/32" x 8"			21.35	EA	5/16" x 8"			28.45	EA
3/16" x 8"			21.55	EA	21/64" x 8"			28.70	EA
7/32" x 8"			27.05	EA	11/32" x 8"			29.00	EA
1/4" x 8"			27.30	EA	3/8" x 8"			29.30	EA
17/64" x 8"			27.60	EA	7/16" x 8"			29.60	EA
9/32" x 8"			27.90	EA	1/2" x 8"			29.85	EA

VINPRO-STEP

A finishing and edging profile for resilient covering (e.g., LVT) installations on stairs. The top of the profile features a square design and a capping flange that is ribbed to provide slip protection.

<i>Color:</i> Brushed Antique Bronze Anodized Aluminum (ABGB)									
1/8" x 8"			29.75	EA	19/64" x 8"			40.85	EA
5/32" x 8"			30.05	EA	5/16" x 8"			42.05	EA
3/16" x 8"			30.30	EA	21/64" x 8"			43.30	EA
7/32" x 8"			36.30	EA	11/32" x 8"			44.60	EA
1/4" x 8"			37.35	EA	3/8" x 8"			45.95	EA
17/64" x 8"			38.50	EA	7/16" x 8"			47.35	EA
9/32" x 8"			39.65	EA	1/2" x 8"			48.75	EA
<i>Color:</i> Brushed Chrome Anodized Aluminum (ACGB)									
1/8" x 8"			27.85	EA	19/64" x 8"			36.05	EA
5/32" x 8"			28.05	EA	5/16" x 8"			37.10	EA
3/16" x 8"			28.30	EA	21/64" x 8"			38.20	EA
7/32" x 8"			32.00	EA	11/32" x 8"			39.35	EA
1/4" x 8"			32.95	EA	3/8" x 8"			40.50	EA
17/64" x 8"			33.95	EA	7/16" x 8"			41.75	EA
9/32" x 8"			34.95	EA	1/2" x 8"			43.00	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

VINPRO-STEP - continued

Color: Brushed Nickel Anodized Aluminum (ATGB)

1/8" x 8'	VPST30ATGB		29.75	EA	19/64" x 8'	VPSTL75ATGB		38.05	EA
5/32" x 8'	VPST40ATGB		30.05	EA	5/16" x 8'	VPSTL80ATGB		39.15	EA
3/16" x 8'	VPST50ATGB		30.30	EA	21/64" x 8'	VPSTL85ATGB		40.35	EA
7/32" x 8'	VPSTL55ATGB		33.80	EA	11/32" x 8'	VPSTL90ATGB		41.55	EA
1/4" x 8'	VPSTL60ATGB		34.80	EA	3/8" x 8'	VPSTL100ATGB		42.80	EA
17/64" x 8'	VPSTL65ATGB		35.85	EA	7/16" x 8'	VPSTL110ATGB		44.10	EA
9/32" x 8'	VPSTL70ATGB		36.90	EA	1/2" x 8'	VPSTL125ATGB		45.40	EA

VINPRO-STEP-R

Edging profile for resilient covering (e.g., LVT) installations on stairs. The top of the profile features a capping flange with a rounded leading edge, while the elongated vertical section provides increased visibility.

Color: Brushed Antique Bronze Anodized Aluminum (ABGB)

1/8" x 8'	VPSTRL30ABGB		56.40	EA	19/64" x 8'	VPSTRL75ABGB		60.45	EA
5/32" x 8'	VPSTRL40ABGB		56.95	EA	5/16" x 8'	VPSTRL80ABGB		61.05	EA
3/16" x 8'	VPSTRL50ABGB		57.50	EA	21/64" x 8'	VPSTRL85ABGB		61.65	EA
7/32" x 8'	VPSTRL55ABGB		58.10	EA	11/32" x 8'	VPSTRL90ABGB		62.30	EA
1/4" x 8'	VPSTRL60ABGB		58.70	EA	3/8" x 8'	VPSTRL100ABGB		62.90	EA
17/64" x 8'	VPSTRL65ABGB		59.25	EA	7/16" x 8'	VPSTRL110ABGB		63.55	EA
9/32" x 8'	VPSTRL70ABGB		59.85	EA	1/2" x 8'	VPSTRL125ABGB		64.15	EA

Color: Brushed Chrome Anodized Aluminum (ACGB)

1/8" x 8'	VPSTRL30ACGB		51.95	EA	19/64" x 8'	VPSTRL75ACGB		55.70	EA
5/32" x 8'	VPSTRL40ACGB		52.45	EA	5/16" x 8'	VPSTRL80ACGB		56.25	EA
3/16" x 8'	VPSTRL50ACGB		53.00	EA	21/64" x 8'	VPSTRL85ACGB		56.80	EA
7/32" x 8'	VPSTRL55ACGB		53.55	EA	11/32" x 8'	VPSTRL90ACGB		57.35	EA
1/4" x 8'	VPSTRL60ACGB		54.05	EA	3/8" x 8'	VPSTRL100ACGB		57.95	EA
17/64" x 8'	VPSTRL65ACGB		54.60	EA	7/16" x 8'	VPSTRL110ACGB		58.55	EA
9/32" x 8'	VPSTRL70ACGB		55.15	EA	1/2" x 8'	VPSTRL125ACGB		59.45	EA

Color: Brushed Nickel Anodized Aluminum (ATGB)

1/8" x 8'	VPSTRL30ATGB		56.30	EA	19/64" x 8'	VPSTRL75ATGB		60.40	EA
5/32" x 8'	VPSTRL40ATGB		56.90	EA	5/16" x 8'	VPSTRL80ATGB		61.00	EA
3/16" x 8'	VPSTRL50ATGB		57.45	EA	21/64" x 8'	VPSTRL85ATGB		61.60	EA
7/32" x 8'	VPSTRL55ATGB		58.00	EA	11/32" x 8'	VPSTRL90ATGB		62.20	EA
1/4" x 8'	VPSTRL60ATGB		58.60	EA	3/8" x 8'	VPSTRL100ATGB		62.85	EA
17/64" x 8'	VPSTRL65ATGB		59.20	EA	7/16" x 8'	VPSTRL110ATGB		63.45	EA
9/32" x 8'	VPSTRL70ATGB		59.75	EA	1/2" x 8'	VPSTRL125ATGB		64.10	EA

VINPRO-T

Designed to provide transitions between same-height resilient floor coverings, (e.g., LVT) primarily in retrofit applications.

Colors: Brushed Antique Bronze Anodized Aluminum (ABGB) Brushed Nickel Anodized Aluminum (ATGB)
 Brushed Chrome Anodized Aluminum (ACGB)

17/32" x 8'	VPT3/14----		16.65	EA	1" x 8'	VPTL3/25----		21.20	EA
-------------	-------------	--	-------	----	---------	--------------	--	-------	----

Note: To complete part number replace hyphens with color code. Example VPT3/14----, for Brushed Antique Bronze Anodized Aluminum # is: VPT3/14ABGB.

VINPRO-U

Designed to provide a smooth transition between resilient floor coverings (e.g., LVT) and floor coverings at lower elevations or finished concrete. The sloped surface eliminates trip hazards.

Color: Brushed Antique Bronze Anodized Aluminum (ABGB)

1/8" x 8'	VPU30ABGB		25.35	EA	19/64" x 8'	VPUL75ABGB		45.90	EA
5/32" x 8'	VPU40ABGB		25.90	EA	5/16" x 8'	VPUL80ABGB		47.30	EA
3/16" x 8'	VPU50ABGB		26.75	EA	21/64" x 8'	VPUL85ABGB		48.70	EA
7/32" x 8'	VPUL55ABGB		40.75	EA	11/32" x 8'	VPUL90ABGB		50.15	EA
1/4" x 8'	VPUL60ABGB		42.00	EA	3/8" x 8'	VPUL100ABGB		62.50	EA
17/64" x 8'	VPUL65ABGB		43.25	EA	7/16" x 8'	VPUL110ABGB		64.35	EA
9/32" x 8'	VPUL70ABGB		44.55	EA	1/2" x 8'	VPUL125ABGB		66.30	EA

Color: Brushed Chrome Anodized Aluminum (ACGB)

1/8" x 8'	VPU30ACGB		22.70	EA	19/64" x 8'	VPUL75ACGB		41.75	EA
5/32" x 8'	VPU40ACGB		23.15	EA	5/16" x 8'	VPUL80ACGB		43.00	EA
3/16" x 8'	VPU50ACGB		24.00	EA	21/64" x 8'	VPUL85ACGB		44.25	EA
7/32" x 8'	VPUL55ACGB		37.05	EA	11/32" x 8'	VPUL90ACGB		45.60	EA
1/4" x 8'	VPUL60ACGB		38.20	EA	3/8" x 8'	VPUL100ACGB		49.70	EA
17/64" x 8'	VPUL65ACGB		39.35	EA	7/16" x 8'	VPUL110ACGB		51.20	EA
9/32" x 8'	VPUL70ACGB		40.55	EA	1/2" x 8'	VPUL125ACGB		52.75	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
VINPRO-U - continued									
Color: Brushed Nickel Anodized Aluminum (ATGB)									
1/8" x 8"			24.25	EA	19/64" x 8"			44.80	EA
5/32" x 8"			24.65	EA	5/16" x 8"			46.15	EA
3/16" x 8"			25.50	EA	21/64" x 8"			47.55	EA
7/32" x 8"			39.80	EA	11/32" x 8"			48.95	EA
1/4" x 8"			41.00	EA	3/8" x 8"			56.90	EA
17/64" x 8"			42.25	EA	7/16" x 8"			58.60	EA
9/32" x 8"			43.50	EA	1/2" x 8"			60.35	EA

MODULAR SCREED SYSTEM FOR CONVENTIONAL & RADIANT-HEATED SCREEDS

BEKOTEC-, BEKOTEC-F & BEKOTEC-THERM-RH 75

A lightweight modular studded screed system that is used to create continuous screed surfaces without control joints or reinforcement. Since it is a floating system, the assembly can be customized to meet a range of heat and sound requirements.

1-3/8" Thick	EN/US/P	24" x 48"	(8 SF Sheet - 12 Sheets/Box)	288.20	BX
29/32" Thick	EN23F10	47-1/4" x 35-7/16"	(11.63 SF Sheet - 10 Sheets/Box)	446.95	BX
4"x5/16"x164'	BRS810	Edge strip for conventional screed		106.85	ROLL
4"x5/16"x164'	BRSK810	Edge strip for conventional screed, with adhesive strip		138.80	ROLL
3-1/8"x5/16"x82'	BRS808KF	Edge strip for poured screeds, with PE-adhesive leg		201.40	ROLL
3-1/8"x5/16"x82'	BRS808KSF	Self-supporting edge strip for poured screed, with PE-adhesive leg		271.75	ROLL
2-3/8" x 3'3"	DFP6/100	Movement joint profile for installation at door areas or for dividing screed surfaces		20.60	EA
3-1/8" x 3'3"	DFP8/100	Movement joint profile for installation at door areas or for dividing screed surfaces		24.70	EA
4" x 3'3"	DFP10/100	Movement joint profile for installation at door areas or for dividing screed surfaces		28.80	EA
100/Package	BTZRH75/100	PVC Heating Clamps; Used to attach radiant heating pipes to the EN/US/P panel.		85.80	EA

THIN-SET MORTARS

SET

A premium unmodified thin-set approved to set porcelain tile over Schluter Systems membranes and boards. Meets the requirements of ANSI A118.1T

50-lb Bag	SET50G (Grey)	Stock	35.50	EA	50-lb Bag	SET50W (White)	Stock	37.85	EA
-----------	---------------	-------	-------	----	-----------	----------------	-------	-------	----

ALL-SET

A specialized modified thin-set engineered for use both under and over all DITRA and KERDI products. Meets the requirements of ANSI A118.4T, A118.11, and A118.15T

50-lb Bag	SETA50G (Grey)	Stock	58.55	EA	50-lb Bag	SETA50W (White)	Stock	61.65	EA
-----------	----------------	-------	-------	----	-----------	-----------------	-------	-------	----

FAST-SET

A specialized rapid-setting modified thin-set mortar ready to grout in 4 hours for fast-track projects. Meets the requirements of ANIS A118.4TF, A118.11, and A118.15TF

50-lb Bag	SETF50G (Grey)	a	104.65	EA	50-lb Bag	SETF50W (White)	a	113.80	EA
-----------	----------------	---	--------	----	-----------	-----------------	---	--------	----

Note: Available in Full Pallets of 56 Bags only.

PRIMER-U

PRIMER-U is a ready-to-use, universal primer used to enhance adhesion of mortars for hard-to-bond substrates such as gypsum underlayment, raised access panels, and existing tile.

1 Quart	PRMUQT1	Universal Primer	32.00	EA	5 Gallon	PRMU5	Universal Primer	354.00	EA
1 Gallon	PRMU1	Universal Primer	88.25	EA					

WATERPROOFING, UNCOUPLING & DRAINAGE MEMBRANES

DITRA-DITRA-XL

Uncoupling membrane with a grid structure and an anchoring fleece laminated to the underside. In conjunction with tile coverings forms an uncoupling, waterproofing and vapor management layer while providing support/load distribution. Waterproofs and allows moisture in the substrate to evaporate. Allows ceramic tile installations over single-layer plywood or OSB subfloors. Ideal for interior or exterior tile and stone installations.

1/8"x3' 3"x16' 5"	DITRA5M	(54 SF/Roll)	Stock	151.90	ROLL	1/8"x3' 3"x98' 5"	DITRA30M	(323 SF/Roll)	Stock	773.30	ROLL
1/8"x3' 3"x45' 9"	DITRA150	(150 SF/Roll)	Stock	391.15	ROLL	5/16"x3' 3"x53' 3"	DITRA-XL/175	(175 SF/Roll)	Stock	504.40	ROLL
14-1/2" Wide	DIRO	DITRA Roller								315.80	EA
	TRL-DIT	DITRA Trowel - 11/64" x 11/64" Square-Notched							a		
	TRL-DHXL	DITRA-HEAT/DITRA-XL Trowel - 1/4" x 1/4" Square-Notched							a		

Note: a) Schluter Trowels are listed on the Tools Price List under Trowels.

DITRA-DRAIN

A drainage membrane designed for use within thin-bed ceramic and stone tile assemblies in exterior applications. It consists of a studded polyethylene sheet with a laminated polypropylene filter fabric. DITRA-DRAIN provides uncoupling and drainage for use in a variety of exterior applications, including exterior floors, patios, walkways and balconies.

5/32"x3' 3"x33'	DITRA-DRAIN10M	(108 SF/Roll)	395.55	EA	5/32"x3' 3"x82'	DITRA-DRAIN25M	(269 SF/Roll)	926.35	EA
3-1/2" x 16' 5"	STUVKB90/5M		61.45	EA	3-1/2" x 98' 5"	STUVKB90/30M		324.35	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

KERDI

A pliable sheet-applied waterproofing membrane and vapor retarder that guarantees uniform thickness. It is covered with an anchoring fleece on both sides to anchor the membrane in thin-set mortar.

3' 3" x 16' 5"	KERDI200/5M	(54 SF/Roll)	Stock	151.45 ROLL	3' 3" x 98' 5"	KERDI200	(323 SF/Roll)	Stock	792.50 ROLL
3' 3" x 23'	KERDI200/7M	(75 SF/Roll)		207.40 ROLL	6' 7" x 49' 2-1/2"	KERDI200200/15M	(323 SF/Roll)		792.50 ROLL
3' 3" x 33'	KERDI200/10M	(108 SF/Roll)	Stock	294.05 ROLL	6' 7" x 98' 5"	KERDI200200	(646 SF/Roll)		1,518.55 ROLL
3' 3" x 65' 7"	KERDI200/20M	(214 SF/Roll)		562.00 ROLL					
	TRL-KER								
				KERDI Trowel - 1/8" x 1/8" Square-Notched					a

Note: a) Schluter Trowels are listed on the Tools Price List under Trowels.

KERDI-BAND

A waterproofing strip used to seal butt joints and floor/wall connections with the KERDI, DITRA and DITRA-HEAT membranes, as well as joints, corners and fastener penetrations with the KERDI-BOARD building panels.

5" x 16' 5"	KEBA100/125/5M	Stock	28.10 EA	7-1/4" x 16' 5"	KEBA100/185/5M	Stock	36.80 EA
5" x 33'	KEBA100/125/10M		53.35 EA	7-1/4" x 98' 5"	KEBA100/185	Stock	182.20 EA
5" x 98' 5"	KEBA100/125	Stock	131.80 EA	10" x 16' 5"	KEBA100/250/5M		45.85 EA
5" x 984' 3"	KEBA100/125/300		1,184.70 EA	10" x 98' 5"	KEBA100/250		234.30 EA

KERDI-DS

A bonded waterproofing membrane and vapor retarder with very low water vapor permeance for use in continuous use steam rooms and similar applications. It is 20-mil thick and features additives to produce a water vapor permeance of 0.18 perms.

3' 3" x 98' 5"	KERDI-DS	(323 SF/Roll)						1,075.25 EA
----------------	----------	---------------	--	--	--	--	--	-------------

KERDI-FIX

A single-component sealing and bonding compound with a silane-modified polymer base. It is odor-neutral, UV- and weather-resistant and contains no solvents. Elastomeric and bonds well to most materials such as wood, stone, concrete, metal, glass and many plastics. Suitable for bonding the KERDI waterproofing membrane and KERDI-BAND to fixed building elements. Also suitable for use as a sealant.

Colors: Bright White (BW)	Grey (G)							
9.81 Ounce	KERDIFIX/--	Cartridge				Stock	a	36.40 EA
100 ml	KERDIFIX100G	Tube - Grey (G)						21.10 EA

Note: a) To complete part number replace hyphens with color code. Example KERDIFIX/--, for Grey # is: KERDIFIX/G.

KERDI-FLEX

A waterproofing strip with a fleece-free central zone for sealing movement joints.

5" x 16' 5"	FLEX125/5M		53.10 EA	5" x 98' 5"	FLEX125/30		242.10 EA
10" x 16' 5"	FLEX250/5M		86.05 EA	10" x 98' 5"	FLEX250/30		440.45 EA

KERDI-KERECK-F

Pre-formed corners made of KERDI for waterproofing inside and outside corners.

KERECK/FI2	Inside Corner, 90°	(2 each per Package)	Stock	21.65 PKG
KERECK135/FI2	Inside Corner, 135°	(2 each per Package)		24.00 PKG
KERECK/FA2	Outside Corner, 90°	(2 each per Package)	Stock	21.65 PKG
KERECK/FI10	Inside Corner, 90°	(10 each per Package)	Stock	103.00 PKG
KERECK135/FI10	Inside Corner, 135°	(10 each per Package)		113.80 PKG
KERECK/FA10	Outside Corner, 90°	(10 each per Package)	Stock	103.00 PKG

KERDI-KERS

Pre-formed, seamless corners made of KERDI for waterproofing floor/wall/shower base connections in curbless shower applications where the KERDI-LINE linear drain is installed adjacent to the wall.

3/4"	KERS20L	Left Inside Corner	29.10 EA	1-7/64"	KERS28L	Left Inside Corner	29.10 EA
3/4"	KERS20R	Right Inside Corner	29.10 EA	1-7/64"	KERS28R	Right Inside Corner	29.10 EA

KERDI-KERS-B

Preformed, seamless corners for waterproofing 135° angles between triangular shower benches & walls or the tops of curbs in neo-angle shower applications.

KERECK135/FI2	Inside Corner, 135°	(2 each per Package)		24.00 PKG
KERECK135/FI10	Inside Corner, 135°	(10 each per Package)		113.80 PKG
KERSB135KLR	Bench Corner, 135°	(1 Right & 1 Left per Package)		50.60 PKG
KERSB135K5LR	Bench Corner, 135°	(5 Right & 5 Left per Package)		240.10 PKG
KERSB135K	Bench/Neo-Angle Corner Kit		a	74.55 PKG

Note: a) Each package contains 1 Right and 1 Left, 135° Bench Corner, and 2 each 135° Inside corners.

KERDI-KM

Prefabricated seals that are designed to seal protrusions through the KERDI or DITRA/DITRA-XL membranes. Designed to be used in conjunction with KERDI-FIX or equivalent sealant to seal around pipes or other similar elements.

7" x 7"	KM5117/22	7/8" Pipe nipple opening diameter		(5 each per Package)	12.60 PKG
---------	-----------	-----------------------------------	--	----------------------	-----------

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

KERDI-SEAL-MV

Prefabricated seals with over-molded rubber gaskets that are designed to seal and protect protrusions at the mixing valve.

9.25" Diameter	KMSMV235/114	4-1/2" Mixing valve opening diameter	(1 each per Package)	Stock	12.30	PKG
9.25" Diameter	KMSMV10235/114	4-1/2" Mixing valve opening diameter	(10 each per Package)		110.75	PKG

KERDI-SEAL-PS

Prefabricated seals that are designed to seal protrusions through the KERDI or DITRA/DITRA-XL membranes. Feature over-molded rubber gaskets and are used to seal pipe protrusions and protect moisture-sensitive solid backing panels at the mixing valve.

7.30" Diameter	KMS172/12	1/2" Pipe nipple opening diameter	(1 each per Package)	Stock	10.70	PKG
7.30" Diameter	KMS172/20	3/4" Pipe nipple opening diameter	(1 each per Package)	Stock	10.70	PKG
7.30" Diameter	KMS10172/12	1/2" Pipe nipple opening diameter	(10 each per Package)		95.90	PKG
7.30" Diameter	KMS10172/20	3/4" Pipe nipple opening diameter	(10 each per Package)		95.95	PKG

REMOVABLE FLEECE

SCHLUTER-REFLEECE

Schluter-REFLEECE is a removable fleece used to create temporary floor coverings. Made of recycled PET with a self-adhesive coating on the back, REFLEECE measures 1/32" thick and is suitable for the application of temporary, removable tile and natural stone coverings. REFLEECE is easy to install and can be removed during deconstruction without causing damage to the existing subfloor. An impact sound improvement value up to 9dB was measured (according to DIN EN ISO 10140) for this assembly. Install with the Schluter-KERDI-BOARD-ZSA adhesive tape for connecting REFLEECE at the seams.

3' 3" x 98' 5"	REFL30M	(323 SF/Roll)			796.30	EA
----------------	---------	---------------	--	--	--------	----

Note: See the Schluter Kerdi-Board Price List for the KERDI-BOARD-ZSA adhesive tape pricing.

SHOWER SYSTEM

KERDI-DRAIN and KERDI-DRAIN-H

KERDI-DRAIN and KERDI-DRAIN-H are floor drains with an integrated bonding flange that provides a large contact area for a secure connection to the KERDI waterproofing membrane at the top of the assembly. Both KERDI-DRAIN and KERDI-DRAIN-H are appropriate for both mortar bed and KERDI-SHOWER-T/-TS/-TT shower tray applications. The bonding flange is sloped to simplify installation of the mortar bed. The KERDI-DRAIN flange provides a vertical connection to the drain pipe and is available in ABS or PVC with 2" or 3" outlet, and stainless steel with a 2" or 3" no-hub outlet or 2" threaded outlet. The KERDI-DRAIN-H flange provides a horizontal connection to the drain pipe and is available in ABS or PVC with a 2" outlet. It is ideal for applications where the use of a vertical connection to the drain pipe is not possible or practical. The horizontal outlet allows the positioning of the drain in the desired area regardless of drain pipe location.

KD2FLKABS	ABS Flange with 2" Drain Outlet		a	105.85	EA
KD2FLKPVC	PVC Flange with 2" Drain Outlet	Stock	a	105.85	EA
KDH2FLKABS	ABS Flange with 2" Horizontal Drain Outlet		a	105.85	EA
KDH2FLKPVC	PVC Flange with 2" Horizontal Drain Outlet	Stock	a	105.85	EA
KD2FLKE	Stainless Steel Flange with 2" Drain Outlet (No-hub)		a,b	303.55	EA
KD2FLKETH	Stainless Steel Flange with 2" Drain Outlet (Threaded)		a,b	337.75	EA
KD3FLKABS	ABS Flange with 3" Drain Outlet		a,c	119.65	EA
KD3FLKPVC	PVC Flange with 3" Drain Outlet		a,c	119.65	EA
KD3FLKE	Stainless Steel Flange with 3" Drain Outlet (No-hub)		a,b,c	303.55	EA
KD2FLKABS10	ABS Flange with 2" Drain Outlet	(10 Pack)	d	952.65	EA
KD2FLKPVC10	PVC Flange with 2" Drain Outlet	(10 Pack) Stock	d	952.65	EA

Notes: KERDI-DRAIN Grates are sold separately.

a) Includes 4 inside corners, 2 outside corners, 3/4" pipe seal and 4-1/2" mixing valve seal.

b) Also contains a 3.38 oz. tube of KERDI-FIX.

c) When using a flange with 3" outlet, a 6" grate is recommended.

d) Includes 40 inside corners, 20 outside corners, 10 - 3/4" pipe seals and 10 - 4-1/2" mixing valve seals.

KERDI-DRAIN-F

KERDI-DRAIN-F is a floor drain specifically designed to allow connections to Schluter-DITRA and DITRA-HEAT uncoupling membranes in floor applications. The drain body is available in polypropylene or stainless steel, each with a laminated Schluter-KERDI collar that ensures a simple connection to the uncoupling membrane on the floor and at wall transitions. KERDI-DRAIN-F features a flat, narrow bonding flange to allow for placement against walls or in corners on floors. It can be combined with virtually any KERDI-DRAIN grate assembly, with the exception of the tileable grate and the 6" square and round grates.

KDF2FL	Polypropylene with 2" NPT Outlet			64.40	EA
KDF2EFL	Stainless Steel with 2" No-Hub Outlet			292.25	EA
KDF2ETHFL	Stainless Steel with 2" Threaded Outlet			325.25	EA

Notes: The grate assembly is sold separately. Includes 1 Vertical height adjustment collar and 1 construction cover.

KERDI-DRAIN-A

KERDI-DRAIN Adaptor Kits are used to convert traditional clamping ring drains to integrated bonding flange drains when removal of the clamping ring drain is not practical. A stainless steel adaptor ring with an overmolded rubber gasket replaces the clamping ring and is sealed to the existing drain body using KERDI-FIX. The bonding flange then slides into the adaptor ring and seals against the rubber gasket. Adaptor kits are suitable for both mortar bed and KERDI-SHOWER-T/-TS/-TT shower tray applications.

KDA5FLKABS	Adaptor Kit with Flange, height adjustment collar and 5-1/4" Adaptor Ring		a	105.85	EA
KDA7FLKABS	Adaptor Kit with Flange, lateral adjustment ring and 7-1/2" Adaptor Ring		a	145.15	EA
KDA5FLKABS10	Adaptor Kit with Flange, height adjustment collar and 5-1/4" Adaptor Ring	(10 Pack)	b	952.65	EA

Notes: KERDI-DRAIN Grates are sold separately.

a) Includes 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal and 3.38 oz. tube of KERDI-FIX.

b) Includes 40 inside corners, 20 outside corners, 10 - 3/4" pipe seals, 10 - 4-1/2" mixing valve seals and 10 - 3.38 oz. tubes of KERDI-FIX.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

KERDI-DRAIN - DRAIN KITS

<i>Color:</i> Stainless Steel 304 (E)				
KD2/ABS/E			ABS flange, 2" Drain Outlet and 4" Square Grate	a 180.60 EA
KD2/PVC/E			PVC flange, 2" Drain Outlet and 4" Square Grate	Stock a 180.60 EA
<i>KERDI-DRAIN Adaptor Kit with 5-1/4" Adaptor Ring</i>				
KDAR/ABS/E			Residential Adaptor Kit with Standard ABS Flange and 4" Square Grate	Stock b 180.70 EA
<i>Notes:</i> a) Includes height adjustment collar, lateral adjustment ring, 4 inside corners, 2 outside corners, 3/4" pipe seal and 4-1/2" mixing valve seal.				
b) Includes height adjustment collar, adaptor ring, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal and 3.38 oz. tube of KERDI-FIX.				

KERDI-DRAIN - FLANGES (without Seals and Corners)

KD2/ABS/FL			Flange, ABS with 2" Drain Outlet	36.90 EA
KD2/PVC/FL			Flange, PVC with 2" Drain Outlet	36.95 EA
KDH2/ABS/FL			Flange, ABS with 2" Horizontal Drain Outlet	36.90 EA
KDH2/PVC/FL			Flange, PVC with 2" Horizontal Drain Outlet	36.95 EA
KD2/E/FL			Flange, Stainless Steel with 2" Drain Outlet (No-hub)	a 249.50 EA
KD2/ETH/FL			Flange, Stainless Steel with 2" Drain Outlet (Threaded)	a 254.10 EA
KD3/ABS/FL			Flange, ABS with 3" Drain Outlet	b 50.70 EA
KD3/PVC/FL			Flange, PVC with 3" Drain Outlet	b 50.75 EA
KD3/E/FL			Flange, Stainless Steel with 3" Drain Outlet (No-hub)	a,b 249.50 EA
KD2/ABS/FL10			Flange, ABS with 2" Drain Outlet	(10 Pack) 331.85 PKG
KD2/PVC/FL10			Flange, PVC with 2" Drain Outlet	(10 Pack) Stock 332.15 PKG
KD2/E/FL10			Flange, Stainless Steel with 2" Drain Outlet (No-hub)	(10 Pack) 2,038.05 PKG
<i>Notes:</i> KERDI-DRAIN Grates are sold separately. a) Includes 3.38 oz. tube of KERDI-FIX.				
b) When using a flange with 3" outlet, a 6" grate is recommended.				

KERDI-DRAIN - GRATES

The classically-inspired KERDI-DRAIN is available with a variety of grate finishes, and accommodates a wide range of tile thicknesses.

KERDI-DRAIN-STYLE Stainless Steel Grates for use with Flanges with 2" Outlet

<i>Colors:</i> Brushed Classic Gold (EBCG)		Brushed Rose Gold (EBRG)		
Brushed Nickel (EBT)		Brushed Vintage Gold (EBVG)		
KDIF4GRK---D6		Curve Design 4" Square Grate	a,b	192.20 EA
KDIF4GRK---D5		Floral Design 4" Square Grate	a,b	192.20 EA
KDIF4GRK---D8		Pure Design 4" Square Grate	a,b	192.20 EA

<i>Color:</i> Brushed Stainless Steel 304 (EB)				
KDIF4GRKEBD6		Curve Design 4" Square Grate	Stock a	121.95 EA
KDIF4GRKEBD5		Floral Design 4" Square Grate	Stock a	121.95 EA
KDIF4GRKEBD8		Pure Design 4" Square Grate	Stock a	121.95 EA

KERDI-DRAIN-STYLE TRENDLINE Textured Color-Coated Aluminum Grates for use with Flanges with 2" Outlet

<i>Colors:</i> Bronze (TSOB)		Greige (TSBG)	Matte White (MBW)	
Cream (TSC)		Ivory (TSI)	Pewter (TSG)	
Dark Anthracite (TSDA)		Matte Black (MGS)	Stone Grey (TSSG)	
KDIF4GRK---D6		Curve Design 4" Square Grate	Stock a,b,c	192.10 EA
KDIF4GRK---D5		Floral Design 4" Square Grate	Stock a,b,c	192.10 EA
KDIF4GRK---D8		Pure Design 4" Square Grate	Stock a,b,c	192.10 EA

Stainless Steel Grates for use with Flanges with 2" Outlet

<i>Color:</i> Chrome (EP)				
KD4GRKEP		4" Square Grate (Design 1)	Stock a	74.90 EA

<i>Colors:</i> Classic Gold (ECG)		Rose Gold (ERG)		
Nickel (ET)		Vintage Gold (EVG)		
KD4GRK---		4" Square Grate (Design 1)	a,b	121.00 EA

<i>Color:</i> Oil-Rubbed Bronze (EOB)				
KD4GRKEOB		4" Square Grate (Design 1)	Stock a	105.10 EA

<i>Color:</i> Stainless Steel 304 (E)				
KD4GRKE		4" Square Grate (Design 1)	Stock a	74.90 EA
KD4GRKE10		4" Square Grate (Design 1)	(10 Pack) Stock d	674.00 EA

Anodized Aluminum Grates for use with Flanges with 2" Outlet

<i>Colors:</i> Brushed Brass Anodized Aluminum (AMGB)		Brushed Nickel Anodized Aluminum (ATGB)		
Brushed Copper Anodized Aluminum (AKGB)				
KD4GRK---		4" Square Grate (Design 2)	Stock a,b,e	105.10 EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

KERDI-DRAIN - GRATES - continued

Tileable Grate for use with Flanges with 2" Outlet

KD4GRKECS	4" Square Tileable Grate	Stock	f	74.95	EA
-----------	--------------------------	-------	---	-------	----

Stainless Steel Grates for use with Flanges with 2" or 3" Outlet

Color: Stainless Steel 304 (E)

KD6GRKE	6" Square Grate		g	100.50	EA
KD-GR6C-E	6" Square Clean Out Cover			202.80	EA
KD6GRKRE	6" Round Grate		g	100.50	EA

- Notes:
- a) Includes grate, frame, height adjustment collar and lateral adjustment ring.
 - b) To complete part number replace hyphens with color code. Example KDIF4GRK---D6, for Brushed Classic Gold # is: KDIF4GRKEBCGD6.
 - c) Stocked in color Matte Black (MGS) only.
 - d) Includes 10 - grates, 10 - frames, 10 - height adjustment collars and 10 - lateral adjustment rings.
 - e) Stocked in color Brushed Nickel Anodized Aluminum (ATGB) only.
 - f) Includes tileable covering support, spacer and lateral adjustment ring.
 - g) Includes grate and frame with integrated height adjustment collar and lateral adjustment ring.

KERDI-DRAIN - TAMPER PROOF SCREWS

Designed as a high security accessory for the KERDI-DRAIN. Ideal for loss prevention and anti-theft, these tamper proof screws are used in environments where tamper resistance is desired or required (e.g., healthcare or education facilities, etc.). Phillips head screws are included with the KERDI-DRAIN. The tamper-proof screws as well as the driver bit must be purchased separately.

KD/TPSCRW	Tamper Proof Screw			3.55	EA
KD/TPWRCH	Driver Bit			17.20	EA

KERDI-DRAIN - STRAINER

The KERDI-DRAIN Strainer is a hair catcher customized to fit inside the KERDI-DRAIN flange to trap and collect hair. Simple to remove and clean, the hair catcher fits discreetly into the drain to prevent hair clogs that can lead to blocked pipes.

KD-STR	Strainer			3.95	EA
--------	----------	--	--	------	----

KERDI-SHOWER-CB

A height compensation board made of lightweight expanded polystyrene used to accommodate the drain body and waste pipe height, when installing the KERDI-DRAIN-H in conjunction with the KERDI-SHOWER-T/TS/TT shower trays. The compensation board can easily be cut to size to fit around the drain and waste pipe, and multiple boards can be used to fit the size and shape of the shower.

48" x 24" x 3-1/2"	KSCB906101220	Compensation Board 48" x 24" x 3-1/2"		128.45	EA
--------------------	---------------	---------------------------------------	--	--------	----

KERDI-LINE

A low profile linear floor drain specifically designed for bonded waterproofing assemblies. KERDI-LINE can be installed adjacent to walls or at intermediate locations in showers, wet rooms, and other applications that require waterproofing and drainage. The floor can be sloped on a single plane to KERDI-LINE, which enables the use of large-format tiles and creates interesting design opportunities. The KERDI-LINE channel body is made of formed stainless steel and features a collar made of KERDI for a secure waterproof connection. The grate assembly is available in six design options: A - closed-design, B - perforated, D - frameless, tileable covering support, E - Floral, F - Curve and G - Pure. If KERDI-LINE is placed at shower entrance it is recommended that grate assembly A or D is chosen and that the drainage openings span the maximum width of the entrance to limit potential overflow; secondary drainage (e.g., KERDI-DRAIN) may be required in the drying area. Grate and frame assemblies A and B are available in brushed stainless steel or stainless steel with chrome finish, and can be adjusted for use with tile coverings from 1/8" to 1" thick. The tileable covering support can accommodate any thickness of tile covering. Grate and frame assemblies E, F and G (KERDI-LINE-STYLE) are available in brushed stainless steel and can accommodate tile coverings from 1/4" to 11/16" thick.

Color: Stainless Steel 304 (E)

Channel Body w/Center Drain Outlet (The bonding flange extends 7/8" beyond the channel on all sides.)

Length: 20"	KL1V60E50	428.75	EA	Length: 48"	KL1V60E120	Stock	556.65	EA	
Length: 24"	KL1V60E60	442.40	EA	Length: 52"	KL1V60E130		674.50	EA	
Length: 28"	KL1V60E70	480.50	EA	Length: 56"	KL1V60E140	Stock	691.60	EA	
Length: 32"	KL1V60E80	485.20	EA	Length: 60"	KL1V60E150	Stock	708.20	EA	
Length: 36"	KL1V60E90	Stock	506.75	EA	Length: 64"	KL1V60E160		722.05	EA
Length: 40"	KL1V60E100		521.00	EA	Length: 68"	KL1V60E170		733.30	EA
Length: 44"	KL1V60E110		531.85	EA	Length: 72"	KL1V60E180	Stock	746.05	EA

Channel Body w/Off-Set Drain Outlet (The bonding flange extends 7/8" beyond the channel on all sides.)

Length: 28"	KL1VO60E70	486.40	EA	Length: 40"	KL1VO60E100		546.85	EA
Length: 32"	KL1VO60E80	491.20	EA	Length: 44"	KL1VO60E110		569.05	EA
Length: 36"	KL1VO60E90	513.65	EA	Length: 48"	KL1VO60E120		596.05	EA

Notes: Includes channel body, channel support, no-hub coupling, 4 inside corners, 2 outside corners, 3/4" pipe seal and 4-1/2" mixing valve seal.

Color: Brushed Stainless Steel 304 (EB)

Grate Assembly - Closed Design (A) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1AR19EB50	398.45	EA	Length: 32"	KL1AR19EB80		437.80	EA
Length: 24"	KL1AR19EB60	409.95	EA	Length: 36"	KL1AR19EB90		458.40	EA
Length: 28"	KL1AR19EB70	426.80	EA	Length: 40"	KL1AR19EB100		485.90	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

KERDI-LINE - continued

Color: Brushed Stainless Steel 304 (EB)

Grate Assembly - Closed Design (A) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 44"	KL1AR19EB110		497.85	EA	Length: 60"	KL1AR19EB150		730.15	EA
Length: 48"	KL1AR19EB120		506.85	EA	Length: 64"	KL1AR19EB160		777.35	EA
Length: 52"	KL1AR19EB130		660.70	EA	Length: 68"	KL1AR19EB170		810.45	EA
Length: 56"	KL1AR19EB140		693.80	EA	Length: 72"	KL1AR19EB180		856.85	EA

Grate Assembly - Closed Design (A) - 1-1/8" frame height for 1/2" to 1" thick coverings

Length: 20"	KL1AR30EB50		410.00	EA	Length: 36"	KL1AR30EB90		480.55	EA
Length: 24"	KL1AR30EB60		423.95	EA	Length: 40"	KL1AR30EB100		510.50	EA
Length: 28"	KL1AR30EB70		443.35	EA	Length: 44"	KL1AR30EB110		523.95	EA
Length: 32"	KL1AR30EB80		456.10	EA	Length: 48"	KL1AR30EB120		533.00	EA

Grate Assembly - Perforated Design (B) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1B19EB50		362.45	EA	Length: 48"	KL1B19EB120	Stock	454.60	EA
Length: 24"	KL1B19EB60		369.40	EA	Length: 52"	KL1B19EB130		660.35	EA
Length: 28"	KL1B19EB70		389.85	EA	Length: 56"	KL1B19EB140	Stock	693.45	EA
Length: 32"	KL1B19EB80		396.95	EA	Length: 60"	KL1B19EB150	Stock	729.80	EA
Length: 36"	KL1B19EB90	Stock	418.55	EA	Length: 64"	KL1B19EB160		777.00	EA
Length: 40"	KL1B19EB100		430.70	EA	Length: 68"	KL1B19EB170		810.05	EA
Length: 44"	KL1B19EB110		446.10	EA	Length: 72"	KL1B19EB180	Stock	856.50	EA

Grate Assembly - Perforated Design (B) - 1-1/8" frame height for 1/2" to 1" thick coverings

Length: 20"	KL1B30EB50		372.90	EA	Length: 36"	KL1B30EB90		438.75	EA
Length: 24"	KL1B30EB60		382.10	EA	Length: 40"	KL1B30EB100		452.50	EA
Length: 28"	KL1B30EB70		405.00	EA	Length: 44"	KL1B30EB110		469.55	EA
Length: 32"	KL1B30EB80		413.45	EA	Length: 48"	KL1B30EB120		478.00	EA

Color: Chrome (EP)

Grate Assembly - Closed Design (A) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1AR19EP50		438.30	EA	Length: 36"	KL1AR19EP90		504.20	EA
Length: 24"	KL1AR19EP60		450.90	EA	Length: 40"	KL1AR19EP100		534.40	EA
Length: 28"	KL1AR19EP70		469.40	EA	Length: 44"	KL1AR19EP110		547.50	EA
Length: 32"	KL1AR19EP80		481.55	EA	Length: 48"	KL1AR19EP120		557.45	EA

Grate Assembly - Perforated Design (B) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1B19EP50		398.65	EA	Length: 36"	KL1B19EP90		460.35	EA
Length: 24"	KL1B19EP60		406.35	EA	Length: 40"	KL1B19EP100		473.70	EA
Length: 28"	KL1B19EP70		428.80	EA	Length: 44"	KL1B19EP110		490.65	EA
Length: 32"	KL1B19EP80		436.60	EA	Length: 48"	KL1B19EP120		500.05	EA

Covering Support - Frameless Tileable Design (D) for use with Center Outlet Channel Body

Length: 20"	KL1DRE50	a	184.85	EA	Length: 48"	KL1DRE120	a	270.40	EA
Length: 24"	KL1DRE60	a	193.80	EA	Length: 52"	KL1DRE130	a	326.00	EA
Length: 28"	KL1DRE70	a	202.80	EA	Length: 56"	KL1DRE140	a	328.85	EA
Length: 32"	KL1DRE80	a	211.80	EA	Length: 60"	KL1DRE150	a	332.20	EA
Length: 36"	KL1DRE90	a	227.10	EA	Length: 64"	KL1DRE160	a	364.90	EA
Length: 40"	KL1DRE100	a	252.60	EA	Length: 68"	KL1DRE170	a	368.50	EA
Length: 44"	KL1DRE110	a	261.50	EA	Length: 72"	KL1DRE180	a	371.55	EA

Covering Support - Frameless Tileable Design (D) for use with Off-Set Outlet Channel Body

Length: 28"	KL1DROE70	a	202.80	EA	Length: 40"	KL1DROE100	a	252.60	EA
Length: 32"	KL1DROE80	a	211.80	EA	Length: 44"	KL1DROE110	a	261.50	EA
Length: 36"	KL1DROE90	a	227.10	EA	Length: 48"	KL1DROE120	a	270.40	EA

Color: Matte Black (MGS)

Grate Assembly - Closed Design (A) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1AR19MGS50		461.15	EA	Length: 48"	KL1AR19MGS120		586.55	EA
Length: 24"	KL1AR19MGS60		474.40	EA	Length: 52"	KL1AR19MGS130		764.55	EA
Length: 28"	KL1AR19MGS70		493.90	EA	Length: 56"	KL1AR19MGS140		802.85	EA
Length: 32"	KL1AR19MGS80		506.65	EA	Length: 60"	KL1AR19MGS150		844.95	EA
Length: 36"	KL1AR19MGS90		530.45	EA	Length: 64"	KL1AR19MGS160		899.60	EA
Length: 40"	KL1AR19MGS100		562.25	EA	Length: 68"	KL1AR19MGS170		937.85	EA
Length: 44"	KL1AR19MGS110		576.10	EA	Length: 72"	KL1AR19MGS180		991.55	EA

continued on next page

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

KERDI-LINE - continued

Color: Matte Black (MGS)

Grate Assembly - Perforated Design (B) - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1B19MGS50	419.70	EA	Length: 48"	KL1B19MGS120	526.35	EA
Length: 24"	KL1B19MGS60	427.75	EA	Length: 52"	KL1B19MGS130	764.55	EA
Length: 28"	KL1B19MGS70	451.40	EA	Length: 56"	KL1B19MGS140	802.85	EA
Length: 32"	KL1B19MGS80	459.55	EA	Length: 60"	KL1B19MGS150	844.90	EA
Length: 36"	KL1B19MGS90	484.60	EA	Length: 64"	KL1B19MGS160	899.60	EA
Length: 40"	KL1B19MGS100	498.65	EA	Length: 68"	KL1B19MGS170	937.85	EA
Length: 44"	KL1B19MGS110	516.50	EA	Length: 72"	KL1B19MGS180	991.55	EA

Color: Brushed Stainless Steel 304 (EB)

Grate Assembly - Perforated Design (B) w/Locking Mechanism - 3/4" frame height for 1/8" to 9/16" thick coverings

Length: 20"	KL1BL19EB50	401.30	EA	Length: 48"	KL1BL19EB120	486.20	EA
Length: 24"	KL1BL19EB60	406.55	EA	Length: 52"	KL1BL19EB130	712.30	EA
Length: 28"	KL1BL19EB70	426.30	EA	Length: 56"	KL1BL19EB140	745.45	EA
Length: 32"	KL1BL19EB80	432.25	EA	Length: 60"	KL1BL19EB150	781.75	EA
Length: 36"	KL1BL19EB90	455.25	EA	Length: 64"	KL1BL19EB160	828.95	EA
Length: 40"	KL1BL19EB100	464.30	EA	Length: 68"	KL1BL19EB170	862.05	EA
Length: 44"	KL1BL19EB110	479.95	EA	Length: 72"	KL1BL19EB180	908.40	EA

Notes: Includes grate and grate frame with height adjustment spacers (not included with frameless tileable grate).

a) A Stainless Steel Plate with Schluter KERDI laminated on the surface to allow for bonding of ceramic or stone tile, and is used without a frame.

b) Driver Bit for tamper-proof screws is sold separately. Please see page 37.

KERDI-LINE-STYLE

These shower drain grates feature brand new designs that fit into a virtually invisible frame, resulting in a stylish and truly seamless look for shower floors. Features solid stainless steel with elegant brushed finish, thin discreet frame and adjustable to fit all common tile thicknesses.

Color: Brushed Stainless Steel 304 (EB)

Grate Assembly - Curve Design - 29/32" frame height for 1/4" to 11/16" thick coverings

Length: 20"	KL1IFF23EB50	412.80	EA	Length: 36"	KL1IFF23EB90	493.90	EA
Length: 24"	KL1IFF23EB60	429.00	EA	Length: 40"	KL1IFF23EB100	518.25	EA
Length: 28"	KL1IFF23EB70	445.30	EA	Length: 44"	KL1IFF23EB110	542.55	EA
Length: 32"	KL1IFF23EB80	469.60	EA	Length: 48"	KL1IFF23EB120	566.90	EA

Grate Assembly - Floral Design - 29/32" frame height for 1/4" to 11/16" thick coverings

Length: 20"	KL1IFE23EB50	428.90	EA	Length: 36"	KL1IFE23EB90	526.10	EA
Length: 24"	KL1IFE23EB60	445.15	EA	Length: 40"	KL1IFE23EB100	558.55	EA
Length: 28"	KL1IFE23EB70	461.35	EA	Length: 44"	KL1IFE23EB110	590.95	EA
Length: 32"	KL1IFE23EB80	493.75	EA	Length: 48"	KL1IFE23EB120	623.35	EA

Grate Assembly - Pure Design - 29/32" frame height for 1/4" to 11/16" thick coverings

Length: 20"	KL1IFG23EB50	461.25	EA	Length: 36"	KL1IFG23EB90	542.40	EA
Length: 24"	KL1IFG23EB60	477.50	EA	Length: 40"	KL1IFG23EB100	566.75	EA
Length: 28"	KL1IFG23EB70	497.75	EA	Length: 44"	KL1IFG23EB110	599.10	EA
Length: 32"	KL1IFG23EB80	518.05	EA	Length: 48"	KL1IFG23EB120	631.50	EA

Notes: Includes grate and grate frame with height adjustment spacers (not included with frameless tileable grate). KERDI-LINE Channel Body sold separately.

KERDI-LINE-FC

A stainless steel cover plate for use with the Schluter-KERDI-LINE linear floor drain to create a seamless look in applications where multiple drains are installed end to end. KERDI-LINE-FC is designed for use with either the solid or perforated grates.

Color: Brushed Stainless Steel 304 (EB)

Width: 1-3/8"	V/KLEB35	Cover Plate	21.55	EA
---------------	----------	-------------	-------	----

Color: Chrome (EP)

Width: 1-3/8"	V/KLEP35	Cover Plate	21.55	EA
---------------	----------	-------------	-------	----

Color: Matte Black (MGS)

Width: 1-3/8"	V/KLMGS35	Cover Plate	24.85	EA
---------------	-----------	-------------	-------	----

KERDI-LINE STRAINER

The KERDI-LINE Strainer is a hair catcher customized to fit inside the KERDI-LINE channel body to trap and collect hair. Simple to remove and clean, the hair catcher fits discreetly into the drain to prevent hair clogs that can lead to blocked pipes.

KLVZSF	Strainer	3.95	EA
--------	----------	------	----

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

KERDI-LINE-VARIO

The KERDI-LINE-VARIO grate and channel are made of formed stainless steel and are designed to be trimmed to length to ensure a perfect fit in custom applications. The channel features a drainage opening cut in the center that can be positioned anywhere within the overall trimmed length of the channel to avoid obstacles encountered during construction (e.g., floor joists). This allows for increased flexibility in the placement of the flange within the shower.

Grate & Channel Kit - Brushed Stainless Steel, 1-11/16" Wide

Length: 48"	KLVRID5EB122	w/ Floral Design Grate	a	297.45	EA
Length: 48"	KLVRID13EB122	w/ Herringbone Design Grate	a	297.45	EA
Length: 48"	KLVRID14EB122	w/ Slant Design Grate	a	297.45	EA
Length: 48"	KLVRID3EB122	w/ Square Design Grate	a	312.05	EA
Length: 96"	KLVRID5EB244	w/ Floral Design Grate	a	560.00	EA
Length: 96"	KLVRID13EB244	w/ Herringbone Design Grate	a	560.00	EA
Length: 96"	KLVRID14EB244	w/ Slant Design Grate	a	560.00	EA
Length: 96"	KLVRID3EB244	w/ Square Design Grate	a	570.60	EA
	KLVR2FLK	Flange Kit, Polypropylene Drain Body with 2" Drain Outlet (Threaded)	b	146.30	EA

- Notes:**
- a) The shortest allowable length to cut the channel and grate is 10" and the minimum recommended tile thickness to use with the KERDI-LINE-VARIO channel is 3/8". The kit includes the grate, channel and 2 end caps.
 - b) The KERDI-LINE-VARIO flange is suitable for use with KERDI-SHOWER-LT/LTS prefabricated shower trays as well as in mortar bed applications. Includes construction cover, downspout, polypropylene flange w/integrated KERDI collar, ABS and PVC coupling, flange support, waterproofing corners (4 inside, 2 outside), 3/4" pipe seal, 4-1/2" mixing valve seal, cleaning brush and grate removal tool.

PREFABRICATED SUBSTRATES

KERDI-SHOWER-LT/LTS

Polystyrene sloped trays with integrated Schluter-KERDI waterproofing. These prefabricated shower trays are designed to integrate with the Schluter-KERDI-LINE.

KERDI-SHOWER-LT - Tray with Center Linear Drain Placement

39" x 39"	KSLT1000	260.55	EA	55" x 55"	KSLT1395	438.05	EA
48" x 48"	KSLT1220	347.55	EA				

KERDI-SHOWER-LTS - Tray with Perimeter Linear Drain Placement

39" x 39"	KSLT1000S	261.05	EA	36" x 72"	KSLT915/1830S	Stock	409.80	EA
48" x 48"	KSLT1220S	Stock	347.90	EA	38" x 76"	KSLT965/1930S	452.45	EA
55" x 55"	KSLT1395S	Stock	438.50	EA	76" x 38"	KSLT1930/965S	451.85	EA
36" x 55"	KSLT915/1395S	305.65	EA					

KERDI-SHOWER-TI-TS/TT

Sloped shower trays with integrated KERDI waterproofing. The trays are made of lightweight, expanded polystyrene (PS 40) for constructing mortar-free shower bases. Each of these prefabricated shower trays is designed to integrate with the Schluter-KERDI-DRAIN.

KERDI-SHOWER-T - Standard Tray with Center Drain Placement

38" x 60"	KST965/1525	Stock	174.40	EA	60" x 60"	KST1525	Stock	340.45	EA
48" x 60"	KST1220/1525	Stock	259.15	EA	72" x 72"	KST1830	Stock	370.55	EA
48" x 72"	KST1220/1830	Stock	278.05	EA					

KERDI-SHOWER-TS - Standard Tray with Off-Center Drain Placement

38" x 60" OC	KST965/1525S	Stock	174.95	EA
--------------	--------------	--------------	--------	----

KERDI-SHOWER-TT - Features a thin perimeter height that simplifies the construction of curbless showers. Tray with Center Drain Placement

32" x 38"	KST965/810BF	a	170.20	EA	38" x 38"	KST965BF	Stock	a	144.65	EA
36" x 36"	KST915BF	b	130.05	EA	36" x 48"	KST915/1220BF	Stock	d	200.25	EA
38" x 38" Neo-Angle	KST965NA/BF	c	177.85	EA	48" x 48"	KST1220BF	Stock	d	159.65	EA

- Notes:**
- a) 29/32" Perimeter Height.
 - b) 7/8" Perimeter Height.
 - c) 1-1/32" Perimeter Height. Includes 2 Kerdi-Kereck 135° Inside Corners.
 - d) 1" Perimeter Height.

KERDI-SHOWER-R

A lightweight, expanded polystyrene shower ramp with integrated Schluter-KERDI waterproofing designed to facilitate the construction of access ramps for tiled showers. The ramp integrates with the Schluter-Shower System to create accessible, curbless showers and adheres to the ADA's slope ratio.

48" x 12"	KSR305/1220	Shower Ramp	Stock	132.10	EA
-----------	-------------	-------------	--------------	--------	----

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

KERDI-SHOWER KITS

KERDI-SHOWER-KIT

An all-inclusive package containing each of the integrated family of components required to create a maintenance-free, watertight shower assembly without a mortar bed.

Complete Shower Kits with KERDI-DRAIN Stainless Steel 304 (E) grate

48" x 48"	KSK1220ABSE		a	750.00	EA	38" x 60"	KSK9651525PVCE		b	813.40	EA
48" x 48"	KSK1220PVCE		a	750.00	EA	38" x 60" OC	KSK9651525SABSE		b	813.40	EA
38" x 60"	KSK9651525ABSE		b	813.40	EA	38" x 60" OC	KSK9651525SPVCE		b	813.40	EA

Shower Kits without the KERDI-DRAIN grate (SOLD SEPARATELY)

48" x 48"	KSK1220ABS		c	681.95	EA	38" x 60" OC	KSK9651525SPVC	Stock	d	745.60	EA
48" x 48"	KSK1220PVC	Stock	c	681.95	EA	48" x 72"	KSK12201830ABS		e	1,002.50	EA
38" x 60"	KSK9651525ABS		d	745.60	EA	48" x 72"	KSK12201830PVC	Stock	e	1,002.50	EA
38" x 60"	KSK9651525PVC	Stock	d	745.60	EA	72" x 72"	KSK1830ABS		f	1,169.65	EA
38" x 60" OC	KSK9651525SABS		d	745.60	EA	72" x 72"	KSK1830PVC	Stock	f	1,169.65	EA

Shower Kits without the KERDI-DRAIN grate and flange (SOLD SEPARATELY)

48" x 48"	KSK1220		g	576.40	EA	48" x 72"	KSK12201830		i	895.40	EA
38" x 60"	KSK9651525	Stock	h	639.95	EA	72" x 72"	KSK1830		j	1,062.15	EA
38" x 60" OC	KSK9651525S	Stock	h	639.95	EA						

- Notes:**
- a) Kit includes shower tray, 48" x 6" x 4-1/2" shower curb, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet and stainless steel grate, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
 - b) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet and stainless steel grate, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
 - c) Kit includes shower tray, 48" x 6" x 4-1/2" shower curb, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
 - d) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
 - e) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 39' 4" waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
 - f) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 16' 5" waterproofing membrane roll, 3' 3" x 33' waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls, flange with 2" outlet, 4 inside corners, 2 outside corners, 3/4" pipe seal, 4-1/2" mixing valve seal.
 - g) Kit includes shower tray, 48" x 6" x 4-1/2" shower curb, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll.
 - h) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 33' waterproofing membrane roll, 5" x 33' waterproofing strip roll.
 - i) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 39' 4" waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls.
 - j) Kit includes shower tray, 2 each 38" x 6" x 4-1/2" shower curbs, 3' 3" x 16' 5" waterproofing membrane roll, 3' 3" x 33' waterproofing membrane roll, 2 each 5" x 33' waterproofing strip rolls.

KERDI-TUBKIT

KERDI-TUBKIT contains all the components necessary to create a fully waterproof and vapor tight bathtub surround assembly.

75 SF Coverage	KKB7									315.70	EA
----------------	------	--	--	--	--	--	--	--	--	--------	----

Note: Kit includes 1 each: KERDI 7M 3' 3" x 23' Waterproofing membrane roll, KERDI-BAND 5" x 16' 5" Waterproofing strip roll, KERDI-SEAL-PS 3/4" Pipe seal, KERDI-SEAL-MV 4-1/2" Mixing valve seal & KERDI-FIX Bright White sealing and bonding compound.

KERDI-SHOWER ACCESSORIES

Accessories are used to enhance tiled shower applications, providing shelving, splashguards at the entrances to curbless showers, support channels for glass walls, and wall finishing that eliminates the need to cut wedges of tile in KERDI-LINE applications.

SHELF-E

A brushed stainless steel corner shelf designed for tiled walls. Available in 3 shapes and in the Floral and Curve STYLE designs, the shelf features 3/32" thick anchoring tabs which allow for easy installation either in tandem with the tile, or as a retrofit application.

Color: Brushed Stainless Steel 304 (EB)

SES2D6EB	Curve Design Pentagonal Corner Shelf	134.05	EA
SES3D6EB	Curve Design Quadrilateral Corner Shelf	181.95	EA
SES1D6EB	Curve Design Triangular Corner Shelf	134.00	EA
SES2D5EB	Floral Design Pentagonal Corner Shelf	139.70	EA
SES3D5EB	Floral Design Quadrilateral Corner Shelf	181.95	EA
SES1D5EB	Floral Design Triangular Corner Shelf	139.65	EA
SES2D7EB	Pure Design Pentagonal Corner Shelf	134.20	EA
SES3D7EB	Pure Design Quadrilateral Corner Shelf	182.10	EA
SES1D7EB	Pure Design Triangular Corner Shelf	134.20	EA
SES2D3EB	Square Design Pentagonal Corner Shelf	139.80	EA
SES3D3EB	Square Design Quadrilateral Corner Shelf	182.10	EA
SES1D3EB	Square Design Triangular Corner Shelf	139.80	EA
SES2D10EB	Wave Design Pentagonal Corner Shelf	139.80	EA
SES3D10EB	Wave Design Quadrilateral Corner Shelf	182.10	EA
SES1D10EB	Wave Design Triangular Corner Shelf	139.80	EA

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

SHELF-E - TRENDLINE Textured Color-Coated Aluminum

Colors:	Bronze (TSOB)	Greige (TSBG)	Matte White (MBW)
	Cream (TSC)	Ivory (TSI)	Pewter (TSG)
	Dark Anthracite (TSDA)	Matte Black (MGS)	Stone Grey (TSSG)
SES2D6----	Curve Design Pentagonal Corner Shelf		111.55 EA
SES3D6----	Curve Design Quadrilateral Corner Shelf		125.60 EA
SES1D6----	Curve Design Triangular Corner Shelf		98.85 EA
SES2D5----	Floral Design Pentagonal Corner Shelf		120.00 EA
SES3D5----	Floral Design Quadrilateral Corner Shelf		139.70 EA
SES1D5----	Floral Design Triangular Corner Shelf		105.90 EA
SES2D7----	Pure Design Pentagonal Corner Shelf		111.65 EA
SES3D7----	Pure Design Quadrilateral Corner Shelf		125.75 EA
SES1D7----	Pure Design Triangular Corner Shelf		98.95 EA
SES2D3----	Square Design Pentagonal Corner Shelf		120.10 EA
SES3D3----	Square Design Quadrilateral Corner Shelf		139.80 EA
SES1D3----	Square Design Triangular Corner Shelf		106.00 EA
SES2D10----	Wave Design Pentagonal Corner Shelf		120.10 EA
SES3D10----	Wave Design Quadrilateral Corner Shelf		139.80 EA
SES1D10----	Wave Design Triangular Corner Shelf		106.00 EA

Note: To complete part number replace hyphens with color code. Example SES2D6----, for Bronze # is: SES2D6TSOB.

SHELF-N

A rectangular, brushed stainless steel shelf designed to fit into KERDI-BOARD-SN prefabricated niches. Available in the Floral and Curve STYLE designs, the shelf can be easily installed in tandem with the tile.

Color:	Brushed Stainless Steel 304 (EB)		
SNS1D6EB	Curve Design Rectangular Niche Shelf		148.10 EA
SNS1D5EB	Floral Design Rectangular Niche Shelf	Stock	155.10 EA
SNS1D7EB	Pure Design Rectangular Niche Shelf		148.30 EA
SNS1D3EB	Square Design Rectangular Niche Shelf		155.30 EA
SNS1D10EB	Wave Design Rectangular Niche Shelf		155.30 EA

SHELF-N - TRENDLINE Textured Color-Coated Aluminum

Colors:	Bronze (TSOB)	Greige (TSBG)	Matte White (MBW)
	Cream (TSC)	Ivory (TSI)	Pewter (TSG)
	Dark Anthracite (TSDA)	Matte Black (MGS)	Stone Grey (TSSG)
SNS1D6----	Curve Design Rectangular Niche Shelf		112.95 EA
SNS1D5----	Floral Design Rectangular Niche Shelf		120.00 EA
SNS1D7----	Pure Design Rectangular Niche Shelf		113.05 EA
SNS1D3----	Square Design Rectangular Niche Shelf		120.10 EA
SNS1D10----	Wave Design Rectangular Niche Shelf		120.10 EA

Note: To complete part number replace hyphens with color code. Example SNS1D6----, for Bronze # is: SNS1D6TSOB.

SHELF-W

A rectangular, brushed stainless steel shelf designed for tiled walls. Available in the Floral and Curve STYLE designs, the shelf features a double anchoring leg for installation in tandem with the tile.

Color:	Brushed Stainless Steel 304 (EB)		
SWS1D6EB	Curve Design Rectangular Wall Shelf		155.15 EA
SWS1D5EB	Floral Design Rectangular Wall Shelf		162.20 EA
SWS1D7EB	Pure Design Rectangular Wall Shelf		155.30 EA
SWS1D3EB	Square Design Rectangular Wall Shelf		162.35 EA
SWS1D10EB	Wave Design Rectangular Wall Shelf		162.35 EA

SHELF-W - TRENDLINE Textured Color-Coated Aluminum

Colors:	Bronze (TSOB)	Greige (TSBG)	Matte White (MBW)
	Cream (TSC)	Ivory (TSI)	Pewter (TSG)
	Dark Anthracite (TSDA)	Matte Black (MGS)	Stone Grey (TSSG)
SWS1D6----	Curve Design Rectangular Wall Shelf		115.70 EA
SWS1D5----	Floral Design Rectangular Wall Shelf		138.25 EA
SWS1D7----	Pure Design Rectangular Wall Shelf		115.90 EA
SWS1D3----	Square Design Rectangular Wall Shelf		138.40 EA
SWS1D10----	Wave Design Rectangular Wall Shelf		138.40 EA

Note: To complete part number replace hyphens with color code. Example SWS1D6----, for Bronze # is: SWS1D6TSOB.

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

SHOWERPROFILE-R

A two part wall transition profile made of brushed stainless steel for covering the exposed wall area where the floor slopes down to a perimeter linear drain. A fleece fabric is laminated on the reverse of the profile for bonding with the tile adhesive. The two-part design can be seamlessly adjusted to any height between 29/32" and 1-25/32". The profile is available in lengths of 39" and 55" and can be cut to the desired length.

Color: Brushed Stainless Steel 304 (EB)

Length: 39"	SPRA23EB/100	Height adjustment from 29/32" to 1-3/8"	110.30	EA
Length: 39"	SPRA33EB/100	Height adjustment from 1-5/16" to 1-25/32"	120.20	EA
Length: 55"	SPRA23EB/140	Height adjustment from 29/32" to 1-3/8"	126.95	EA
Length: 55"	SPRA33EB/140	Height adjustment from 1-5/16" to 1-25/32"	142.10	EA

SHOWERPROFILE-S (-SA/-SB)

A two part profile with a tapered edge, designed to cover adjoining tile edges that become exposed as the shower floor slopes to accommodate drainage to the KERDI-LINE. The tapered profile features a visible surface of brushed stainless steel and a fleece fabric on the reverse for bonding with the tile adhesive. It is designed to be inserted into the U-shaped groove of the matching hard PVC support profile. The profile can be used for lateral transitions to the wall or the adjoining floor.

Color: Brushed Stainless Steel 304 (EB)

3/16" x 47-1/4"	SPSA50EB/120	90.70	EA	3/8" x 78-3/4"	SPSB100EB/200	294.40	EA
3/16" x 63"	SPSA50EB/160	118.70	EA	1/2" x 47-1/4"	SPSB125EB/120	101.05	EA
3/16" x 78-3/4"	SPSA50EB/200	263.95	EA	1/2" x 63"	SPSB125EB/160	131.45	EA
3/8" x 47-1/4"	SPSB100EB/120	90.75	EA	1/2" x 78-3/4"	SPSB125EB/200	294.45	EA
3/8" x 63"	SPSB100EB/160	118.70	EA				

SHOWERPROFILE-WS

A two-part profile that forms a splashguard at the entrance of barrier-free showers. The anodized aluminum support profile is set in conjunction with the tile covering and can be combined with either a semi-circular lip or a collapsible upright straight lip. Both variants allow for wheelchair accessibility.

Color: Satin Anodized Aluminum (AE)

5/16" x 39"	SPWS19AE/100	30.80	EA	5/16" x 8'	SPWS19AE	68.85	EA
Color: Black (GS)							
39"	SPWSC16GS/100				Semi-Circular Lip	16.15	EA
8'	SPWSC16GS				Semi-Circular Lip	35.50	EA
Color: Transparent (T)							
39"	SPWSL30T/100				Straight Lip	19.45	EA
8'	SPWSL30T				Straight Lip	42.75	EA

SHOWERPROFILE-WSK

A two-part profile that forms a splashguard at the entrance of barrier-free showers. The anodized aluminum support profile is adhered to existing coverings and can be combined with either a semi-circular lip or a collapsible upright straight lip. Both variants allow for wheelchair accessibility.

Color: Satin Anodized Aluminum (AE)

5/16" x 39"	SPWSK52AE/100	36.15	EA	5/16" x 8'	SPWSK52AE	82.45	EA
5/16"	EK/SPWSK52AE				End Cap	6.65	EA
Color: Black (GS)							
39"	SPWSC16GS/100				Semi-Circular Lip	16.15	EA
8'	SPWSC16GS				Semi-Circular Lip	35.50	EA
Color: Transparent (T)							
39"	SPWSL30T/100				Straight Lip	19.45	EA
8'	SPWSL30T				Straight Lip	42.75	EA

PAVER SUPPORT SYSTEM

TROBA-LEVEL-PL 10

Stackable paver supports that are designed to support tile pavers of different formats and thicknesses. The 1/8" joint spacers enable a uniform joint appearance while protecting against lateral movements in the covering. TROBA-LEVEL-PL 10 can be stacked up to heights of 7-7/8" and can also be combined with other TROBA-LEVEL paver supports.

3/8"	TLPL10/10	Stackable Paver Support	(10 each per Package)	37.25	PKG
------	-----------	-------------------------	-----------------------	-------	-----

TROBA-LEVEL-PLA 30

Stackable paver support extensions that can be inserted between two TROBA-LEVEL-PL 10 stackable paver supports for a more economical way to achieve assembly heights of 2" or greater.

1-3/16"	TLPLA30/10	Stackable Paver Support Extension	(10 each per Package)	43.20	PKG
---------	------------	-----------------------------------	-----------------------	-------	-----

TROBA-LEVEL-AP 1

Leveling shims that are used to level the tile surface by adjusting the corners of each tile paver. These leveling shims are designed to lock in between the spacer tabs of the TROBA-LEVEL-LV 3, TROBALEVEL-PL 10, and TROBA-LEVEL-PLV 60 paver supports. The TROBA-LEVEL-AP 1 leveling shims can be stacked up to 10 shims high under each corner of the tile paver to compensate for variations in the substrate and/or paver thickness.

1/32"	TLAP1	Leveling Shim	(250 each per Package)	56.50	PKG
-------	-------	---------------	------------------------	-------	-----

Product Code 'I'

Sizes & Shapes	Stock	Note	Sugg. List	U/M	Sizes & Shapes	Stock	Note	Sugg. List	U/M
----------------	-------	------	------------	-----	----------------	-------	------	------------	-----

TROBA-LEVEL-PLV 60

Preassembled, adjustable paver supports that can be variably adjusted from 2-3/8" to 5-1/8" using the adjustment ring and two opposing threads. The joint spacer configuration of the TROBA-LEVEL-PLV 60 paver support enables stacking in combination with TROBA-LEVEL-PL 10 and -PLA 30. If necessary, TROBA-LEVEL-AP 1 leveling plates can be used for precision adjustment and leveling of the tile surface.

2-3/8" - 5-1/8"	TLPLV60/6	Adjustable Paver Support	(6 each per Package)	86.54	PKG
-----------------	-----------	--------------------------	----------------------	-------	-----

TROBA-LEVEL-LV 3

Stackable paver supports that are intended for low assembly heights. The supports can be cut for perimeter applications and feature 1/8" joint spacers. The joint spacer configuration of the TROBA-LEVEL-LV 3 paver support enables stacking in combination with TROBA-LEVEL-PL 10 and -PLA30.

1/8"	TLLV3/10	Stackable Paver Support	(10 each per Package)	67.05	PKG
------	----------	-------------------------	-----------------------	-------	-----

TROBA-LEVEL-PLA 70

Adjustable paver support height extensions that are designed to be added to the TROBA-LEVEL-PLV 60 adjustable paver supports between the height adjustment ring and the base plate. Multiple TROBA-LEVEL-PLA 70 paver support extensions can be used to reach the desired height (recommended maximum height: 15").

2-3/4"	TLPLA70/6	Adjustable Paver Support Extension	(6 each per Package)	56.65	PKG
--------	-----------	------------------------------------	----------------------	-------	-----

TROBA-LEVEL-PLS 6

Protective pads that provide additional protection to the waterproofing membrane under the base plates of TROBA-LEVEL-LV 3, TROBA-LEVEL-PL 10, or TROBA-LEVEL-PLV 60 paver supports. These protective pads feature four perforated tabs designed to maintain the position of the paver support on the pad.

1/4"	TLPLS6	Protective Pad	(10 each per Package)	35.83	PKG
------	--------	----------------	-----------------------	-------	-----

TROBA-ZFK

Joint spacers that ensure a uniform joint appearance for self-supporting porcelain tiles, natural stone, or concrete pavers installed directly on sand, gravel, or crushed stone beds. The joint width is 1/8", and the joint spacer height is 9/16". When thicker pavers are being installed, a joint spacer height of 1-3/16" can be achieved by snapping two joint spacers together.

9/16"	TZFK3	Joint Spacer	(50 each per Package)	19.08	PKG
-------	-------	--------------	-----------------------	-------	-----

EXTERIOR DRAINAGE MEMBRANES

TROBA-PLUS

A durable subsurface drainage system that permits water to drain off freely and reliably. The closely positioned, cone-shaped studs are covered by a water permeable filter fabric. They serve to support the floor covering over the entire surface, thus creating a continuous drainage area above the waterproofing layer.

3' 3" x 41'	TROBA-PLUS8 (134.50 SF/Roll)	Sub-surface Drainage System		401.30	EA
-------------	------------------------------	-----------------------------	--	--------	----

ACCESSORIES

DITRA/KERDI Trowels

Used to install DITRA and KERDI membranes.

TRL-DIT	DITRA Trowel - 11/64" x 11/64" Square-Notched	a
TRL-KER	KERDI Trowel - 1/8" x 1/8" Square-Notched	a
TRL-DHXL	DITRA-HEAT/DITRA-XL Trowel - 1/4" x 1/4" Square-Notched	a

Note: a) Schluter Trowels are listed on the Tools Price List under Trowels.

PROCUT-TSM

A cutting wheel with a diameter of 4-1/2" for conventional angle grinders. It produces especially clean cuts of Stainless Steel, Aluminum and Brass.

TSM115/1	Cutting Wheel	17.55	EA
----------	---------------	-------	----

SNIPS

Specifically designed to cut PVC trim profiles.

PSF	Cutting Tool	108.55	EA
PS90/45EK	Replacement Blade	33.25	EA