

RHYME

Color Body Porcelain
Floor & Wall Tile



floridatile

R H Y M E

BY [floridatile](#)



Shown: **28532 12x24** Desert Harmony

Rhyme by Florida Tile is the newest color body series inspired by a traditional linen fabric look. Throughout the history of design, linen looks have been popular for their textural richness and simplicity of natural fibers. Today the combination of textures is ever more popular with the mix of natural stone, glass and other elements. A linen look can be both contemporary and timeless, with a monochromatic palette and mix of simple but elegant texture.

Through an innovative design process, we are able to replicate the fragile texture of fabric in the surface of our tile. Rhyme, was created with a combination of this natural texture featured in the punch, along with a graphic that replicates the subtle tone-on-tone effect of the man-made material.


The Rhyme collection comes in a 12x24 format and also includes two 12" mosaics, M1x6 and three roman patterned multicolored blends, as well as a full bullnose package for each of the 5 colors. This product line is entirely Made in the USA of 40% pre-consumer recycled content and is GREENGUARD® and Porcelain Tile Certified.

Shown on Front: **28503 12x24** Ivory Staccato, **28500A/M12ROMAN** Alto Mosaic




IVORY STACCATO

Shown: **28503 12x24** Ivory Staccato, **28500A/M12ROMAN** Alto Mosaic



28503 12x24
Ivory Staccato



28503/M1x6
Ivory Staccato Bar Mosaic




28500A/M12ROMAN
Soprano Mosaic

(Ivory Staccato also coordinates with the Alto Mosaic)



28503 P43C9
Ivory Staccato Bullnose



Design it your way:
Cut the mosaic to create listellos, borders or even decorative inserts. Design possibilities are endless!




SILVER MELODY

Shown: 28513 12x24 Silver Melody



28513 12x24
Silver Melody



28513/M1x6
Silver Melody Bar Mosaic




28500B/M12ROMAN
Alto Mosaic

(Silver Melody also coordinates with the Soprano Mosaic)



28513 P43C9
Silver Melody Bullnose



Design it your way:
Cut the mosaic to create listellos, borders or even decorative inserts. Design possibilities are endless!




ALMOND NOTE

Shown: **28522 12x24** Almond Note, **28522/M1x6** Almond Note Bar Mosaic



28522 12x24
Almond Note



28522/M1x6
Almond Note Bar Mosaic




28500B/M12ROMAN
Alto Mosaic

(Almond Note also coordinates with the Soprano and Tenor Mosaics)



28522 P43C9
Almond Note Bullnose



Design it your way:
Cut the mosaic to create listellos, borders or even decorative inserts. Design possibilities are endless!


DESERT HARMONY



Shown: 28532 12x24 Desert Harmony



28532 12x24
Desert Harmony




28532/M1x6
Desert Harmony Bar Mosaic



28500C/M12ROMAN
Tenor Mosaic



28503 P43C9
Desert Harmony Bullnose



Design it your way:
Cut the mosaic to create listellos,
borders or even decorative inserts.
Design possibilities are endless!




STONE CHAMBER

Shown: 28593 12x24 Stone Chamber



28593 12x24
Stone Chamber




28593/M1x6
Stone Chamber Bar Mosaic



28500C/M12ROMAN
Tenor Mosaic



28593 P43C9
Stone Chamber Bullnose



Design it your way:
Cut the mosaic to create listellos,
borders or even decorative inserts.
Design possibilities are endless!



Shown: **28522 12x24** Almond Note, **28522/M1x6** Almond Note Bar Mosaic

RHYME

BY **floridat**ile

Typical Uses

Rhyme color body porcelain floor tile is appropriate for all residential and commercial wall, countertop and backsplash applications, all residential and most commercial floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI A137.1) for ceramic, stone and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED points and the ANSI approved NAHB Green Building Points.

Properties (Floor)	ASTM	ANSI	Results ¹
DCOF AcuTest ²	A137.1	≥0.42	Pass
Visible Abrasion Resistance	C-1027	As reported ³	Class III
Glaze Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	250 lbs.	Pass
Water Absorption	C-373	≤0.5%	≤0.5%

¹ These tests are performed by a 3rd party testing lab using industry standard equipment and techniques. Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² ANSI A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest value of 0.42.


³ Class 0 Not recommended for floors, Class I Light Residential, Class II Residential, Class III Heavy Residential or Light Commercial, Class IV Commercial, Class V Heavy Commercial.

Field Tile Nominal Size ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³
12" x 24"	30 x 60	.5	9mm

¹ These values may vary from lot to lot.


² These values are based on actual sizes including the grout joint.

³ May not apply to textured surfaces or tiles with uneven back patterns.

Trim	Shape	SKU	Nominal Size	Metric (cm)
Bullnose		P43C9	3" x 12"	7.5 x 30

Color Variations

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.



V1 = Uniform Appearance

Differences among pieces from the same productions run are minimal.



Recycled Content



floridatile