

# Precious

Glazed Porcelain Floor and Ceramic Wall Tile

**HDP**  
High Definition Porcelain®



floridatile



Shown: 35001 12x24 Calacatta, 35001 14x27 Calacatta (ceramic)

From the exquisite beauty of Calacatta marble emerges Precious<sup>HDP</sup>, a collection from Florida Tile that captures the essence of the most sought after natural stone in the world. Inspired by the unique marked graphics in the Italian stone, Precious<sup>HDP</sup> is a distinct expression of refined taste.

Intense grey and brown veins stand out from a crystalline white background endowing it with a depth and movement that enlivens spaces. The random pattern, the structured surfaces of the decors, and the natural and polished finishes are elements that elevate any atmosphere – classical or modern.

Rectified, porcelain floor tiles in a natural finish are available in 12x24, 24x24, and 18x36. Rectified, ceramic wall tiles in a polished finish are available in 5x14, 14x27, and 14x39. Two mosaics: a 12x12 ceramic wall tile showcasing a modern mix of the polished and matte finishes combined in an elongated hexagon pattern, and a 12x12 herringbone pattern in natural finish suitable for wall or floor, provide endless design options.

Precious<sup>HDP</sup> also features a 14x27 Curl ceramic wall deco with a chic, three-dimensional wave pattern in a polished finish, adding a bold twist to the classic Calacatta stone look. A full package of trims including bullnose for floor and wall, corners, and a chair rail and stop in a polished finish complete the collection.

With the exception of select trim, decorative and ceramic pieces, Precious<sup>HDP</sup> is made in the USA of 40% pre-consumer recycled content, is GREENGUARD® and Porcelain Tile certified.



# SHADE VARIATION



35001 14x39 Calacatta (ceramic)



35001 18x36 Calacatta



Shown above: 35001 18x36 Calacatta, 35001 5x14 Calacatta (ceramic)

Shown below: 35001 24x24 Calacatta, 35001/M1x4HER Herringbone mosaic, 35001 14x39 Calacatta (ceramic)







Shown below: 35001 24x24 Calacatta, 35001 14x27 Calacatta (ceramic), 35001D/14x27 Curl deco (ceramic)






Shown above: 35001/M12HEX Hexagon mosaic (mixed finish ceramic)



## ceramic body



35001 14x39  
Calacatta




35001 14x27  
Calacatta



35001 5x14  
Calacatta



35001/M12HEX  
Hexagon mosaic (mixed finishes)




35001D 14x27  
Curl deco


## porcelain body



35001 18x36  
Calacatta



35001 24x24  
Calacatta



35001 12x24  
Calacatta



35001/M1x4HER  
Herringbone Mosaic



Shown: 35001 14x27 Calacatta (ceramic), 35001D/14x27 Curl deco (ceramic)

# Precious <sup>HDP</sup> by floridatile

## Typical Uses

Precious<sup>HDP</sup> glazed porcelain floor and ceramic wall tile is appropriate for all residential and commercial wall, countertop and backsplash applications, all residential, and most commercial floor applications. Ceramic wall tile is appropriate for all interior wall, countertop, and backsplash applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI A137.1) for ceramic, stone and glass installation for specific usage and installation information.

Made in the USA: With the exception of select trim, decorative pieces and ceramic pieces, this product line is Made in the USA of 40% pre-consumer recycled, is GREENGUARD® and Porcelain Tile certified and meets the DCOF AcuTest requirements to be installed in wet areas.

This Florida Tile product will contribute to USGBC LEED points and the ANSI approved NAHB Green Building Points.

Properties (Floor)	ASTM	ANSI	Results <sup>1</sup>
DCOF AcuTest <sup>2</sup>	A137.1	≥0.42	Pass
Glaze Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	250 lbf.	500 lbf. avg.
Water Absorption	C-373	<0.5%	<0.5%

<sup>1</sup> These tests are performed by a 3rd party testing lab using industry standard equipment and techniques. Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>2</sup> ANSI A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest value of 0.42.

## Color Variations

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.


Field Tile Nominal Size <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	Thickness <sup>3</sup>
18" x 36"	45 x 90	.23	10mm
12" x 24"	30 x 60	.53	10mm
24" x 24"	60 x 60	.26	10mm
5" x 14" (ceramic)	12.7 x 35	2.21	10.5mm
14" x 27" (ceramic)	35 x 70	.38	9.5mm
14" x 39" (ceramic)	65 x 99	.27	10.5mm

<sup>1</sup> These values may vary from lot to lot.

<sup>2</sup> These values are based on actual sizes including the grout joint.

<sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns.

Trim	Shape	SKU	Nominal Size	Metric (cm)
Bullnose		P43C9	3" x 12"	7.5 x 30
Bullnose (ceramic)		S43E9	3" x 14"	7.5 x 35
Corner (ceramic)		SN4339	3" x 3"	7.5 x 7.5
Chair Rail (ceramic)		CR1.7x14	1.7" x 14"	4.2 x 35
Chair Rail Stop (ceramic)		CRS1.7x1	1.7" x 1"	4.2 x 2



V2  
Slight Variation

Clearly distinguishable differences in texture, and/or pattern with similar colors.



floridatile