

DIVINITYHDP

shown on front: DIV20 12x24 Horizon & DIV55/M4x4HEX Hexagon Mix Mosaic

Michelangelo said, "The true work of art is but a shadow of the divine perfection."


Divinity^{HDP} by Florida Tile takes artistry to another level. Distinguished by a rich surface of captivating veining, delicate striations, and subtle imperfections of natural stone, this color body porcelain floor and wall tile exceeds even the highest expectations. Inspired by one of the last slabs of Angel Stone extracted from an exclusive quarry in the Italian Alps, Divinity^{HDP} is our interpretation of the divine beauty found in this rare and beautiful sandstone.

Four ethereal colors- Dawn, Dusk, Horizon, and Mist, range from a mixture of soft, warm beiges, calm grays and taupes, to a dramatic cool dark gray. All feature monochromatic veining and distinct shade variations throughout. Available in 12x24 and 24x24 rectified field tile formats, this majestic stone look is enhanced

with a complimentary collection of 25-piece and random stack mosaics in each color, and a mixed-color hexagon mosaic that incorporates all four colors. A bullnose trim completes this exquisite collection.

Manufactured using proprietary HDP—High Definition Porcelain® printing technology, DivinityHDP is appropriate for all applications in both residential and commercial settings. It is entirely made in the USA in our Green Squared® certified Advanced Manufacturing Center in Lawrenceburg, KY, of 40% pre-consumer recycled content. It meets the DCOF AcuTest requirements to be installed in wet areas and is GREENGUARD® and Porcelain Tile certified. Incorporated into the tile surface is Microban® antimicrobial technology that works continuously to inhibit bacteria growth, improve visible cleanliness, and reduce odors.

COLOR VARIATION









DIV10 24x24



DIV10 12x24 Dawn



DIV10/M12Dawn 25pc Mosaic



DIV10/RSP12x24Dawn Random Stack Mosaic



Dawn, Horizon, Mist & Dusk Hexagon Mix Mosaic







DIV20 24x24 Horizon



DIV20 12x24 Horizon



DIV20/M12 Horizon 25pc Mosaic




DIV20/RSP12x24 Horizon Random Stack Mosaic







DIV30 24x24 Mist



DIV30 12x24 Mist



DIV30/M12 Mist 25pc Mosaic



DIV30/RSP12x24Mist Random Stack Mosaic








DIV40 24x24 Dusk



DIV40 12x24 Dusk



DIV40/M12 Dusk 25pc Mosaic



DIV40/RSP12x24 Dusk Random Stack Mosaic



DIVINITY HDP-







applications, all residential, and most commercial floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED points and the ANSI approved NAHB Green Building Points.

Color Variations

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Trim	Shape	Sku	Nominal Size	Metric (cm)
Bullnose		P43N9	3 x 24	7.5 x 60



Moderate Variation:

While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece may vary significantly. For example "that little bit of color" on

one piece of tile may be the primary color on the next piece.

Properties (Floor)	ASTM	ANSI	Results ¹
DCOF AcuTest ²	A137.1	≥0.42	Pass
Surface Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	250 lbf.	510 lbf. avg.
Water Absorption	C-373	<0.5%	<0.5%3
Visual Ahrasion Resistance	C-1027	not required	Class III & IV ⁴

¹ These tests are performed by a 3rd party testing lab using industry standard equipment and techniques. Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

⁴ Class III: Horizon, Mist & Dusk. Class IV: Dawn.















² ANSI A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest value of 0.42.

³ Average Production Value