COLOR BODY PORCELAIN FLOOR & WALL TILE

floridatile

LOST RIVERHDP

shown on front: LRV20 12x24 Rush & LRV24/M3x3CHEV Cool Mix Mosaic

Lost River^{HDP®} is an affirmation to the surreal beauty of waterways that flow mysteriously through a subterranean world. These majestic passages lead to a landscape of magnificent formations, beautifully worn by water and time, and create an awe-inspiring canvas of soft colors and delicate veining. Lost River^{HDP®} is a serene, yet powerful homage to nature's artistry.

Four distinct and flourishing color options provide a natural springboard for design. Cascade Beige delicately mimics a light, golden sandstone for an on-trend, warm and inviting neutral. Rush Gray is equally tranquil, frothing with a more cool, invigorating tone. Adrift Taupe's combination of effervescent mid-tones offers a unique balance of color blended with striking, granular textures and veining. Torrent Black is perhaps the most dramatic of the collection with its deep pools of rich tone-on-tone dark grays and swirling black.

This color body* field tile is available in 12x24 and 24x24 formats. A 3x12 bullnose and classic 25-piece mosaic are offered in all four colors. Adding a creative current to this line are two chevron mosaics in either warm or cool mixes. A sleek ¼ x 24 metallic liner rounds out this line with a modern installation element in bronze, copper, or black.

Lost River^{HDP®} porcelain tile is entirely made in the USA in our Green Squared[®] certified Advanced Manufacturing Center in Lawrenceburg, KY, of 40% pre-consumer recycled content. It meets the DCOF AcuTest[®] requirements to be installed in wet areas and is GREENGUARD[®] and Porcelain Tile certified. Manufactured using proprietary HDP—High Definition Porcelain[®] printing technology and with the technical performance of porcelain, it is appropriate for all standard residential and commercial wall, countertop, backsplash, and most floor applications.

* The color Cascade is manufactured utilizing a standard body in order to maintain the integrity of this lighter color.



COLOR VARIATION

Formats Available: 12x24, 24x24, M12 & M3x3CHEV


CASCADE BEIGE




RUSH GRAY




ADRIFT TAUPE



TORRENT BLACK



CASCADE BEIGE



LRV10 24x24 Cascade Beige (standard body)



LRV10 12x24 Cascade Beige (standard body)



LRV10/M12 Cascade Beige 25pc Mosaic




LRV13/M3x3CHEV Warm Mix Chevron Mosaic (Cascade Beige & Adrift Taupe)

LRV60/L1/4x24 Copper Wall Liner*



RUSH GRAY



LRV20 24x24 Rush Gray



LRV20 12x24 Rush Gray



LRV20/M12 Rush Gray 25pc Mosaic



LRV24/M3x3CHEV Cool Mix Chevron Mosaic (Rush Gray & Torrent Black)

LRV70/L1/4x24 Coal Wall Liner*



ADRIFT TAUPE



LRV30 24x24 Adrift Taupe



LRV30 12x24 Adrift Taupe



LRV30/M12 Adrift Taupe 25pc Mosaic



LRV13/M3x3CHEV Warm Mix Chevron Mosaic (Cascade Beige & Adrift Taupe)

LRV50/L1/4x24 Bronze Wall Liner*



TORRENT BLACK



LRV40 24x24 Torrent Black



LRV40 12x24 Torrent Black



LRV40/M12 Torrent Black 25pc Mosaic



LRV24/M3x3CHEV Cool Mix Chevron Mosaic (Rush Gray & Torrent Black)

LRV70/L1/4x24 Coal Wall Liner*



LOST RIVER HDP



above: LRV10 12x24 Cascade Beige

Porcelain Technical Data Properties (Floor)	ASTM®	ANSI®	Results
DCOF AcuTest ^{®2}	A137.1	≥ 0.42	Pass
Surface Hardness	Mohs Scale	N/A	7 Mohs
Break Strength	C-648	250 lbf.	≥ 500 lbf. avg.
Water Absorption	C-373	≤ 0.5%	≤ 0.5% ³
Intended Use ⁴	N/A	N/A	Residential Light Commercial Heavy Commercial

¹ Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

² ANSI® A137.1 standard, ceramic tiles selected for level interior spaces expected to be walked upon when wet must have a minimum wet DCOF AcuTest® value of 0.42.

³ Average production value.

⁴ Please visit www.floridatile.com/intended-use for further details.

Typical Uses

Lost River^{HDP} color body porcelain floor and wall tile is appropriate for all standard residential and commercial wall, countertop, backsplash, and most floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Field Tile Nominal Size (in) ¹	Metric (cm)	Pcs./Sq Ft ²	Thickness ³	Edge		
12x24	30x60	.5	10mm	Rectified		
24x24	60x60	.25	10mm	Rectified		

¹These values may vary from lot to lot.

²These values are based on actual sizes including the grout joint.

 $^{\scriptscriptstyle 3}$ May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

Trim	Shape	Sku	Nominal Size (in)	Metric (cm)
12x24		P43N9	3x24	7.5x60



Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Color, texture, and finish variations may occur due to the nature of the product.

floridatile & HDP: are registered trademarks in the U.S. of Florida Tile, Inc.[®] 2020

www.floridatile.com