



Stone Basel Caliza 24"x48" R

STONES



Stone Basel

Stone Basel replicates the soft touch of volcanic rock polished by water and its texture under light in a porcelain proposal for both floor and wall. This collection is ideal for those who seek perfection and take care of every detail.



Stone Basel Negro 12"x24" R

Color Body Porcelain


  24"x48" R - 12"x24" R

Stone Basel

Color Body Porcelain

STONES

Floor Tiles



24"x48" R 60x120 cm
12"x24" R 30x60 cm



Caliza



24"x48" R
FKTR054ZA1



12"x24" R
FKTR057ZA1



Grafito



24"x48" R
FKTR054101



12"x24" R
FKTR057101




Gris



24"x48" R
FKTR054021



12"x24" R
FKTR057021



Negro



24"x48" R
FKTR054161



12"x24" R
FKTR057161

Technical Specifications

| CHARACTERISTICS | STANDARD | DECLARED ASTM |
|--|-----------------|----------------------|
| Water Absorption | C373 | <=0.5% |
| Break Strength | C648 | Min. 290 |
| Scratch Hardness | MOH's Scale | 7 |
| Chemical Resistance | C650 | Unaffected |
| Frost Resistance | C1026 | Resistant |
| Group | See FAQ's | 4 |
| Deep Abrasion - Unglazed Tiles | C1243 | Pass |
| PEI - Glazed Tiles | C1027 | - |
| Minimum Bond Strength (PSI) | C482 | 165 |
| Dynamic Coefficient of Friction (DCOF) | A137.1 | <=0.50 |
| Shade and Texture Rating | CTDA "V" | V3 |
| Facial Dimensions | C499 | Pass |
| Range of Thickness | C499 | Pass |
| Warpage | C485 | Pass |
| Wedging | C502 | Pass |

Packaging Info

| Size | SF per carton | PC per carton |
|-------------|----------------------|----------------------|
| 8"X48" | 10.08 | 4 |