





## MARLOW WALL TILE



## MARLOW WALL TILE



12" MARLOW CLOUD QUARTER ROUND  
51-119 GLOSSY, 51-125 MATTE



3" x 12" MARLOW CLOUD WALL TILE  
51-097 GLOSSY, 51-103 MATTE




3" x 6" MARLOW CLOUD WALL TILE  
51-104 GLOSSY, 51-110 MATTE



12" MARLOW DESERT QUARTER ROUND  
51-122



3" x 12" MARLOW DESERT GLOSSY WALL TILE  
51-100



3" x 6" MARLOW DESERT  
GLOSSY WALL TILE 51-107



12" MARLOW EARTH QUARTER ROUND  
51-123



3" x 12" MARLOW EARTH GLOSSY WALL TILE  
51-101 GLOSSY



3" x 6" MARLOW EARTH  
GLOSSY WALL TILE 51-108

## MARLOW WALL TILE



3" x 12" MARLOW MIST GLOSSY WALL TILE

## MARLOW WALL TILE



12" MARLOW MIST QUARTER ROUND  
51-120



3" x 12" MARLOW MIST GLOSSY WALL TILE  
51-098



3" x 6" MARLOW MIST  
GLOSSY WALL TILE 51-105



12" MARLOW SMOKE QUARTER ROUND  
51-121



3" x 12" MARLOW SMOKE GLOSSY WALL TILE  
51-099



3" x 6" MARLOW SMOKE  
GLOSSY WALL TILE 51-106



12" MARLOW TIDE QUARTER ROUND  
51-124



3" x 12" MARLOW TIDE GLOSSY WALL TILE  
51-102



3" x 6" MARLOW TIDE  
GLOSSY WALL TILE 51-109

## MARLOW WALL TILE

### PACKAGING INFORMATION

DESCRIPTION	ITEM CODE						LBS/BOX	PCS/BOX	SQFT/BOX	BOXES/SKID	SQFT/SKID
	CLOUD	DESERT	EARTH	MIST	SMOKE	TIDE					
3" x 12" MARLOW GLOSSY WALL TILE	51-097	51-100	51-101	51-098	51-099	51-102	34.41	44	10.66	48	511.49
3" x 12" MARLOW MATTE WALL TILE	51-103	n/a	n/a	n/a	n/a	n/a	34.85	44	10.66	48	511.49
3" x 6" MARLOW GLOSSY WALL TILE	51-104	51-107	51-108	51-105	51-106	51-109	33.62	88	10.66	48	511.49
3" x 6" MARLOW MATTE WALL TILE	51-110	n/a	n/a	n/a	n/a	n/a	35.20	88	10.66	48	511.49
12" MARLOW GLOSSY QUARTER ROUND	51-119	51-122	51-123	51-120	51-121	51-124	3.00	72	n/a	60	4320 pcs.
12" MARLOW MATTE QUARTER ROUND	51-125	n/a	n/a	n/a	n/a	n/a	3.00	72	n/a	60	4320 pcs.

### GENERAL SPECIFICATIONS

DESCRIPTION	METHOD	UNIT	RESULTS
WATER ABSORPTION	ASTM C-373 / EN ISO 10545-3	( % )	16 - P4
ABRASION RESISTANCE	ASTM C-1243 / EN ISO 10545-7	(PEI)	N/A
SCRATCH HARDNESS		(Mohs)	N/A
BREAKING STRENGTH	ASTM C-648	(lbf)	≥ 270
STAIN RESISTANCE	ASTM C-1378		Class B
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class A – Res.
FROST RESISTANCE	ASTM C-1026		Non Resistant
STATIC COEFFICIENT OF FRICTION (WET)	ASTM C-1028	(μ)	N/A
STATIC COEFFICIENT OF FRICTION (DRY)	ASTM C-1028		N/A
DCOF (WET)	ANSI B101.3		N/A
SHADE VARIATION			V1

**While the information has been presented with all due care, ConestogaTile does not warrant the information is free from errors or omission. Actual colors may vary depending on product**