



CARROLLTON

CARROLLTON offers everyday neutrals, go-to sizes and fun shapes, making this collection a must in any home or commercial space. Use them together to create a uniform design from top to bottom, or individually to keep things simple and clean.

THE DETAILS:

- Ceramic wall tiles in 3" x 6", 2" x 8", 4" x 12" and 4" x 16" size formats
- Porcelain floor tiles in 24" x 24" or 9" x 10" hexagons
- Porcelain mosaics in 1" or 2" hexagons and 2" x 2" squares

STYLE IT:

- Combine a single color wall, floor and mosaic to create a modern and crisp bathroom vibe
- Use the large format floor in commercial areas to create a neutral base to any room
- Style the 9" x 10" hexagon in powder baths, laundry rooms and entryways



Photo features Gloss Charcoal 4" x 12"

COLOR AVAILABILITY - WALL



Gloss White
CTWL01

Matte White
CTWL03

Gloss Biscuit
CTWL02

Gloss Gray
CTWL05

Gloss Sand
CTWL06

Gloss Khaki
CTWL07

Gloss Charcoal
CTWL08

PART NUMBERS





GROUP 1 COLORS

Color Name	Size	Sku
Gloss White	2" x 8"	CTWL0128
Gloss White	3" x 6"	CTWL0136
Gloss White	4" x 12"	CTWL01412
Gloss White	4" x 16"	CTWL01416
Matte White	3" x 6"	CTWL0336
Matte White	4" x 12"	CTWL03412
Matte White	4" x 16"	CTWL03416
Gloss Biscuit	2" x 8"	CTWL0228
Gloss Biscuit	3" x 6"	CTWL0236
Gloss Biscuit	4" x 12"	CTWL02412
Gloss Biscuit	4" x 16"	CTWL02416
Gloss Gray	2" x 8"	CTWL0528
Gloss Gray	3" x 6"	CTWL0536
Gloss Gray	4" x 12"	CTWL05412
Gloss Gray	4" x 16"	CTWL05416

GROUP 2 COLORS

Color Name	Size	Sku
Gloss Sand	4" x 12"	CTWL06412
Gloss Khaki	4" x 12"	CTWL07412
Gloss Charcoal	4" x 12"	CTWL08412

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	2" x 8"*	1.94" x 7.75"	5/16"	100	11.10
	3" x 6"	2.95" x 5.88"	5/16"	132	16.50
	4" x 12"	3.98" x 11.81"	5/16"	40	13.33
	4" x 16"	3.98" x 15.75"	5/16"	25	11.11

Bullnose available on both long and short edge for 3" x 6", 4" x 12" and 4" x 16" formats only

*2" x 8" Available in Gloss White, Gloss Biscuit and Gloss Gray only

CARROLLTON

Ceramic Wall Tile

commodiTile
value+quality+design

TECHNICAL SPECIFICATIONS

WALL

 Material Type	Ceramic
 Finish	Glossy / Matte
 Edge	Pressed
 Color Variation	V1
 Printing	N/A
 Installation	Wall
 Usage	Residential / Commercial
 Grout Joint Recomm.	1/16"
 Thickness	5/16"
 Shower Pan	No
 Pool Lining*	No
 Fireplace Surround*	Yes
 Frost Resistant	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS

WALL







 Water Absorption (C373)	> 7% and < 20%
 Breaking Strength (C648)	N/A
 Surface Abrasion (MOHS)	4.0
 Chem. Resistance (C650)	Resistant
 D.C.O.F. (A137.1)	N/A
 Scratch Hardness (P.E.I)	N/A




Photo features Gloss Biscuit 3" x 6"



Photo features White 9" x 10" Hexagon

COLOR AVAILABILITY - FLOOR




White
CTFL01910HEX1P




Biscuit
CTFL02910HEX1P




Gray
CTFL05910HEX1P



Sand
CTFL06910HEX1P



Khaki
CTFL07910HEX1P




Charcoal
CTFL08910HEX1P




White
CTFL0124241P



Biscuit
CTFL0224241P




Gray
CTFL0524241P



Sand
CTFL0624241P


















Khaki
CTFL0724241P



Charcoal
CTFL0824241P

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	9" x 10"	9.13" x 10.51"	5/16"	16	8.06
	24" x 24"	23.62" x 23.62"	3/8"	4	15.49

TECHNICAL SPECIFICATIONS	9" x 10" HEXAGON	24" x 24"
 Material Type	Porcelain	Porcelain
 Finish	Matte	Matte
 Edge	Pressed	Rectified
 Color Variation	V1	V1
 Printing	Digital	Digital
 Installation	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/8"	1/8"
 Thickness	5/16"	3/8"
 Shower Pan	Yes	No
 Pool Lining*	Yes	No
 Fireplace Surround*	Yes	Yes
 Frost Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.







TEST RESULTS	9" x 10" HEXAGON	24" x 24"
 Water Absorption (C373)	< 5%	< 5%
 Breaking Strength (C648)	≥ 250 lbs	≥ 250 lbs
 Surface Abrasion (MOHS)	6.0	6.0
 Chem. Resistance (C650)	Resistant	Resistant
 D.C.O.F. (A137.1)	> 0.42	> 0.42
 Scratch Hardness (P.E.I)	3	3



Photo features Grey 24" x 24"

COLOR AVAILABILITY - MOSAICS


1" Hexagon Glossy




White
CTMS011HEXG




Biscuit
CTMS021HEXG




Gray
CTMS051HEXG



Sand
CTMS061HEXG



Khaki
CTMS071HEXG



Charcoal
CTMS081HEXG

2" Hexagon Matte




White
CTMS012HEXM




Biscuit
CTMS022HEXM



Gray
CTMS052HEXM



Sand
CTMS062HEXM




Khaki
CTMS072HEXM




Charcoal
CTMS082HEXM


2" x 2" Matte



White
CTMS0122M


















Biscuit
CTMS0222M



Gray
CTMS0522M

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	10.04" x 11.54"	1/4"	11	8.84
	N/A	10.91" x 12.68"	1/4"	11	10.56
	N/A	11.93" x 11.93"	1/4"	11	10.87

TECHNICAL SPECIFICATIONS	1" HEXAGON	2" HEXAGON	2" x 2"
 Material Type	Porcelain	Porcelain	Porcelain
 Finish	Glossy	Matte	Matte
 Edge	Pressed	Pressed	Pressed
 Color Variation	V1	V1	V1
 Printing	N/A	N/A	N/A
 Installation	Wall	Floor / Wall	Floor / Wall
 Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
 Grout Joint Recomm.	1/16"	1/16"	1/16"
 Thickness	1/4"	1/4"	1/4"
 Shower Pan	No	Yes	Yes
 Pool Lining*	Yes	Yes	Yes
 Fireplace Surround*	Yes	Yes	Yes
 Frost Resistant	Resistant	Resistant	Resistant

*Proper installation methods must be followed per project. Please reference TCNA for more information.







TEST RESULTS	1" HEXAGON	2" HEXAGON	2" x 2"
 Water Absorption (C373)	< 0.5%	< 0.5%	< 0.5%
 Breaking Strength (C648)	N/A	N/A	N/A
 Surface Abrasion (MOHS)	6.0	6.0	6.0
 Chem. Resistance (C650)	Resistant	Resistant	Resistant
 D.C.O.F. (A137.1)	N/A	≥ 0.42	≥ 0.42
 Scratch Hardness (P.E.I)	3	3	3



Photo features Khaki 2" Hexagon