


lungarno  
CERAMICS



# NORTHERN LIGHTS



**NORTHERN LIGHTS** plays tribute to classic mosaic size formats and takes them to the next level. Offered in two patterns and five colorways, this pressed glass series provides the durability of porcelain tile combined with rich color tones only glass tiles can achieve.

**THE DETAILS:**

- Raindrop mosaic with glossy and matte finishes
- Hex Wheel in color blocked hexagon-border combos

**STYLE IT:**

- Pool linings or water feature accent walls
- Kids bathrooms that will stand the test of time and style





Photo features Cosmos Raindrop

# NORTHERN LIGHTS


Pressed Glass Mosaic




## COLOR AVAILABILITY - RAINDROP\*




Asteroid  
NLASTRAIN




Cosmos  
NLCOSRAIN



Galaxy  
NLGLXRAIN



Moon  
NLMONRAIN



Neptune  
NLNEPRAIN

## COLOR AVAILABILITY - HEX WHEEL\*\*



Asteroid  
NLASTWHEEL



Cosmos  
NLCOSWHEEL



Galaxy  
NLGLXWHEEL





Moon  
NLMONWHEEL



Neptune  
NLNEPWHEEL

## SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	11.61" x 11.10"	1/4"	11	9.85
	N/A	10.24" x 8.90"	1/4"	11	6.95

\*Raindrop Mosaic offered in 70% matte, 30% glossy combination

\*\*Hex Wheel Mosaic offered in matte only

# NORTHERN LIGHTS

Pressed Glass Mosaic



TECHNICAL SPECIFICATIONS	RAINDROP	HEX WHEEL
<b>Material Type</b>	Pressed Glass	Pressed Glass
<b>Finish</b>	Glossy / Matte	Matte
<b>Edge</b>	Pressed	Pressed
<b>Color Variation</b>	V1	V1
<b>Printing</b>	Digital	Digital
<b>Installation</b>	Wall / Floor	Wall / Floor
<b>Usage</b>	Residential / Commercial**	Residential / Commercial
<b>Grout Joint Recomm.</b>	1/16"	1/16"
<b>Thickness</b>	1/4"	1/4"
<b>Shower Pan</b>	Yes	Yes
<b>Pool Lining*</b>	Yes	Yes
<b>Fireplace Surround*</b>	Yes	Yes
<b>Frost Resistant</b>	Yes	Yes

\* Proper installation methods must be followed per project. Please reference TCNA for more information.

\*\*Raindrop Mosaic suitable for residential floor installations only.

TEST RESULTS	RAINDROP	HEX WHEEL
<b>Water Absorption (C373)</b>	< 0.5%	< 0.5%
<b>Breaking Strength (C648)</b>	N/A	N/A
<b>Surface Abrasion (MOHS)</b>	5	5
<b>Chem. Resistance (C650)</b>	Resistant	Resistant
<b>D.C.O.F. (A137.1)</b>	N/A	≥ 0.42
<b>Scratch Hardness (P.E.I)</b>	N/A	N/A

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tile. Always inspect product prior to installation.