

**commodiTile**  
value+quality+design



**ELEMENTS**

**ELEMENTS** delivers a strong and durable surface for any high traffic area, in a range of light to dark color options. Keep things simple, traditional and clean with either the hexagon or the pennyround mosaic.

**THE DETAILS:**

- Full-body mosaics in 2" Hexagon or Pennyround shape, offered in four neutral colors

**STYLE IT:**

- Gym shower or sauna floors
- Restaurant entryways and corridors



Photo features Lead Hexagon




# ELEMENTS

Full-Body Porcelain Mosaics

**commodiTile**  
value+quality+design


## COLOR AVAILABILITY - HEXAGON



Carbon  
ELCAR2HEX



Lead  
ELLEA2HEX




Oxygen  
ELOXY2HEX




Platinum  
ELPLA2HEX


## COLOR AVAILABILITY - PENNYROUND




Carbon  
ELCARPENNY



Lead  
ELLEAPENNY





Oxygen  
ELOXPENNY



Platinum  
ELPLAPENNY

## SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	N/A	12.68" x 10.98"	1/4"	11	10.64
	N/A	12.32" x 11.38"	1/4"	10	9.73

# ELEMENTS

Full-Body Porcelain Mosaics

**commodiTile**  
value+quality+design

## TECHNICAL SPECIFICATIONS







## MOSAIC

 <b>Material Type</b>	Full-Body Porcelain
 <b>Finish</b>	Matte
 <b>Edge</b>	Pressed
 <b>Color Variation</b>	V1
 <b>Printing</b>	N/A
 <b>Installation</b>	Wall / Floor
 <b>Usage</b>	Residential / Commercial
 <b>Grout Joint Recomm.</b>	1/16"
 <b>Thickness</b>	1/4"
 <b>Shower Pan</b>	Yes
 <b>Pool Lining*</b>	No
 <b>Fireplace Surround*</b>	Yes
 <b>Frost Resistant</b>	Yes

\*Proper installation methods must be followed per project. Please reference TCNA for more information.

## TEST RESULTS

## MOSAIC

 <b>Water Absorption (C373)</b>	< 0.5%
 <b>Breaking Strength (C648)</b>	N/A
 <b>Surface Abrasion (MOHS)</b>	7
 <b>Chem. Resistance (C650)</b>	Resistant
 <b>D.C.O.F. (A137.1)</b>	> 0.42
 <b>Scratch Hardness (P.E.I)</b>	3