

lungarno
CERAMICS

MASSA MARBLE

MASSA MARBLE provides a marble-look tile, reinvented. The two traditionally-sized wall tiles give an organic, natural feel, while the floor formats add rich details that draw the eye closer.

THE DETAILS:

- 3" x 6" and 6" x 6" natural edge wall tiles
- 9" x 10" hexagon and 32" x 32" large format porcelain floor tiles with glossy ink effect

STYLE IT:

- Transitional or farmhouse kitchen backsplashes
- Large, open living spaces and bathrooms
- Mud room floors and entryways




Photo features Carrara 3" x 6"



Photo features Carrara 6" x 6"

MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile



COLOR AVAILABILITY - WALL



Carrara 3" x 6"
MASCARWALL36



Calacatta Oro 3" x 6"
MASOROWALL36



Carrara 3" x 6"
MASCARWALL66



Calacatta Oro 6" x 6"
MASOROWALL66


COLOR AVAILABILITY - FLOOR



Carrara 9" x 10" Hexagon
MASCARHEX



Calacatta Oro 9" x 10" Hexagon
MASOROHEX



Carrara 32" x 32"
MASCAR3232



Calacatta Oro 32" x 32"
MASORO3232

SIZE AVAILABILITY

	NOMINAL SIZE	ACTUAL SIZE	THICKNESS	PC/CARTON	SQ.FT/CARTON
	3" x 6"	2.88" x 5.88"	3/8"	88	10.30
	6" x 6"	5.88" x 5.88"	3/8"	44	10.56
	3" x 6" Bullnose (6" side)	2.88" x 5.88"	3/8"	88	10.30
	9" x 10"	9.13" x 10.50"	5/16"	16	8.06
	32" x 32"	31.50" x 31.50"	3/8"	2	13.77

MASSA MARBLE

Ceramic Wall and Porcelain Floor Tile



TECHNICAL SPECIFICATIONS	WALL	HEXAGON	32" x 32"
Material Type	Ceramic	Porcelain	Porcelain
Finish	Matte	Matte	Matte
Edge	Pressed	Pressed	Pressed
Color Variation	V3	V3	V3
Printing	Digital	Digital	Digital
Installation	Wall	Wall / Floor	Wall / Floor
Usage	Residential / Commercial	Residential / Commercial	Residential / Commercial
Grout Joint Recomm.	1/8"	1/8"	1/8"
Thickness	3/8"	5/16"	3/8"
Shower Pan	No	Yes	No
Pool Lining*	No	Yes	No
Fireplace Surround*	Yes	Yes	Yes
Frost Resistant	No	Yes	Yes

*Proper installation methods must be followed per project. Please reference TCNA for more information.

TEST RESULTS	WALL	HEXAGON	32" x 32"
Water Absorption (C373)	> 7%	≤ 0.5 %	≤ 0.5 %
Breaking Strength (C648)	N/A	≥ 250 LBS	≥ 250 LBS
Surface Abrasion (MOHS)	N/A	7.0	7.0
Chem. Resistance (C650)	Resistant	Resistant	Resistant
D.C.O.F. (A137.1)	N/A	≥ 0.42	≥ 0.42
Scratch Hardness (P.E.I)	N/A	4	4



Photo features Calacatta Oro 32" x 32"